

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-0603-10008

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo Tribal

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Hogback

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

6, T29N, R16W,

12. COUNTY OR PARISH

San Juan

13. STATE

N.Mex.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Weldon C. Julander

3. ADDRESS OF OPERATOR

Box 44, Farmington, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

330' fel, 2310' fel

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4999 Gr.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒ AbandonCHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well was cable tool to a depth of 31' with a 9" hole, set 31' of 7" at 31' with 5 sx. Mud drilled a 6 1/4" hole to 270' and ran 4" pipe with 5 sx out. Air drilled with 3 7/8" hole to 463' where 10 gal lien water per hour was encountered. Mud drilled with same size bit from 463' to a total depth of 735'. The Dakota was encountered at a depth of 724' with a small rainbow of oil was found and where 35 barrels of sulfur water pd was encountered (35 bwpd). Test was plugged and abandoned on March 19, 1967.

Spud: March 10, 1967 (10am) - surface hole

Drilled out from under surface pipe on March 14, 1967

Reached TD on March 17, 1967; Electric Logged on March 17, 1967.

D & A: March 19, 1967.

Hole will be plugged and abandoned: Cement plug will be set from a depth of 500' to 735' (TD) to cover the Dakota, and from surface to 300' to cover the Gallup and Sanostee.

18. I hereby certify that the foregoing is true and correct

SIGNED

Weldon C. Julander

TITLE

Operator

DATE 3-20-67

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

RECEIVED

APR 3 1967

*See Instructions on Reverse Side

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.