PERMIT NO. \_

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

## 5 USGS 1 Malugh 1 File

## SUBMIT IN TRIPLICATE\*

25.

(Other instructions on reverse side) **UNITED STATES** DEPARTMENT OF THE INTERIOR

Form approved. Budget Bureau No. 42-R1425.
Dauget Bareau 110, 42-R1420.
30-045 20 70 1
5. LEASE DESIGNATION AND SERIAL NO.

DATE \_\_

DRILL XX DEEPEN PLUG BACK 7. UNIT ACREGATIVE MANUE SAME OF CREATER MANUE SAME WHILL STAME OF CREATER MANUE SAME SAME OF CREATER MANUE SAME OF CREATER MANUE SAME OF CREATER MANUE SAME SAME OF CREATER MANUE SAME OF CREATER MANUE SAME SAME OF CREATER MANUE SAME	APPLICATION					SF 078110	
DRILL XX DEEPEN PLUG BACK 7. DATE AGREGARY NAME    THE OF WELL   THE OF		I FOR PERMIT 1	O DRILL, DEE	PEN, OR PLUG	BACK	6. IF INDIAN, ALLOTTE	E OR TRIBE NAM
STATE OF OFFICE OF WILL OTHER STATE OF OFFICE OF STATE OF	. TYPE OF WORK	II YY	DEEDEN	DI LIG RA	CK 🖂	7. UNIT AGREEMENT N	AME
NAME OF OPERATORS  Jerosse P. McHugh  ADDRESS OF OPERATOR  MON 234 Farmington, M. M. 87401  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)  At proposed prod. 2008  1850 fsl, 1850 fel  LISCONNY ON PREAD NO. 2. 1. 259M. Sec. 1. 279M. Related to ADDRESS OF STATE OF THE PROPERTY OF LARGE LINE FROM		LL DA	DELI LIN	I EOO BA			
Jerose P. McHugh  Acordor or Offention  Box 224, Fermington, S. M. 87401  Location or Offenti (Report location clearly and in accordance with any State requirements.*)  Ac proposed prod. zone 1850 * fsl, 1850 * fel  Sec. 1, 1739, R144  As proposed prod. zone 1850 * fsl, 1850 * fel  Sec. 1, 1739, R144  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Production room Planker 10WH or Post Office*  2 tiles and Front Planker 10WH or Post Office*  2 tiles and Front Planker 10WH or Post Office*  2 tiles and Front Planker 10WH or Post Office*  2 tiles and Front Planker 10WH or Post Office*  2 tiles and Front Planker 10WH or Post Office*  2 tiles and Front Planker 10WH or Post Office*  2 tiles and Front Planker 10WH or Post Office*  3 tiles and Front Planker 10WH or Post Office*  4 tiles of Casher Post Office Investigation Planker 10WH or Post Office Investigation Pla		NI TT OTHER			IPLE	S. FARM OR LEASE NAI	ME .
Decrease P. McHagh  ADMASS OF CREATOR  80. 234. Farmington, A. M. 87401  10. Field and Pool, or Wildert  11. McArison of Well. (Report location clearly and in accordance with any State requirements.)  At proposed prod. zone 1850' fsl, 1850' fel  11. McArison of Well. (Report location clearly and in accordance with any State requirements.)  At proposed prod. zone 1850' fsl, 1850' fel  12. COUNTY ON PROBLEM  13. NO. OF ACRES IN LEASE  14. NO. OF ACRES IN LEASE  15. NO. OF ACRES IN LEASE  16. NO. OF ACRES IN LEASE  17. NO. OF ACRES IN LEASE  18. NO. OF ACRES IN LEASE  18. NO. OF ACRES IN LEASE  19. PROPOSED DEFTH  20. NOTAKY OF CARLET YOUR.  21. NO. OF ACRES IN LEASE  22. APPROX. DATE WORK WILL STAN  24. OF THE WELL.  25. OF ACRES IN LEASE  25. OF ACRES IN LEASE  26. OF ACRES IN LEASE  27. NO. OF ACRES IN LEASE  28. OF ACRES IN LEASE  29. NOTAKY OF CARLET YOUR.  20. NOTAKY OF CARLET WORK.  21. AND STAN OF CARLET WORK.  21. AND STAN OF CARLET WORK.  24. APPROX. DATE WORK WILL STAN  25. OF ACRES IN LEASE  26. OF ACRES IN LEASE  27. PROPOSED CASING AND CEMENTING PROGRAM  28. AND STAN OF CASING  29. APPROX. DATE WORK WILL STAN  21. AND STAN OF CASING  20. APPROX. DATE WORK WILL STAN  21. AND STAN OF CASING WEIGHT PROPOSED  25. APPROX. DATE WORK WILL STAN  26. OF STAN OF CASING  26. OF STAN OF CASING AND CEMENTING PROGRAM  27. APPROX. DATE WORK WILL STAN  28. AND STAN OF CASING AND CEMENTING PROGRAM  29. APPROX. DATE WORK WILL STAN  20. APPROX. DATE WORK WILL STAN  21. AND STAN OF CASING AND CEMENTING PROGRAM  29. APPROX. DATE WORK WILL STAN  20. APPROX. DATE WORK WILL STAN  21. AND STAN OF CASING AND CEMENTING PROGRAM  29. APPROX. DATE WORK WILL STAN  20. APPROX. DATE WORK WILL STAN  21. AND STAN OF CASING AND CEMENTING PROGRAM  21. AND STAN OF CASING AND CEMENT OF CASIN		DIN GARAGE	The second secon			Sun	
10. PRILID AND POOL OR WILDCAT   11. REC., T., R. M., OR RIK.   12. COUNTY OR PAREA!   13. SELVEY.   2. LITES AND DIRECTION PRON NEAREST TOWN OR POST OFFICE.	Jamana D. Meir	tuch			į-		
LICATION OF WALL. (Report location clearly and in accordance with any State requirements.)  At proposed prod. zone  1850' fsl, 1850' fel  DISTANCE IN MILES AND DIRECTION FROM PEAREST TOWN OR POST OFFICE'  2 uiles Nif Farmington, N. H.  DISTANCE FON PROPOSED' 100 PROTE TO LEASE LINE, FT. 100 NO. OF ACRES IN LEASE 100 NO. OF ACRES ASSIGNED 100 PROPOSED CATION: 100 PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF MOLE  SIZE OF MOLE  SIZE OF MOLE  SIZE OF CASING  WEIGHT PER FOOT  SETTING DEPTH  2 00 15 EXA  1300'  DF111 well with Baud using slim hole technique to test Pictured Cliffs  formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and  COMPLETE PROPOSED PROPOSED PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive. If proposed is to drill or deepen directionally, give pertinent data on subsurface locations and meanwick and true, vertical depths. Give blow worker program. If any.	ADDRESS OF OPERATOR	· · · · · · · · · · · · · · · · · · ·				1	
Ar proposed prod. 205e 1850' fs1, 1850' fe1  DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE'  2 utles Nul Farmington, N. H.  DISTANCE FROM PROPOSED' LOCATION TO NEAREST TOWN OR POST OFFICE'  2 utles Nul Farmington, N. H.  DISTANCE FROM PROPOSED' LOCATION TO NEAREST TOWN OR POST OFFICE' LOCATION TO NEAREST TOWN OR POST OFFICE' LOCATION TO NEAREST TOWN OR THIS WELL TO THIS WELL TO THIS WELL TOWN PROPOSED LOCATION' TO YMAREST HULL, BRILLING, COMPLETED, OR AFFLEE FOR, ON THIS MEAS, FT.  LIST ANCE FROM PROPOSED LOCATION' TO YMAREST HULL, BRILLING, COMPLETED, OR AFFLEE FOR, ON THIS MEAS, FT.  PROPOSED CASING AND CEMENTING PROGRAM  SULE OF ROLE  SULE OF ROLE  SIZE OF CASING TOWN OF THE SULE OF CASING TOWN OF THE SULE OF CASING TOWN OF THE PROPOSED LOCATION OF THE SULE OF THE S	Nov 234 Farm	ington & M.	87401		[-	O. FIELD AND POOL, O	R WILDCAT
At proposed prod. zone 1850' fs1, 1850' fe1  DISTANCE IN MILES AND DIRECTION FROM NARREST TOWN OR FORT OFFICE'  2 alles Nij Farmington, N. H.  DISTANCE FROM PROPOSED' LOCATION TO MARKET TOWN OR FORT OFFICE'  2 talles Nij Farmington, N. H.  DISTANCE FROM PROPOSED' LOCATION TO MARKET TOWN OR FORT OFFICE'  16. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED TO THIS WELL  16. NO. OF ACRES ASSIGNED TO THIS WELL  17. NO. OF ACRES ASSIGNED TO THIS WELL  18. STATE TO THIS WELL  18. STATE TO THIS WELL  18. STATE TO THIS WELL  19. PROPOSED DEFTH 20. ROTARY OR CABLE TOOLS  ROTARY  22. APPROX. DATE WORK WILL STAN  12/1/70  SIZE OF NOLE  31/8"  5 1/2"  144  60' 15 \$x_\  17/8" 5 1/2" 144  60' 15 \$x_\  1300' 75 \$x'.  DITTIL Well with Based using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and  COMPLETE WELL  ANOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sene and proposed new productive proposed is to defill or deepen directionally, give pertinent data on subsurface locations and measured haif true, vertical depths. Give blow renter program, if app.	LOCATION OF WELL (Re	eport location clearly and	in accordance with an	y State requirements.*)		Under Conate	1
DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE.  2 LYIES MH FERMINGSON, N. H.  DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE.  2 LYIES MH FERMINGSON, N. H.  DISTANCE FROM REDDESSO.  DISTANCE FROM REDDESSO.  DISTANCE FROM REDDESSO.  DISTANCE FROM REDDESSO.  LISTANCE FROM REDDESSO.  DISTANCE FROM REDDESSO.  LISTANCE FROM REDDESSO.  DISTANCE FROM REDDESSO.  LISTANCE FROM REDDESSO.  DISTANCE FROM REDDESSO.  LISTANCE FROM REDESSO.  LISTANCE FROM RED	At surface					1. SEC., T., R., M., OR I	BLK.
DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*  2 Liles Nil Farmington, N. H.  DISTANCE FROM PROPOSED*  16. No. of ACRES IN LEASE  17. No. OF ACRES ASSIGNED  TO VARISHT WELL, BRILLING, COMPLETE,  OR AFFELD FOR, ON THIS LEASE, TO AFFELD ASSIGNED  TO VARISH WELL, BRILLING, COMPLETE,  OR AFFELD FOR, ON THIS LEASE, TO  PROPOSED CASING AND CEMENTING PROGRAM  BIJE OF HOLE  SIZE OF CASING  PROPOSED CASING AND CEMENTING PROGRAM  BIJE OF HOLE  SIZE OF CASING  PROPOSED CASING AND CEMENTING PROGRAM  BIJE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT  SETTING DEFTH  QUANTITY OF CEMENT  7.7/8"  5 1/2"  14f  60°  15 SK,  75 SK.  DITIL WELL  BIJE OF CASING  BIJE OF CASING  WEIGHT PER FOOT  SETING DEFTH  QUANTITY OF CEMENT  TO VARIE LEAVE ASSING AND CEMENTING PROGRAM  BIJE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT  SETING DEFTH  QUANTITY OF CEMENT  1300°  TO STANCE PROVIDE ASSING AND CEMENTING PROGRAM  BIJE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT  SETING DEFTH  QUANTITY OF CEMENT  1300°  TO STANCE PROVIDE ASSING AND CEMENTING PROGRAM  BIJE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT  SETING DEFTH  QUANTITY OF CEMENT  1300°  15 SK,  75 SK.  BIJE OF CASING AND CEMENTING PROGRAM  BIJE OF CASING AND CEMENT PROGRAM  BIJE OF CASING	At proposed prod. zone	e 1850' fs].	18501 fel			AND SORIES OR AR	· · · · ·
2 Liles NH Farmington, N. H.  DISTANCE PROMPROPOSED* LOCATION TO MEARIST TOP NO PAGES TOWN OF POST OFFICE*  2 Liles NH Farmington, N. H.  DISTANCE PROMPROPOSED LOCATION* LOCATION TO MEARIST TOP THIS WELL LOCATION TOP THE TOP THE TOP THE TOP THE TOP THE T		2000 1019			į	Sec. 1. T29	1. R14#
DISTANCE FROM PROPOSED  IRROPERTY OR LEASE LINE, FT.  (Also to neared drig, until line, if any)  1850  2550  19. PROPOSED DEFTH  20. ROTARY OR CABLE TOOLS  TO VARIANT WHILL INTELLIAN, COMPLETED,  OF APPLIANCE OF THE WALL.  1300  19. PROPOSED DEFTH  20. ROTARY OR CABLE TOOLS  ROTARY  ROTARY  EXEMPTION (Show whether DF, RT, GR, etc.)  5475  FROPOSED CASING AND CEMENTING PROGRAM  SIZE OF CASING  SIZE OF HOLE  SIZE OF CASING  WEIGHT PER POOT  SETTING DEPTH  27/8"  51/2"  144  600  15 SX.  75 SX.   Drill well with Bud using slim hole technique to test Pictured Cliffs  formation. If productive, set 2 7/8" tubing for casing through Pictured  Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and  COMPLETE WALL.  AMOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive one and proposed new produce.  If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true-vertical depths. Give blow eventer program, if any.	. DISTANCE IN MILES A	AND DIRECTION FROM NEAR	REST TOWN OR POST OF	FICE*	1	2. COUNTY OR PARISH	13. STATE
DOTTION TO NABABET PROPERTY OF LEASE LINE. (1 any) 1850' 2550 160 - 160	2 miles Nu	Farmington, N.	н.			San Juan	N. M.
AROVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive rone and proposed new produce.  AROVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive rone and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measuréd and true, vertical deepts. Give blow center program, if any.			16.	NO. OF ACRES IN LEASE			·•
OF APPLIED FOR, ON THIS LEASE, PT.  2650'  1300' approx.  Rotary  22. APPROX. DATE WORK WILL STAB  5475' Gr.  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF CASING  SIZE OF CASING  SIZE OF CASING  SIZE OF CASING  WEIGHT PER FOOT  SETTING DEPTH  QUANTITY OF CEMENT  7.7/8"  5.1/2"  144  3.00'  SETTING DEPTH  QUANTITY OF CEMENT  7.7/8"  5.1/2"  144  3.00'  Drill well with saud using slim hole technique to test Pictured Cliffs  formation. If productive, set 2.7/0" tubing for casing through Pictured  Cliffs - selectively perforate and fracture, cleanout - run 1.1/4" tubing and  COMPLETE WEIL  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true, vertical depths. Give blow eventer program, if any.	PROPERTY OR LEASE LI	INE, FT.	1850*	2550			
ELEVATIONS (Show whether DF, RT, GR, etc.)  ELEVATIONS (Show whether DF, RT, GR, etc.)  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT  7 7/8" 5 1/2" 144 60° 15 8xh 4 3/4" 2 7/8" 6.5# 1300° 75 8x².  Urill well with Band using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/0" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true-vertical depths. Give blow eventer program, if any.	. DISTANCE FROM PROPO	OSED LOCATION*			20. ROTARY	OR CABLE TOOLS	
PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT  7 7/8" 5 1/2" 144 60° 15 sx. 4 3/4" 2 7/8" 6.5# 1300° 75 sx.  Drill well with Baud using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true-vertical depths. Give blow eventer program, if any.			2650*	1300' approx.	Roti	ry	
PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE  SIZE OF CASING  VEHICLE PROFOSED  144  60° 15 SX; 4 3/4" 2 7/8" 6,5# 1300'  Drill well with Bud using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive gone and proposed new product. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.	ELEVATIONS (Show whe	ether DF, RT, GR, etc.)				22. APPROX. DATE WO	RK WILL STAR
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING PEPTH QUANTITY OF CEMENT  7 7/8" 5 1/2" 144 60° 15 \$x\$ 4 3/4" 2 7/8" 6,59 1300° 75 \$x\$  Urill well with saud using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  AMOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow venter program, if any.	54	175' Gr.				12/1/70	
Orill well with Band using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  Anove space describe proposed program: If proposal is to deepen or plug back, give data on present productive some and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.		P	PROPOSED CASING A	ND CEMENTING PROGR	RAM		
Drill well with and using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive run in the proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true-vertical depths. Give blow eventer program, if any.	SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	1	QUANTITY OF CEMEN	īT
Orill well with mand using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  Anove space describe proposed program: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true-vertical depths. Give blow eventer program, if any.	7 7/8"	5 1/2"	14#	60'	15 :	X	
Drill well with mode using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  Above space describe proposed program: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.			6.5#	1300'	75 9	X.	
Drill well with mud using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  Above space describe proposed program: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.						sec. 12 9 9	1970
Drill well with mand using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  Above space describe proposed program: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.		1		1	1	1413.5 × .	×.* ·
Drill well with mand using slim hole technique to test Pictured Cliffs formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  Above space describe proposed program: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.			'			•	
formation. If productive, set 2 7/8" tubing for casing through Pictured Cliffs - selectively perforate and fracture, cleanout - run 1 1/4" tubing and complete well.  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.		l	'		·		. ,
Chapter well.  Above space describe proposed program: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.		l	'				
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.	Drill well wi	ith awd using s	lim hole techr	nique to test Pi	ctured C	ejeven Alf	es de la companya de
ne. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.	formation. I Cliffs - sele	If productive, sectively perform	set 2 7/8" tut	ing for casing	through I	ere	**
ne. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.	formation. I Cliffs - sele	If productive, sectively perform	set 2 7/8" tut	ing for casing	through I	ere	**, ***
ne. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow eventer program, if any.	formation. I Cliffs - sele	If productive, sectively perform	set 2 7/8" tut	ing for casing	through I	ere	**, ***
	formation. I	If productive, sectively perform	set 2 7/8" tut	ing for casing	through I	ere	*1
Character Character Engineer 11/25/70	formation. I Cliffs - sele complete well  ABOVE SPACE DESCRIBE ne. If proposal is to describe	of productive, sectively performance of the productive of the performance of the performa	set 2 7/0" tub ate and fracti	or plug back, give data on	through I run 1 1/4	iffs Ictured I tubing and	d new produc
	formation. I Cliffs - sele Complete well  ABOVE SPACE DESCRIBE ne. If proposal is to	of productive, sectively performance of the productive of the performance of the performa	set 2 7/0" tub ate and fracti	or plug back, give data on	through I run 1 1/4	iffs Ictured I tubing and	d new product

TITLE \_

## Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

U.S. GOVERNMENT PRINTING OFFICE: 1963---O-711-396

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section.

Operator		Mi marmines	Lease			Well No.	
	Section	Township	Range County		County		
Unit Letter	1	29X	14		San Jüan		
Actual Footage Lo		C much be	■ 北全		Ear+	U	
1850 Ground Level Elev			ine and Pool	N fee	t from the <b>East</b>	line  Dedicated Acreage;	
5475°	I	ured Cliffs	Unc	ies i gnated		160 Acres	
1. Outline	the acreage dedic	ated to the sub	ject well by co	lored pencil o	or hachure marks on	the plat below.	
	than one lease is and royalty).	s dedicated to	the well, outline	e each and ide	entify the ownership	thereof (both as to working	
	communitization,	unitization, force	e-pooling. etc?			of all owners been consoli-	
[] Yes	No If	answer is "yes;	type of consol	idation			
If answe	r is "no;" list the	owners and tra	ct descriptions	which have a	ctually been consol	idated. (Use reverse side of	
this form	if necessary.)				<del></del>		
No allow	able will be assig	ned to the well i e) or until a non-	ıntıi all interesi standard unit. e	s have been liminating su	consolidated (by co ch interests, has be	ommunitization, unitization, en approved by the Commis-	
sion.	Joining, or otherwise	o, or unon a non-				11 /	
				i	1	CERTIFICATION	
	į			1			
	•			Ì		by certify that the information con-	
	1			1	1 1	herein is true and complete to the find	
	1			Ì	- Cation	al anglowed by the see Dagar	
	1			1	Name		
				- <sub>1</sub>	Position	nomas A. Dygan	
	Ì					Engineer	
	ļ		- - - - - -		Company	Jerone P. McHugh	
	 			1	Date		
	1 \$	ection 1				11/25/70	
				The second secon			
[	I †			1	l here	by certify that the well location	
	1			1	<b>[]</b>	on this plat was plotted from field	
	1 		<i>9</i> 18	5b'	!!	of actual surveys made by me or my supervision, and that the same	
	l	;	,	1	11 1	e and correct to the best of my	
	 			<u> </u>	knowle	edge and belief.	
	·+		$\frac{1}{l}$	! 			
	İ		!	1	Date Sur	11/12/70	
	 		1850'	1	Register	red Professional Engineer	
	 	7.1	1 1	1	and/or L	and Surveyor	
	. ! }			Mary and a state of the state o	IN & LOUISIAN THE REAL PROPERTY AND ADDRESS OF THE PERSON	E. V. Echohawk	
				1000	Certific	ate No. <b>3602</b>	