

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well

GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

990' FNL, 800' FEL, Sec. 18, T-29-N, R-10-W, NMPM

5. Lease Number

SF-078716A

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number

Hubbell #8

9. API Well No.

30-045-20842

10. Field and Pool

Aztec Pictured Cliffs

11. County and State

San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent☐ Abandonment☐ Change of Plans☐ Subsequent Report☐ Recompletion☐ New Construction☐ Final Abandonment☐ Plugging Back☐ Non-Routine Fracturing☐ Casing Repair☐ Water Shut off☐ Altering Casing☐ Conversion to Injection☒ Other - Restimulate

13. Describe Proposed or Completed Operations

It is intended to restimulate the Pictured Cliffs formation of the subject well in the following manner:

Clean out to plug back total depth at 2058'. Acidize and foam fracture treat the Pictured Cliffs formation. Clean out and return well to production.

RECEIVED
OCT 14 1997
BUREAU OF LAND MANAGEMENT
SANDOZ

14. I hereby certify that the foregoing is true and correct.

Signed Nancy Altmann for (MDWPC) Title Regulatory Administrator Date 10/7/97

(This space for Federal or State Office use)

APPROVED BY /s/ Donna W. Spencer

Title _____

Date OCT 14 1997

CONDITION OF APPROVAL, if any:

NMOCDD

Hubbell # 8
Pertinent Data Sheet

API #: 300452084200

Location: 990 ' FNL & 800 ' FEL, Unit A, Section 18, T29N, R10W, San Juan County, New Mexico

Latitude: 36° - 43.83' **Longitude:** 107° - 55.14'

Field: Aztec PC

Elevation: 5625 ' GL
5635 ' KB

TD: 2068 '
PBTD: 2058 '
DP #: 44203A
Lease: NM 204-01 (Fed)
GWI: 100 %
NRI: 84 %
Prop#: 0-1256800

Spud Date: 3/22/72

Compl Date: 6/16/72

Initial Potential: 626 Mcfd

Original SIP: 399 psi

Casing Record:

<u>Hole Size (In.)</u>	<u>Csg Size (In.)</u>	<u>Wt. (#'s) & Grade</u>	<u>Depth Set (Ft.)</u>	<u>Cement (Sx.)</u>	<u>Cement (Top)</u>
12 1/4	8 5/8	24 J-55	141	90	circ to surf
6 3/4	2 7/8	6.4 J-55	2,068	185	620' (TS)

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>	<u>Comments</u>
1 1/4"	2.33 IJ, JCW-55	1,995'	60	Perf jt on btm

Formation Tops:

Ojo Alamo: 781 '
Kirtland Shale: 838 '
Fruitland: 1,680 '
Pictured Cliffs: 1,943 '

Logging Record: IEL, GR, TS

Original Stimulation: Perf'd 1976-84' w/ 32 SPZ, SWF w/ 10,000 gal wtr and 20,000# 10/20 sand

Workover History: 1/27/83: Cathodic protection installed

Production History: 7/97 PC capacity: 46 MCF/D. 7/97 PC cum: 456 MMCF.

Pipeline: EPNG

File: SLIMPRT.DOC

Hubbell # 8

Section 18 A, T-29 -N R-10 -W
San Juan, New Mexico

Aztec Pictured Cliffs Field Wellbore Schematic

