

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-5703

4. Location of Well, Footage, Sec., T, R, M

1505' FSL 1850' FWL, Sec. 34, T-29-N, R-11-W, NMPM

5. Lease Number

SF-047019-A

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Summit #7

9. API Well No.
30-045-21530

10. Field and Pool
Fulcher Kutz P.C.

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent	☐ Abandonment	☐ Change of Plans
☐ Subsequent Report	☐ Recompletion	☐ New Construction
☐ Final Abandonment	☐ Plugging Back	☐ Non-Routine Fracturing
	☐ Casing Repair	☐ Water Shut off
	☐ Altering Casing	☐ Conversion to Injection
	☒ Other - Restimulate	

13. Describe Proposed or Completed Operations

It is intended to restimulate the Pictured Cliffs formation of the subject well in the following manner:

Move in rig up. Pull 1 1/4" tubing. Clean out the plug back total depth at 1818'. Acidize and foam fracture treat the Pictured Cliffs formation. Clean out and return well to production.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (MDWPC) Title Regulatory Administrator Date 8/4/98
TLW

(This space for Federal or State Office use)

APPROVED BY /s/ Duane W. Spencer Title _____ Date AUG 11 1998

CONDITION OF APPROVAL, if any:

NMOCD

Summit # 7
Pertinent Data Sheet

API #: 300452153000

Location: 1505 ' FSL & 1850 ' FEL, Unit K, Section 34, T29N, R11W, San Juan County, New Mexico

Latitude: 36 ° - 40.76 ' **Longitude:** 107 ° - 58.88 '

Field: Fulcher Kutz PC

Elevation: 5,651 ' GL
5,661 ' KB

TD: 1,830 '

PBTD: 1,818 '

DP #: 32212A

Lease: NM 9403 220

GWl: 100 %

NRI: 79.5 %

Prop#: 71264900

Spud Date: 9/14/74

Compl Date: 9/24/74

Initial Potential: 1350 Mcfd

Original SIP: 144 psi

Casing Record:

<u>Hole Size (In.)</u>	<u>Csg Size (In.)</u>	<u>Wt. (#'s) & Grade</u>	<u>Depth Set (Ft.)</u>	<u>Cement (Sx.)</u>	<u>Cement (Top)</u>
12 1/4	7 5/8	26.4 K-55	143	85	circ to surf
6 3/4	2 7/8	6.4 N-80	1,818	425	352' @ 75% eff.

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>	<u>Comments</u>
1 1/4"	2.3 IJ	1,750 '	58 est	

Formation Tops:

Ojo Alamo: 534 '
Kirtland Shale: 698 '
Fruitland: 1,466 '
Pictured Cliffs: 1,738 '

Logging Record: IES, GR, DCB

Original Stimulation: Perf'd 1742-60', 1768-78', 1786-96' w/41 Holes, SWF w/ 34,000 gal wtr and 30,000# sand

Workover History:

Production History: 5/98 PC capacity: 59.0 MCF/D. 5/98 PC cum: 1039.0 MMCF.

Pipeline: BROG

File: Q:\area\pcteam\1998\well\data\slimhole\SLIMPRT

Summit # 7

Section 34 K, T-29 -N R-11 -W
San Juan, New Mexico

Fulcher Kutz Pictured Cliffs Field Wellbore Schematic

