#### UNITED STATES

# DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

| Sundry Notic   | ces and Reports on Wells         | , PY 3:41             |  |
|--|----------------------------------|-----------------------|--|
| . Type of Well   | 71 KU3 1                         | 5.<br>3700, Nil<br>6. | Lease Number<br>SF 047020B<br>If Indian, All. or<br>Tribe Name |
| GAS  |                                  | 7.                    | Unit Agreement Name  |
| . Name of Operator   |                                  |                       |  |
| RESOURCES OIL S  | GAS COMPANY                      | 8.                    | Well Name & Number   |
|  |                                  |                       | Garland B 1R   |
| PO Box 4289, Farmington, NM  | 87499 (505) 326-9700             |                       | <b>API Well No.</b> 30-045-21732                               |
| 1. Location of Well, Footage, Se                                   | C. T. R. M                       | 10.                   | Field and Pool   |
| 790'FSL, 860'FWL Sec. 27, T-2                                      | 29-N, R-11-W, NMPM               |                       | Fulcher Kutz PC  |
| 790 F3E, 000 TM2 000 T   |                                  | 11.                   | County and State<br>San Juan Co, NM                            |
|  | TO THE OF NOTICE                 | REPORT. OTHER         | R DATA   |
| 12. CHECK APPROPRIATE BOX TO INI                                   |                                  |                       |  |
| Type of Submission  X Notice of Intent                             | Abandonment                      | Change of P           | lans   |
| _x_ Notice of Impose   |                                  | New Construc          | ction  |
| Subsequent Report  | plugging Back                    | NOII-ROULTHE          | rraccaring   |
| <del></del>  | Casing Repair<br>Altering Casing | _ water shut of       | to Injection   |
| Final Abandonment  | X_Other -Restimulate             |                       | -  |
| 13. Describe Proposed or Comp                                      | leted Operations                 |                       |  |
| It is intended to pull 1" Tubin fracture treat the P.C. Zone.      | or Clean out to PBTD @           | approximately         | 1779'. Acidize and   |
|  |                                  | DEC                   | EIVEN  |
|  |                                  | AUG                   | 2 0 1937   |
|  |                                  |                       | ON. DIV.   |
|  |                                  |                       | DIST. 3  |
| 14. I hereby certify that the                                      | e foregoing is true and          | correct.              |  |
| Signed May Kall hu   | (MDW) Title Regulator            | y Administrat         | or_Date 8/12/97  |
| (This space for Federal or Sta                                     | te Office use)<br>T Title        | Date                  | AUG 1 9 1997   |
| APPROVED BY /S/ Duane W. Spencer<br>CONDITION OF APPROVAL, if any: | 11010                            | <del></del>           |  |

#### **GARLAND B #1R** Pertinent Data Sheet

Location:

790' FSL & 860' FWL, Unit M, Section 27, T29N, R11W, San Juan County, New Mexico

Latitude:

36-41-30

Longitude:

107-59-05

Field: Fulcher Kutz PC

Elevation:

5512' GL 5522' KB

1810' TD: **PBTD:** 1779'

Spud Date:

4/04/75

4/13/75 Compl Date:

**DP#:** 32198A

Lease: FPNM9405220

100.00% GWI: 87.00% NRI:

Initial Potential: AOF = 586 MCF/D, SICP = 182 psi

Prop#: 071245500

#### Casing Record:

| Hole Size |  |  |  |
|-----------|--|--|--|
| 12-1/4"   |  |  |  |

6-3/4"

Csg Size 7-5/8" 2-7/8"

Wt. & Grade 26.4# K-55 6.4# J-55

Depth Set 110' 1804'

Cement\_ 100 sx. 425 sx.

Cement (Top) Circ Cmt Surf @ 75% Eff.

#### **Tubing Record:**

Tbg. Size

Wt. & Grade 1.7#

Depth Set 1627'

# Joints 77

#### Formation Tops:

Ojo Alamo:

480' 600'

Kirtland Shale: Fruitland:

1336'

Pictured Cliffs:

1645'

Logging Record: IES, CB

Stimulation: Perf: 1648-78' w/30 shots SWF w/30K# sand, 30K gal wtr.

Workover History:

NONE

Production History: 4/97 PC capacity: 61 MCF/D. 4/97 PC cum: 279 MMCF.

Pipeline:

MOI Lateral (Rudy)

### Garland B 1R

## Section 27M, T-29-N, R-11-W San Juan County, NM

# FULCHER KUTZ PICTURED CLIFFS WELLBORE SCHEMATIC

