WELL LOCATION AND ACREAGE DEDICATION PLAT Effective 14-65 All distances must be from the outer boundaries of the Section. Lease Well No. Operator 27A Florance Tenneco Oil Company County Township Unit Letter Section San Juan 9 West 29 North 26 Actual Footage Location of Well: West 945 North feet from the 1455 line and feet from the Dedicated Acteage: W/2 295.73 Producing Formation Pool Ground Level Elev: Blanco Mesa Verde Blanco Mesa Verde 5819 Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? One Lease If answer is "yes," type of consolidation ___ No Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information con-13.51ch. tained herein is true and complete to the best of my knowledge and belief. Production Analyst Tenneco Oil Company 3C-CEAC May 2, 1977 26 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or 37.54 37.24 under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 37.67 Registered Professional Engineer and/or Land Surveyor 589°38'W . 18,5766.

Certificate No.

Existing Roads:

See surveyors plat for actual staking. a.

The well site is located approximately 4 miles SE of Blanco Camp, N.M. b.

See Exhibit "B" for access roads. С.

d. Not applicable.

e.

See Exhibit "B" for one mile radius road map.

Plan to construct 700 ' of 14' wide road to well site. We will construct water f. bars where necessary, and slope road through all arroyos.

Planned Access Roads:

See Exhibit "B". a.

Width=14' b.

- No turnouts. С. Drainage=Water bars will be constructed where required to prevent erosion. d.
- Road will be cut into any arroyos and sloped across the bottom to maintain normal drainage. Cuts or fills will be kept to a minimum.

f. No gates or cattle guards are needed.

Road is center line flagged. q.

Location of Existing Wells.

a. See Exhibits "B" and "C" for well locations.

Location of Existing and/or Proposed Facilities.

a. See Exhibit "B" and "C". Lines are buried.

This is expected to be a dry gas well. If condensate is encountered, a 300 bbl steel tank painted green to match the surrounding area, will be set on a gravel base near the well as shown on Exhibit "A". A dirt bank will be erected around the tank to contain any spills. The possible spill area will be fenced. If well is productive, pits will be backfilled, leveled and reseeded as soon as practical to original contours.

Location and type of Water Supply

- Water will be hauled from the San Juan River, or El Paso water wells.
- Trucks will be used to haul water.
- No water well will be drilled. с.

Source of Construction Materials

- No construction materials will be used. Surface soil will be stockpiled. a.
- We will not be getting any construction materials from Federal or Indian lands. b.

No construction materials will be used. c.

No access roads for construction materials will be needed. d.

Methods for Handling Waste Disposal

Cuttings will be disposed of in the reserve pit. a.

Drilling fluids and produced water will be collected in the reserve pit and b&c hauled away to an approved disposal system or a separate disposal application will be submitted. Any produced oil will be run to the tank (see 4:8)

All detrimental waste will be hauled away, burned or buried with a minimum cover of 24" of dirt. d&e

After the rig moves out, See 4:C. If unproductive, a dry hole marker will be f. installed and all pits will be filled, leveled and entire location reseeded to your specifications. Roads will be leveled and reseeded.

Ancillary Facilities

No camps or airstrips will be needed in the drilling of this well.

Well Site Layout.

See Exhibit "A". a.

Pits will be unlined.

Plans for Restoration of Surface.

- See 4:C and 7:A-F BLM SEEDLES REQUIREMENTS IN THE FARMINGTON RESOURCE AREA

We will use seed mixture ($\chi\chi$, 2). A disc-type drill set for 8"-10" rows with two boxes for various seed sizes will used. The seed will drilled on the contour not less than $\frac{1}{2}$ " deep or more than 1" deep, followed by a drag, packer, or roller to compact and cover the seed adequately. Where slopes are to steep for contour drilling, a "cyclone" hand seeder or similar brondenst seeder will be used. Seed will then be covered by whatever means are practical. The following species in lbs. pure-live-seed per acre will used: SEEL MEXTURE 1 SPECIES SEED MIXTURE 2

2-½ lbs.	Smooth Brome (Bromus inermis)	
1 lb.	Nomud Alfalfa (Medicago sitiva)	
$\frac{1}{2}$ 15.	Fourwing Saltbush (dewinged) (Atriplex conescens)	1 lb.
2-½ lbs.	Crested Wheatgrass (Agropyron desertorum)	$3 - \frac{1}{9}$ lbs.
	Sand Dropseed (Sporobolus cryptandrus)	Ålb.
	Winterfat (Eurotia lamata)	1 lb.

Alkali Sacaton (Sporobolus airoides)

1 lb.

c. Prior to rig release, pits will be fenced and so maintrined until clean up.

d. If any oil is on the pit, it will be removed or flagged.

- e. Rehabilitation operations will be done during the best weather conditions to promote regrowth in area. All seeding will take place between July 1 and Sept.1
- 11. Other information.
 - a. Site is located in a meadow—with bentonite and sand for soil. The vegetatic is predominately grass and Juniper.


b. The surface is used for wildlife.


- No open water, occupied dwellings, archaeological, historical or cultural sites will be disturbed by this location. An Archeological Report approving this location has been filed by Pat Zarnowski w/Soloman Ruins.
- 12- Operator's Representative.
 - a. Field personnel who can be contacted concerning compliance of this Surface Use Plan are as follows: Darrell Brown, 1860 Lincoln, Suite 1200, Denver, Colorado 80295


 Office 303-292-9920 ext. 254

 Home 303-771-8297
- I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions as they actually exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the proposed work performed by Tenneco Oil Company and its contractors and sub-contractors will conform to this plan.

Oil Company and its contractors and sub-contractors will conform to this plan. Division Drilling Engineer Canyon Fenced Artifact as per Archeologist's request. ЕХИЛВІТ " А for RESERVE PIT TENNECO OIL COMPANY'S MESA VERDE INFILL WELL. THE Florance #27A 150' No tanks will be needed on these dry gas wells. BOREHOLE BURH PIT CATWALK POSITION & LOCATION PAD 1001 Road







IL All Operat rs:

Effective July 1, 1976, to comply with NTL-6, all operators drilling upon federally supervised lands shall provide the following information on with term y-3310, "Application for Permit to Utili, Deopen, or Plug Back:

The geologic name of the surface formation

The estimated tops of important geologic markers.

other mineral-bearing formations are expected to be encountered. The estimated depths at which anticipated water, oil, gas, or

The lessee's or operator's minimum specifications for pressure weight-pen-foot of each string and whether new or used. The proposed casing program, including the size, grade, and

control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings (or API series), and the testing procedures and testing frequency. The type and characteristics of the proposed circulating redium or mediums to be employed for rotary drilling and the quantities and types of and and weighting material to

re maintainea.

The auxiliary equipment to be used, such as (1) kelly cocks, (2) floats at the bit, (3) monitoring equipment on the mud system. (4) a sub on the floor with a full opening valve to be stabbed into drill pipe when the kelly is not in the

٠ The testing, logging, and coming programs to be followed with provision made for required flexibility.
Any authorated authornal pressures on temperatures expected

5 be encountered or potential hazards such as hydregen sulfide eas, along with plans for miticating such hazards. The anticipated starting dute and duration of the operations

Rorthern Rocky Mountain Area Checksheet for htt-6

Multipoint Requirements to Accompany APD

Existing Roads - a legible map showing:

57 Proposed well site as staked. (Actual staking should include two each 200-foot directional reference stakes.)
South and distance from mearest town or locatable reference point to where well access route leaves main road.

.0 if exploratory well, all existing roads within a 3-mile radius (including type of surface, conditions, etc.) Access read(s) to location color-coded or labeled.

of well site. If development well, all existing roads within a 1-mile radius

Plans for improvement and/or maintenance of existing roads.

Planned Feress Roads
Hap showing all necessary (f) State to the showing: access roads to be constructed or

Paximum grades

Turnouts

0.300 Drainage design Location and size of culvents and brief description of any major cuts and fills

25**3** Surfacing material

ensishing gaten, cattleguerds, or fence cuts the center-line flagged to be center-line flagged.

Location of Existing Wells

development well, showing and identifying existing: lwo-mile radius map if exploratory, or 1-mile radius map if

Water wells

Abandoned wells

Temporarily abandoned wells Disposal wells Drilling wells

Producing wells Shut-in wells

Monitoring or observation wells for other resources Injection wells

Location of Existing end/or Proposed Facilities

Within 1-mile radius of location show the following existing facilities owned or controlled by lessee/operator:

Production facilities Tank batteries

(3) Oil gathering lines
(4) Sas gathering lines
(5) Injection lines
(6) Disposal lines

(6) Disposal lines (Indicate if any of the above lines are buried.) If new facilities are contemplated, in the event of production, SHOW:

(1) Proposed location and attendant lines by flagging if off of well pad

Dimensions of facilities

€33£

Construction methods and materials Protective measures and devices to protect livestock and wildlife

Location and Type of Water Supply Plan for rehabilitation of disturbed areas no longer needed for operations after construction completed.

<u>ب</u>

A. 'Show location and type of water supply either on map or

B. *State method of transporting water, and show any roads or pipelines needed.

potential hydrocarbon horizons.) for water well necessary, however, unless it will penetrate If water well is to be drilled on lease, so state. (No APD

Source of Construction Materials $\overline{\Lambda}$. Show information either on map or by written description.

6

Describe where materials, such as sand, gravel, stone, and soil material, are to be obtained and used. Identify if from Federal or Indian land.

Show any needed access roads crossing Federal or Indian lands uncer lem

Methods for Handling Waste Disposal

7.

Describe methods and location of proposed disposal of waste material, including: containment

(4) < Scurige (5) = Garouge 3) - Produced fluids (oil, water) -Garbuge and other waste material (Trash pits should fenced with small mesh wire to prevent wind scatteri Cuttings Drilling fluids

(6) Statement regarding proper cleanup of well site area

trash before being burned or buried.)

Ancillary Lacilities

location, area required, and construction methods. (Camp center and direction center lines to be staked on the ground.) Identify all proposed camps and airstrips on a map as to their

A plat (not less than 1" = 50') showing:

Cross sections of drill pad with cuts and fills Location of mud bunks, reserve, burn and trush pits, pipe racks, living facilities, and soil material stockpiles

Rig orientation, parking areas, and access roads Statement as to whether pits are to be lined or unlined. (Approval as used in this section means field approval of location. All necessary staking of facilities may be done at time of field inspection. A registered surveyor is not mandetory for such operations.)

for Restoration of Surface

õ

State restoration progrem upon completion of operations, Sulphisut

(1) . Backfilling, leveling, contouring, and waste disposal; segregation of spoils materials as needed

(2). Revegetation and rehabilitation - including access roads (normally per BLM recommendations)
 (3). Prior to rig release, pits will be fenced and so maintained

until cleanup

(4) If oil on pit, remove oil or install overhead flagging (5). Timetable for commencement and completion of rehabilitation suor1 p.rado

= Other Information

General description of:

Topography, soil characteristics, geologic features, flora and funa

(2) Other surface-use activities and surface ownership of all involved lands

(3) Proximity of water, occupied dwellings, archeological,

surface use and operations plan. Lessee's or operator's representative. Include the name, address, and phone number of the lessee's or operator's field representative who is responsible for assuring compliance with the approved historical or cultural sites

12

ដូ

<u>contification</u>. The following statement is to be incorporated in the plan and must be signed by the lessee's or operator's field representative who is identified in item No. 12 of the plan:

statements made in this plan are, to the best of my knowledge, true and correct; and that the proposed work performed by am familiar with the conditions as they actually exist; that the I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I and its contractors and sub-contractors will conform

this plan.

S

Name and Title