

Schlumberger

COMPENSATED NEUTRON LOG
AND LOG

COUNTY SAN JUAN NEW MEXICO
FIELD BLANCO MESA VERDE BASIN DAKOTA
LOCATION SEC 33/29N/9W
WELL JACKSON NO. 2A
COMPANY TENNECO OIL COMPANY

COMPANY TENNECO OIL COMPANY

WELL JACKSON NO. 2A

FIELD BLANCO MESA VERDE AND BASIN DAKOTA

COUNTY SAN JUAN STATE NEW MEXICO

LOCATION

940FSL-1775FEL

Other Services:

I-SFL
FDC CNL GR

API SERIAL NO	SEC	TWP	RANGE
	33	29N	9W

Permanent Datum: GL, Elev.: 5903

Log Measured From KB 11 Ft. Above Perm. Datum

Drilling Measured From KB

Elev.: K.B. 5914

D.F. 5912

G.L. 5903


Date	10/22/79			
Run No.	ONE			
Depth--Driller	6945			
Depth--Logger (Schl.)	6951			
Stm. Log Interval	5160			
Top Log Interval	150			
Type fluid in hole	EGM			
Salinity ppm Na Cl.	600			
Density	8.5			
Fluid level	FULL			
Max. rec. temp., deg F.	169			
Operating rig time	2 HRS			
Truck no. / D Truck no.	7761			
Location	FARMINGTON			
Recorded by	THVEDT			
Witnessed by	JORDAN			

RUN No.	BORE-HOLE RECORD			CASING & TUBING RECORD				
	Bit	From	To	Size	Wgt.	Remarks	From	To
ONE				1-5 8 43			SURF	226
	7-7/8	226	5155	7	23	K-55	226	5155
	6-1/4	5155	6945					

The well name, location and borehole reference data were furnished by the customer.

FOLD HERE

JACKSON 2A
MESA VERDE



DETAIL LOG

5" = 100'

GAMMA RAY

API UNITS

200

400

NEUTRON POROSITY INDEX %

S.S. MATRIX


30

20

10

0

-10



4700


4600

4500

4400

4300

4200



4210-16

4100

MENEFE

3920 - 4300

4000

CLIFFHOUSE

3875 - 3920

3900

3916-21


3883-99

3800


3700


3600

3500





2900 3000 3100 3200 3300 3400 3500






2500 2400 2500 2600





1700 1800 1900 2000 2100 2200



1000

1100



1200

1300

1400

1500

1600



Seidumberger

INDUSTRIAL SPARE PARTS
FOCUSSED LEE

COUNTY SAN JUAN NEW MEXICO		COMPANY TENNECO OIL COMPANY	
FIELD BLANCO MESA VERDE AND BASIN DAKOTA		WELL JACKSON NO. 2A	
LOCATION DEC 29N/GW		FIELD BLANCO MESA VERDE AND BASIN DAKOTA	
WELL NO 2A		COUNTY SAN JUAN STATE NEW MEXICO	
LOCATION 940 FSL-1775 FEL		Other Services:	
API SERIAL NO SEC TWP RANGE		FDC/CNL-GR CBL	
33 29N GW			
Permanent Datum: GL Elev. 5903		Elev. K.B. 5914	
Log Measured From KB 11 Ft. Above Perm. Datum		D.F. 5913	
Drilling Measured From KB		G.L. 5903	
Date	10/22/79		
Run No.	ONE		
Depth-Driller	6845		
Depth-Logger (Schl.)	6854		
Btm. Log Interval	6844		
Top Log Interval	5162		
Casing-Driller	5155		
Casing-Logger	5162		
Bit Size	6-1/4		
Type Fluid in Hole	FGM		
Dens. Visc.	8.5 52		
pH Fluid Loss	9.0 22 ml		
Source of Sample	FLOWLINE		
Rm. a Meas. Temp.	3.6 a 70 F		
Rmf. a Meas. Temp.	3.49 a 70 F		
Rmc. a Meas. Temp.	1.00 a 70 F		
Source: Rmf Rmc	MEAS MEAS		
Rm. a BHT	1.56 a 169 F		
Circulation Stopped	1200		
Logger on Bottom	1600		
Max. Rec. Temp.	169 F		
Equip. Location	7761 FARM		
Recorded By	THVEDT		
Witnessed By M.	JORDAN		

JACKSON 2A
DAKOTA

LR

5200

5300



5400


5500

5600


5700

5800





5800 5900 6000 6100 6200 6300 6400



6400
6500
6600
6700
6800

Kd

6616-20

6656-82

6727-29

6743-47

6768-80

6796-9800

GR FR

FR

SCHL.
T.D.

RILD

REF. BACK-UP

CILD

DAKOTA
6600 - 6830

AMMA RAY

API UNITS

200