

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator
BURLINGTON RESOURCES
OIL & GAS COMPANY

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
905' FSL, 740' FEL, Sec.8, T-29-N, R-11-W, NMPM

5. Lease Number
NMNM-03877

6. If Indian, All. or Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Duff #7

9. API Well No.
30-045-23775

10. Field and Pool
Otero Chacra

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

<input type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other -	

13. Describe Proposed or Completed Operations

12-26-01 MIRU. (Bobby Vigil, BLM on location). ND WH. NU BOP. TIH w/2 7/8" gauge ring to 2870'. TOOH. TIH w/2 7/8" CIBP, set @ 2862'. TOOH. TIH, tag CIBP @ 2862'. SDON.

12-27-01 (Bobby Vigil, BLM on location). Load hole w/0.5 bbl wtr. PT 2 7/8" csg to 500 psi/10 min, OK. Plug #1: pump 10 sx Class "B" neat cmt inside csg @ 2499-2862' to isolate Chacra perfs. TOOH to 1935'. Plug #2: pump 13 sx Class "B" neat cmt inside csg @ 1463-1935' to cover Pictured Cliffs & Fruitland intervals. TOOH to 774'. Plug #3: pump 10 sx Class "B" neat cmt inside csg @ 411-774' to cover Kirtland & Ojo Alamo interval. TOOH. TIH, perf 2 sqz holes @ 181'. TOOH. Establish circ down csg & out Bradenhead w/6 bbl wtr. Plug #4: pump 79 sx Class "B" neat cmt down csg & out bradenhead. Circ 2 sx cmt to surface. ND BOP. Cut off WH. Cmt fell 10' in 2 7/8" csg & annulus. Fill csg w/10 sx Class "B" neat cmt. Install dry hole marker w/5 sx Class "B" neat cmt. RD. Rig released.

Well plugged and abandoned 12-27-01.

14. I hereby certify that the foregoing is true and correct.

Signed *[Signature]* Title Regulatory Supervisor Date 1/16/02

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

FOR RECOR.