

NO. OF COPIES RECEIVED	
DISTRIBUTION	3
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER- WELL		7. Unit Agreement Name
2. Name of Operator Amoco Production Company		8. Farm or Lease Name Hare Gas Com "D"
3. Address of Operator 501 Airport Drive Farmington, NM 87401		9. Well No. 1E
4. Location of Well UNIT LETTER <u>G</u> <u>2110</u> FEET FROM THE <u>North</u> LINE AND <u>1560</u> FEET FROM THE <u>West</u> LINE, SECTION <u>14</u> TOWNSHIP <u>29N</u> RANGE <u>11W</u> N.M.P.M.		10. Field and Pool, or Wildcat Basin Dakota
15. Elevation (Show whether DF, RT, GR, etc.) 5574' GL		12. County San Juan

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	Completion <input type="checkbox"/>
OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Completion operations began on 4-29-80. Total depth of the well is 6556' and plugback depth is 6490'. Perforated intervals from 6429' to 6433' and from 6450' to 6456' with 2 SPF, a total of 24, .38" holes. Sand-water fraced with 27,000 gallons of frac fluid and 56,000# of 20-40 sand. Perforated intervals from 6274' to 6283' and from 6335' to 6362' with 2 SPF, a total of 30, .38" holes. Sand-water fraced with 68,000 gallons of frac fluid and 176,000# of 20-40 sand. Landed 2-3/8" tubing at 6467'. Swabbed the well and released the rig on 5-6-80.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed By E. E. SYCORA TITLE Dist. Adm. Supvr. DATE 5-21-80

Original Signed by FRANK T. CHAVEZ TITLE SUPERVISOR DISTRICT 3 DATE MAY 27 1980

CONDITIONS OF APPROVAL, IF ANY:

MAY 27 1980