

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-85

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
E-9226-2	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Amoco Production Company	8. Farm or Lease Name McCarty Gas Com "B"
3. Address of Operator 501 Airport Drive Farmington, NM 87401	9. Well No. 1E
4. Location of Well UNIT LETTER <u>G</u> <u>1680</u> FEET FROM THE <u>North</u> LINE AND <u>1670</u> FEET FROM THE <u>East</u> LINE, SECTION <u>16</u> TOWNSHIP <u>29N</u> RANGE <u>11W</u> NMPM.	10. Field and Pool, or Wildcat Basin Dakota
15. Elevation (Show whether DF, RT, GR, etc.) 5610' GL	12. County San Juan

### Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

#### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

#### SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

Completion ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Completion operations commenced on 4-17-80. Total depth of the well is 6529' and plugback depth is 6498'. Perforated intervals from 6389' to 6396' and from 6402' to 6405' with 2 SPF, a total of 20, .38" holes. Perforated interval from 6325' to 6368' with 2 SPF, a total of 86, .38" holes. Perforated intervals from 6241' to 6256' and from 6265' to 6268' with 2 SPF, a total of 36, .38" holes. Sand-water fraced with 109,000 gallons of frac fluid and 292,000# of 20-40 sand. Landed the 2-3/8" tubing at 6405'. Swabbed the well and released the rig on 4-22-80.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E. E. SVOSOD TITLE Dist. Adm. Supvr. DATE 5-16-80

APPROVED BY E. E. CHAVEZ TITLE SUPERVISOR DISTRICT # 3 DATE MAY 01 1980

CONDITIONS OF APPROVAL, IF ANY: