Form Approved. Budget Bureau No. 42-R142

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY			Budget Bureau No. 42-R142	
			5. LEASE	
			SF-077056	
			6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9-331-C for such proposals.)			7. UNIT AGREEMENT NAME	
<del></del>			· <u> </u>	8. FARM OR LEASE NAME
1. oil well	gas well 🖾 other			McDaniel "C"
2. NAME OF OPERATOR			9. WELL NO.	
				1-E
Southland Royalty Company 3. ADDRESS OF OPERATOR				10. FIELD OR WILDCAT NAME
				D: D :
P.O. Drawer 570, Farmington, New Mexico 87401				11. SEC., T., R., M., OR BLK. AND SURVEY O
below.)				AREA
AT SURFACE: 1550' FNL & 870' FWL AT TOP PROD. INTERVAL:				Section 19, T29N, R11W 12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:				
				San Juan New Mexico  14. API NO.
16. CHECK AF	PROPRIATE BOX TO II	NDICATE NATURE	OF NOTICE.	- 1. 7. 140.
KEFORI, I	OR OTHER DATA	40	·	15. FLEVATIONS (SHOW DE 112)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:			15. ELEVATIONS (SHOW DF, KDB, AND WD 5618' GR	
TEST WATER S	SHUT-OFF			EW315
SHOOT OR AC			DEC	
REPAIR WELL				DEIVED ( ( )
PULL OR ALTER CASING				(NOTE: Report results of multiple completion or zone
MULTIPLE CON	MPLETE 🗍	H	APi	change on Form 94330.)
CHANGE ZONES				Market Ma
	foration & Stimul	ation V	ŧ	PHONE WAS COLUMN
Proc	uction Tubing De	nomt V		
17. DESCRIBE	PROPOSED OR COMPLE	TED OPERATIONS	(Clearly state	all pertinent details, and give pertinent dates,
measured a	and true vertical depths for	or all markers and zo	a. If well is dir ones pertinent	all pertinent details, and give pertinent dates, ectionally drilled, give subsurface locations and to this work.)*
4-15-81	Perforated the	Datas		
01	6268! 62721 6	Dakota at 617	0', 6176'	, 6248', 6253', 6258', 6263',
	Frac'd with 70	277', 6282',	6287', 63	, 6248', 6253', 6258', 6263', 27', 6375'. Total of 13 holes.
	Frac'd with 78,200 gallons of 30# gelled 1% KCl water and 68,200# of 20/40 sand. ATP 3000 psi, AIR 27 BPM, ISIP 1100 psi.			
	or 20/40 Sand.	AIP 3000 psi	, AIR 27 ]	BPM, ISIP 1100 psi.
	Ran 202 joints	(6368') of 2-	3/8". 4.70	)#, J-55, EUE tubing set at
	6379'.	-	,, - ,	or, o 33, hor tubing set at
Subsurface Safet	ty Valve: Manu. and Type			Set @ Ft.
18. Thereby cert	ify that the foregoing is to	ue and correct		
SIGNED Cat	he Dun	TITLEDril	ling Cler	k DATE April 16, 1981
		(This space for Federa		
				,

ACCEPTED FOR REJORD

APR 21 1981

\_ DATE \_

FARMINGTON DISTRICT

\*See Instructions on Reverse Side