

NO. OF COPIES RECEIVED	
DISTRIBUTION	3
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Amoco Production Company	8. Farm or Lease Name Masden Gas Com
3. Address of Operator 501 Airport Drive Farmington, NM 87401	9. Well No. 1E
4. Location of Well UNIT LETTER D 1170 FEET FROM THE North LINE AND 1190 FEET FROM THE West LINE, SECTION 28 TOWNSHIP 29N RANGE 11W NMPM.	10. Field and Pool, or Wildcat Basin Dakota
15. Elevation (Show whether DF, RT, GR, etc.) 5405' GL	12. County San Juan

## Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK	<input type="checkbox"/>
TEMPORARILY ABANDON	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>
OTHER	<input type="checkbox"/>

PLUG AND ABANDON	<input type="checkbox"/>
CHANGE PLANS	<input type="checkbox"/>
OTHER	<input type="checkbox"/>


### SUBSEQUENT REPORT OF:

REMEDIAL WORK	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
COMMENCE DRILLING OPNS.	<input type="checkbox"/>	PLUG AND ABANDONMENT	<input type="checkbox"/>
CASING TEST AND CEMENT JOBS	<input type="checkbox"/>	OTHER	<input type="checkbox"/>
Completion			

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Completion operations commenced on 4-22-80. Total depth of the well is 6297' and plugback depth is 6217'. Perforated interval from 6120' to 6166' with 2 SPF, a total of 92, .38" holes. Perforated intervals from 6034-6041' and 6057-6061' with 2 SPF, a total of 22, .38" holes. Sand-water fraced with 68,042 gallons of frac fluid and 204,000# of 20-40 sand. Landed 2-3/8" tubing at 6167'.

Swabbed the well and released the rig on 4-27-80.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E. E. AVORODA TITLE Dist. Adm. Supvr. DATE 5-29-80

APPROVED BY Original Signed by FRANK T. CHAVEZ TITLE SUPERVISOR DISTRICT 3 DATE JUN 3 1980

CONDITIONS OF APPROVAL, IF ANY: