

THE APPLICATION OF TENNECO OIL
COMPANY FOR A DUAL COMPLETION.

ORDER NO. MC-2835

ADMINISTRATIVE ORDER
OF THE OIL CONSERVATION DIVISION

Under the provisions of Rule 112-A Tenneco Oil Company made application to the New Mexico Oil Conservation Division on February 4, 1981, for permission to dually complete its Florance Well No. 124 located in Unit C of Section 27, Township 29 North, Range 8 West, NMPM, San Juan County, New Mexico, in such a manner as to permit production of gas from the Blanco Mesaverde Pool and the Basin-Dakota Pool.

Now, on this 18th day of May, 1981, the Division Director finds:

- (1) That application has been filed under the provisions of Rule 112-A of the Division's Rules and Regulations;
- (2) That satisfactory information has been provided that all operators of offset acreage have been duly notified;
- (3) That no objections have been received within the waiting period as prescribed by said rule;
- (4) That the proposed dual completion will not cause waste nor impair correlative rights; and
- (5) That the mechanics of the proposed dual completion are feasible and consonant with good conservation practices.

IT IS THEREFORE ORDERED:

That the applicant herein, Tenneco Oil Company, be and the same is hereby authorized to dually complete its Florance Well No. 124 located in Unit C of Section 27, Township 29 North, Range 8 West, NMPM, San Juan County, New Mexico, in such a manner as to permit production of gas from the Blanco Mesaverde Pool and the Basin-Dakota Pool through parallel strings of tubing.

PROVIDED HOWEVER, That applicant shall complete, operate, and produce said well in accordance with the provisions of Rule 112-A.

PROVIDED FURTHER, That applicant shall take packer-leakage tests upon completion and annually thereafter.


IT IS FURTHER ORDERED: That jurisdiction of this cause is hereby retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

Joe D. Ramey
JOE D. RAMEY
Division Director

SEAL





STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
AZTEC DISTRICT OFFICE

1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178

OIL CONSERVATION DIVISION
BOX 2088
SANTA FE, NEW MEXICO 87501

DATE 1-30-81

RE: Proposed MC x
Proposed DHC _____
Proposed NSL _____
Proposed SWD _____
Proposed WFX _____
Proposed PMX _____

Gentlemen:

I have examined the application dated 1-26-81
for the Sennet Operator Elmore 124 Lease and Well No. C-27-29N-8W Unit, S-T-R

and my recommendations are as follows:

Approve and require that Measured tubing string
be lowered as near the bottom perforations as
possible.

Yours truly,

Frank S. Chaz

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO
APPLICATION FOR MULTIPLE COMPLETION

Form C-107
5-1-61

Operator Tenneco Oil Company		County San Juan		Date January 19, 1981
Address P.O.Box 3249, Englewood Co 80155		Lease (SF-080246) Florance		Well No. 124
Location of Well C	Unit 27	Township 29N		Range 8W

1. Has the New Mexico Oil Conservation Commission heretofore authorized the multiple completion of a well in these same pools or in the same zones within one mile of the subject well? YES _____ NO X
2. If answer is yes, identify one such instance: Order No. _____; Operator Lease, and Well No.: _____

3. The following facts are submitted:	Upper Zone	Intermediate Zone	Lower Zone
a. Name of Pool and Formation	(Pt Lookout) Mesaverde		Dakota
b. Top and Bottom of Pay Section (Perforations)	4290 - 4458'		6402 - 6580'
c. Type of production (Oil or Gas)	Gas		Gas
d. Method of Production (Flowing or Artificial Lift)	Flowing		Flowing


4. The following are attached. (Please check YES or NO)

- | Yes | No | |
|-------------------------------------|--------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | a. Diagrammatic Sketch of the Multiple Completion, showing all casing strings, including diameters and setting depths, centralizers and/or turbolizers and location thereof, quantities used and top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | b. Plat showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | c. Waivers consenting to such multiple completion from each offset operator, or in lieu thereof, evidence that said offset operators have been furnished copies of the application.* |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | d. Electrical log of the well or other acceptable log with tops and bottoms of producing zones and intervals of perforation indicated thereon. (If such log is not available at the time application is filed it shall be submitted as provided by Rule 112-A.) |

5. List all offset operators to the lease on which this well is located together with their correct mailing address.

El Paso Natural Gas Box 1492, El Paso, TX 79978

Southern Union (Supron) Box 808, Farmington, NM 87401



6. Were all operators listed in Item 5 above notified and furnished a copy of this application? YES X NO ____ If answer is yes, give date of such notification January 22, 1981

CERTIFICATE: I, the undersigned, state that I am the Asst. Div. Adm. Mgr. of the Tenneco Oil Company (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Carley Statten
Signature

*Should waivers from all offset operators not accompany an application for administrative approval, the New Mexico Oil Conservation Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

LEASE FLORANCEWELL NO. 1249 5/8 "OD, 40 LB, CSG. W/ 1080 SXTOC @ SURFACE7 "OD, 23 LB, CSG. W/ 450 SXTOC @ SURFACE

DETAILED PROCEDURE (Supplement #2) Menefee & Cliffhouse

1. Set Baker WL Set RBP @4200'.
2. PT to 3000 psi.
3. RIH w/tbg & spot 2 sxs sd on plug.
4. Spot 650 gals 7-1/2% DI HCL @4100'.
5. POOH w/tbg.
6. Perf Menefee & Cliffhouse w/4" premium charge csg gun shooting 2 JSPF as follows:

Menefee:	4080-4100'	20'
	3890-3896'	6'
Cliffhouse:	3770-3792'	22'


For a total of 48', 96 holes.

7. Acidize MV perfs w/2000 gals 15% HCL & 144 balls dn csg..
8. RIH w/WL junk basket & knock balls off perfs.
9. Frac Menefee & Cliffhouse dn csg w/1% KCl wtr containing friction reducer & 20/40 sd as follows:

1090 bbls pad
 500 bbls w/.5 ppg 20/40
 500 bbls w/1.0 ppg 20/40
 500 bbls w/1.5 ppg 20/40
 675 bbls w/2.0 ppg 20/40
 238 bbls flush.

Desired rate = 120 BPM
 Total Fluid = 3503 bbls
 Total sand = 119,700# 20/40

10. RIH w/tbg & RBP retrieving head for 5-1/2" csg.
11. CO to RBP @4200' w/N₂ foam. Kill well, latch & POOH w/RBP.
12. RIH w/F-nipple, seal assy, & 2-3/8" J-55 8rd tbg w/beveled collars. Run retrievable pump thru plug in F-nipple. CO to pkr @4550'. Land tbg in pkr. Run blast joints across MV perfs. Land F-nipple @top of Dakota.
13. RIH w/bull plug, perforated sub, S/N & 2-3/8" beveled collar tbg. Run PO plug in S/N. Land tbg @3800'.
14. NDBOP, NUWH. Retrieve plug in long string. Pump out plug in short string & kick around w/N₂. Swb in Dakota.



R 9 W

T
29
N
BLANCO

