DEFORMATION OF THE PROPERTY OF

NEG S ( 1997

Meter Number:93449 Location Name:FEDERAL #5E Location:TN-29 RG-12 SC-05 UL-F 4 - Fee NMOCD Zone:OUTSIDE PECEIVED APR 1 4 1997 OIL GOID, DIES

# RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

Hazard Ranking Score:00

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone  $10^{-9}$  to  $10^{-13}$  cm/sec Shale  $10^{-12}$  to  $10^{-16}$  cm/sec Clay  $10^{-12}$  to  $10^{-15}$  cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

## FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 93441 Location: FEDERAL *SE  Operator #: 0286 Operator Name: Conoco P/L District: KuTz  Coordinates: Letter: F Section 5 Township: 29 Range: 12  Or Latitude Longitude  Pit Type: Dehydrator X Location Drip: Line Drip: Other:  Site Visit Date: 3.17.94 Run: 02 02						
NMOCD Zone: Inside Land Type: BLM   State   Fee Maps) Zone   Fee Maps   John Dutside   State   Fee Maps   John Dutside   John							
REMARKS	Remarks: LOCATION NORTH OF GRAVEL PIT. PIT DRY.						

	ORIGINAL PIT LOCATION
ORIGINAL PIT LOCATION	Original Pit: a) Degrees from North 125° Footage to Wellhead 110′ b) Degrees from North Footage to Dogleg  Dogleg Name c) Length: 19′ Width: 18′ Depth:
	WELLHEAD 110' 18'
	Remarks:  STARTED TAKING PICTURES AT 1:37 P.M.  END DUMP
REMARKS	
	Completed By:  3. 17.94  Signature  Date

### FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 93449 Location: Federal # 5E  Coordinates: Letter: F Section 5 Township: 29 Range: 12  Or Latitude Longitude  Date Started: 513.94 Area: 02 Run: 02
FIELD OBSERVATIONS	Sample Number(s): \( \frac{\sqrt{2}}{\sqrt{77}} \) Feet  Final PID Reading \( \frac{179}{\sqrt{98}} \) PID Reading Depth \( \frac{1}{\sqrt{98}} \) Feet  Yes No  Groundwater Encountered \( \begin{align*} (1) \sqrt{2} \sqrt{2} \) Approximate Depth \( \frac{1}{\sqrt{98}} \) Fe
CLOSURE	Remediation Method:  Excavation
REMARKS	Remarks: No line markers Cobbels
	Signature of Specialist: Vole Wood



#### FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

#### SAMPLE IDENTIFICATION

_	Field ID		Lab ID			
SAMPLE NUMBER:	٧w٦٠	<u> </u>	94	945168		
MTR CODE   SITE NAME:	93449		N/A			
SAMPLE DATE   TIME (Hrs):	5-13-94		15 5 5			
SAMPLED BY:			N /A			
DATE OF TPH EXT.   ANAL.:	5/17/9		5 17 194			
DATE OF BTEX EXT.   ANAL.:	9	21A	NA			
TYPE   DESCRIPTION:	VΘ		Brown hi	ne sond		
REMARKS:		RESULTS				
PARAMETER	RESULT	UNITS		QUALIFIERS		
			DF	<u> </u>	M(g)	V(ml)
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG		<del></del>		
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	772	MG/KG			225	28
HEADSPACE PID	179	PPM				
PERCENT SOLIDS	GH /	%				

The Surrogate Recovery was at Narrative:	AIM	_% for this sample	All QA/QC was acceptable.
DE - Dilution Factor Used			

\* Test Method for Oil and Grease and Petroleum Hydrocarbons \* \* ir Water and Soil \* Perkin-Elmer Model 1600 FT-IR

94/05/17 15:37

Sample identification 745148

Initial mass of sample, q

Volume of sample after extraction, ml 29,000

Patroleum hydrocarbons, ppm

772.245 Net absorbance of hydrocarbons (2930 cm-1) 0.107

