

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 11-55

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	


SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name Gallegos Canyon Unit	
2. Name of Operator Amoco Production Company		8. Farm or Lease Name	
3. Address of Operator 501 Airport Drive Farmington, NM 87401		9. Well No. 211E	
4. Location of Well UNIT LETTER C, 900 FEET FROM THE North LINE AND 1740 FEET FROM THE West LINE, SECTION 32 TOWNSHIP 29N RANGE 12W NMPM.		10. Field and Pool, or Wildcat Basin Dakota	
15. Elevation (Show whether DF, RT, GR, etc.) 5441' GL		12. County San Juan	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	Completion <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Completion operations began on 4-15-80. Total depth of the well is 6141' and plugback depth is 6095'. Perforated intervals from 5916' to 5926' with 2 SPF, a total of 20, .4" holes. Perforated intervals from 6002' to 6020' with 2 SPF, a total of 36, .4" holes. Perforated intervals from 6048' to 6066' with 2 SPF, a total of 36, .4" holes. Sand-water fraced with 88,000 gallons of frac fluid and 116,500# of 20-40 sand. Landed 2-3/8" tubing at 6065'. Swabbed the well and released the rig on 4-18-80.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E. E. SVOSODA TITLE Dist. Adm. Supvr. DATE 5-19-80

Original Signed By E. E. CHAVEZ TITLE SUPERVISOR DISTRICT # 3 DATE MAY 1980

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: