

80774

District I

P.O. Box 1980, Hobbs, NM

District II

P.O. Drawer DD, Artesia, NM 88211

District III

Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department


OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT



Operator: Amoco Production Company Telephone: (505) - 326-9200

Address: 200 Amoco Court, Farmington, New Mexico 87401

Facility Or: moore # 6E
Well Name

Location: Unit or Qtr/Qtr Sec J Sec 5 T30N R 8W County SAN JUAN

Pit Type: Separator Dehydrator Other ABANDONED BLOW

Land Type: BLM ✓, State, Fee, Other

Pit Location: Pit dimensions: length NA, width NA, depth NA
(Attach diagram)

Reference: wellhead X, other

Footage from reference: 117'

Direction from reference: 33 Degrees ✓ East North
of
West South ✓

Depth To Ground Water:

(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 Points) 0

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)Yes (20 points) 0
No (0 points)

Distance To Surface Water:

(Horizontal distance to perennial
akes, ponds, rivers, streams, creeks,
irrigation canals and ditches)Less than 200 feet (20 points)
200 feet to 1000 feet (10 points) 0
Greater than 1000 feet (0 points)

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____ Date Completed: 7/31/00Remediation Method: Excavation ☒ Approx. cubic yards NA
(Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____Other CLOSE AS IS.Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____

Excavation, NO REMEDIATION NECESSARY.

Ground Water Encountered: No ☒ Yes _____ Depth _____Final Pit: Sample location see Attached DocumentsClosure Sampling:
(if multiple samples, attach sample results and diagram of sample locations and depths)Sample depth 10' (TRENCH BOTTOM)Sample date 7/27/00 Sample time 0950

Sample Results

Benzene(ppm) _____

Total BTEX(ppm) _____

Field headspace(ppm) 60.8TPH 0.7 ppmGround Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 7/31/00

SIGNATURE

B. ShawPRINTED NAME
AND TITLEBuddy D. Shaw
Environmental Coordinator

3004524185

CLIENT: AMOCOBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 80774C.O.C. NO: 7356

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1LOCATION: NAME: MOORE WELL #: 6E PIT: ABAND. BLOW
QUAD/UNIT: J SEC: 5 TWP: 30N RNG: 8W PM: NM CNTY: SJ ST: NM
QTR/FOOTAGE: 1750'S/1750'E MUSE CONTRACTOR: FLINTDATE STARTED: 7/27/00

DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: NUEXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NADISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS ISLAND USE: RANGE LEASE: SF-078580A FORMATION: OK/FT

FIELD NOTES & REMARKS:

PIT LOCATED APPROXIMATELY 117 FT. S33E FROM WELLHEAD.DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'NMOC RANKING SCORE: 0 NMOC TPH CLOSURE STD: 5000 PPM

CHECK ONE:

SOIL AND EXCAVATION

OVM CALIB. READ. 51.6 ppm☒ PIT ABANDONED☐ STEEL TANK INSTALLED

DESCRIPTION:

TIME: 7:40 am pm 7/26/00☐ FIBERGLASS TANK INSTALLED

PIT APPARENTLY USED AS DRILLING MUD & POSSIBLY FLARE PIT @ SOME POINT IN TIME
(3" LAYER OF MUD APPROX. 6" BELOW GRADE), SAMPLE COLLECTED FROM TRENCH BOTTOM,
PALE YELL. ORANGE TO BROWN SAND, NON COHESIVE, DRY TO SLIGHTLY MOIST, FIRM TO
SLIGHTLY DENSE, NO APPARENT DISCOLORATION OBSERVED OR HC DOOR DETECTED WITHIN
TRENCH OR OVM SAMPLE.

CLOSED

FIELD 418.1 CALCULATIONS


TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SCALE



0 FT

PIT PERIMETER

OVM
RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 10'	60.8
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 10'	TPH (8015)	0750

PIT PROFILE

NOT APPLICABLE

TRAVEL NOTES:

CALLOUT: 7/26/00 - MORNINGONSITE: 7/27/00 - MORNING

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP-Amoco	Project #:	403410
Sample ID:	1 @ 10'	Date Reported:	07-31-00
Laboratory Number:	H837	Date Sampled:	07-27-00
Chain of Custody No:	7328	Date Received:	07-28-00
Sample Matrix:	Soil	Date Extracted:	07-31-00
Preservative:	Cool	Date Analyzed:	07-31-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.7	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	0.7	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Moore # 6E Abandoned Blow Pit.**


Analyst


Review

733

[illegible]