Form 9-330
(Rev. 5-63)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE* (See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other

2. NAME OF OPERATOR: Supron Energy Corporation

3. ADDRESS OF OPERATOR: P.O. Box 808, Farmington, New Mexico 87401

4. LOCATION OF WELL (*Report location clearly and in accordance with any State requirements*)*
At surface: 1075 Ft./S; 1075 Ft./E line
At top prod. interval reported below: Same as above
At total depth: Same as above

5. LEASE DESIGNATION AND SERIAL NO.: NM 020982
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT AGREEMENT NAME:
8. FARM OR LEASE NAME: Witt
9. WELL NO.: 1-E
10. FIELD AND POOL, OR WILDCAT: Bloomfield Chacra
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: Sec. 33, T-29N, R-11W N.M.P.M.
12. COUNTY OR PARISH: San Juan
13. STATE: New Mexico
14. PERMIT NO.:
DATE ISSUED:

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (*Ready to prod.*)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
7/1/80	7/10/80	10/14/80	5551 R.K.B.	5540

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
6450 MD & TVD	6396 MD & TVD	2	→	0 - 6450	- - -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
2629 - 2639 Chacra MD & TVD

25. WAS DIRECTIONAL SURVEY MADE: No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Induction Electric and Compensated Density

27. WAS WELL CORED: No

RECEIVED
OCT 21 1980
OIL CON. COM.
DIST. 3

28. CASING RECORD (*Report all strings set in well*)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24.00	268	12-1/4"	200 Sacks	
4-1/2"	10.50	6441	7-7/8"	1230 Sacks (3 stages)	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
NO TUBING		6029

31. PERFORATION RECORD (*Interval, size and number*)
1 - 0.42" hole at each of the following depths:
2629, 2630, 2631, 2632, 2633, 2634, 2635,
2636, 2637, 2638, 2639.
(Total of 11 holes)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
2629 - 2639	1000 gal. 15% HCL, 60,000 lb. 20-40 sand, 15,250 gal. water 671,860 SCF Nitrogen

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (*Flowing, gas lift, pumping—size and type of pump*)	WELL STATUS (*Producing or shut-in*)
	Flowing	Shut-In

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10/14/80	3	3/4"			281		

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
- - -	180			2251		

34. DISPOSITION OF GAS (*Sold, used for fuel, vented, etc.*)
Vented

TEST WITNESSED BY: Clifton Gates

35. LIST OF ATTACHMENTS

ACCEPTED FOR RECORD

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Kenneth E. Roddy (Kenneth E. Roddy) TITLE Production Superintendent DATE October 14, 1980

*(See Instructions and Spaces for Additional Data on Reverse Side)

OCT 21 1980
FARMINGTON DISTRICT
BY

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.
If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.
Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.
Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.
Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.
Item 29: *"Sacks Cement":* Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.
Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38. GEOLOGIC MARKERS

NAME	TOP MEAS. DEPTH	TOP TRUE VERT. DEPTH
Ojo Alamo (Base)	562	
Fruitland	1403	
Pictured Cliffs	1615	
Chacra	2210	

U.S. GOVERNMENT PRINTING OFFICE: 1983—O-683636

GPO 680-147

Form 9-330
(Rev. 5-63)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE* (See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

5. LEASE DESIGNATION AND SERIAL NO.: NM 020982

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT AGREEMENT NAME:

8. FARM OR LEASE NAME: Witt

9. WELL NO.: 1-E

10. FIELD AND POOL, OR WILDCAT: Basin Dakota

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: Sec. 33, T-29N, R-11W N.M.P.M.

12. COUNTY OR PARISH: San Juan

13. STATE: New Mexico

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other

2. NAME OF OPERATOR: Supron Energy Corporation

3. ADDRESS OF OPERATOR: P. O. Box 808, Farmington, New Mexico 87401

4. LOCATION OF WELL (*Report location clearly and in accordance with any State requirements*)*
At surface: 1075 Ft./S; 1075 Ft./E line
At top prod. interval reported below: Same as above
At total depth: Same as above

14. PERMIT NO. | DATE ISSUED

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (*Ready to prod.*)	18. ELEVATIONS (DF, REB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
7/1/80	7/10/80	10/14/80	5551 R.K.B.	5540

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
6450 MD & TVD	6396 MD & TVD	2	→	0 - 6450	- - -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
6105 - 6262 Dakota MD & TVD

25. WAS DIRECTIONAL SURVEY MADE: No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Induction Electric and Compensated Density

27. WAS WELL CORED: No

RECEIVED
OCT 21 1980
OIL CON. COM.
DIST. 3

28. CASING RECORD (*Report all strings set in well*)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24.00	268	12-1/4"	200 Sacks	
4-1/2"	10.50	6441	7-7/8"	1230 Sacks (3 stages)	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	6040	6029

31. PERFORATION RECORD (*Interval, size and number*)
1 - 0.42" hole at each of the following depths:
6105,6106,6127,6131,6133,6135,6188,6190,6192,
6194,6196,6198,6200,6202,6204,6206,6208,6210,
6213,6245,6247,6249,6258,6260,6262.
(Total of 25 holes)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6105 - 6262	2000 gal. 15% HCL, 92,000 lb. 20-40 sand, and 58,000 gal. 2% KCL water.

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (*Flowing, gas lift, pumping—size and type of pump*)	WELL STATUS (*Producing or shut-in*)
	Flowing	Shut-In

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10/7/80	3	3/4"			95		

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
55	- - -			761		

34. DISPOSITION OF GAS (*Sold, used for fuel, vented, etc.*)
Vented

TEST WITNESSED BY: Clifton Gates

35. LIST OF ATTACHMENTS

ACCEPTED FOR RECORD
OCT 20 1980
FARMINGTON DISTRICT
BY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Kenneth E. Roddy (Kenneth E. Roddy) TITLE Production Superintendent DATE October 14, 1980

*(See Instructions and Spaces for Additional Data on Reverse Side)

NMOCC

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: *"Sacks Cement":* Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Ojo Alamo (Base)	562	
Fruitland	1403	
Pictured Cliffs	1615	
Chacra	2210	
Cliff House	3178	
Point Lookout	4010	
Gallup	5225	
Base Greenhorn	6060	
Dakota	6100	

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-683636

GPO 680-147