


FIELD PIT SITE ASSESSMENT FORM

GENERAL	<p>Meter: <u>93938 T/A</u> Location: <u>Eaton Com B-1</u></p> <p>Operator #: <u>0203</u> Operator Name: <u>Amoco</u> P/L District: <u>Angel Peak</u></p> <p>Coordinates: Letter: <u>P</u> Section <u>25</u> Township: <u>29</u> Range: <u>11</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Pit Type: Dehydrator <input checked="" type="checkbox"/> Location Drip: _____ Line Drip: _____ Other: _____</p> <p>Site Assessment Date: <u>9/13/94</u> Area: <u>01</u> Run: <u>23</u></p>
SITE ASSESSMENT	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>NMOCD Zone: (From NMOCD Maps)</p> <p>Inside <input checked="" type="checkbox"/> (1) Outside <input type="checkbox"/> (2)</p> </div> <div style="width: 45%;"> <p>Land Type: BLM <input checked="" type="checkbox"/> (1) State <input type="checkbox"/> (2) Fee <input type="checkbox"/> (3) Indian _____</p> </div> </div> <p>Depth to Groundwater</p> <p>Less Than 50 Feet (20 points) <input checked="" type="checkbox"/> (1) 50 Ft to 99 Ft (10 points) <input type="checkbox"/> (2) Greater Than 100 Ft (0 points) <input type="checkbox"/> (3)</p> <p>Wellhead Protection Area : Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? <input type="checkbox"/> (1) YES (20 points) <input checked="" type="checkbox"/> (2) NO (0 points)</p> <p>Horizontal Distance to Surface Water Body</p> <p>Less Than 200 Ft (20 points) <input checked="" type="checkbox"/> (1) 200 Ft to 1000 Ft (10 points) <input type="checkbox"/> (2) Greater Than 1000 Ft (0 points) <input type="checkbox"/> (3)</p> <p>Name of Surface Water Body <u>San Juan River</u></p> <p>(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)</p> <p>Distance to Nearest Ephemeral Stream <input type="checkbox"/> (1) < 100' (Navajo Pits Only) <input type="checkbox"/> (2) > 100'</p> <p>TOTAL HAZARD RANKING SCORE: <u>40</u> POINTS</p>
REMARKS	<p>Remarks : <u>Redline Book - Inside</u> , <u>Vulnerable Zone Topo - Inside</u></p> <p><u>1 pit Will close. Pit dry. Pit is behind locked gate</u></p> <p style="text-align: right;"><u>DIG + HAIL</u></p>

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 100° Footage from Wellhead 130'
b) Length : 27' Width : 27' Depth : 6'



REMARKS :


Pictures @ 0755 hr

Completed By:

Cory Chane
Signature

9/13/94
Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: <u>93938</u> Location: <u>Eaton Corn B-1</u> Coordinates: Letter: <u>P</u> Section <u>25</u> Township: <u>29</u> Range: <u>11</u> Or Latitude _____ Longitude _____ Date Started : <u>9/26/94</u> Run: <u>01</u> <u>23</u>
FIELD OBSERVATIONS	Sample Number(s): <u>KD 276</u> Sample Depth: <u>9'</u> Feet Final PID Reading <u>1 ppm</u> PID Reading Depth <u>9'</u> Feet <div style="text-align: center;">Yes No</div> Groundwater Encountered <input type="checkbox"/> <input checked="" type="checkbox"/> Approximate Depth _____ Feet
CLOSURE	Remediation Method : <div style="display: flex; justify-content: space-between;"> <div> Excavation Onsite Bioremediation Backfill Pit Without Excavation </div> <div style="text-align: right;"> <input checked="" type="checkbox"/> Approx. Cubic Yards <u>80</u> <input type="checkbox"/> <input type="checkbox"/> </div> </div> Soil Disposition: <div style="display: flex; justify-content: space-between;"> <div> Envirotech <input checked="" type="checkbox"/> Other Facility <input type="checkbox"/> </div> <div> <input type="checkbox"/> Tierra Name: _____ </div> </div> Pit Closure Date: <u>9/26/94</u> Pit Closed By: <u>BEI</u>
REMARKS	Remarks : <u>Excavated pit to 9', Hit Sandstone Formation,</u> <u>Took PID Sample, Closed pit.</u>
	Signature of Specialist: <u></u>



FIELD SERVICES LABORATORY
ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Inside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	KD 274	9416208
MTR CODE SITE NAME:	93938	N/A
SAMPLE DATE TIME (Hrs):	9-26-94	0950
SAMPLED BY:	N/A	
DATE OF TPH EXT. ANAL.:	9-27-94	9-27-94
DATE OF BTEX EXT. ANAL.:	9-29-94	10-2-94
TYPE DESCRIPTION:	VC	Brown Sand

REMARKS:

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE	< 0.025	MG/KG	1			
TOLUENE	0.028	MG/KG	1			
ETHYL BENZENE	< 0.025	MG/KG	1			
TOTAL XYLENES	< 0.025	MG/KG	1			
TOTAL BTEX	0.103	MG/KG				
TPH (418.1)	44.9	MG/KG			224	28
HEADSPACE PID	1	PPM				
PERCENT SOLIDS	91.5	%				

-- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 91 % for this sample All QA/QC was acceptable.
Narrative:

ATI Results attached.

DF = Dilution Factor Used

Approved By:

Date:

10/23/94



Analytical**Technologies**, Inc.

2709-D Pan American Freeway, NE Albuquerque, NM 87107
Phone (505) 344-3777 FAX (505) 344-4413

ATI I.D. 409425

October 7, 1994

El Paso Natural Gas Co.
P.O. Box 4990
Farmington, NM 87499

Project Name/Number: PIT CLOSURE 24324

Attention: John Lambdin

On 09/28/94, Analytical Technologies, Inc., (ADHS License No. AZ0015), received a request to analyze **non-aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505) 344-3777.

Letitia Krakowski, Ph.D.
Project Manager

H. Mitchell Rubenstein, Ph.D.
Laboratory Manager

MR:jt

Enclosure





Analytical **Technologies**, Inc.

GAS CHROMATOGRAPHY RESULTS

TEST : BTEX (EPA 8020)
CLIENT : EL PASO NATURAL GAS CO. ATI I.D.: 409425
PROJECT # : 24324
PROJECT NAME : PIT CLOSURE

SAMPLE ID. #	CLIENT I.D.	MATRIX	DATE SAMPLED	DATE EXTRACTED	DATE ANALYZED	DIL. FACTOR
10	946208	NON-AQ	09/26/94	09/29/94	10/02/94	1
11	946209	NON-AQ	09/26/94	09/29/94	10/03/94	1
12	946210	NON-AQ	09/26/94	09/29/94	10/03/94	1

PARAMETER	UNITS	10	11	12
BENZENE	MG/KG	<0.025	<0.025	0.027
TOLUENE	MG/KG	0.028	0.050	<0.025
ETHYLBENZENE	MG/KG	<0.025	<0.025	<0.025
TOTAL XYLENES	MG/KG	<0.025	<0.025	<0.025

SURROGATE:

BROMOFLUOROBENZENE (%)	91	97	85
------------------------	----	----	----