9–331 1973	Form Approved. , Budget Bureau No. 42-R1424
UNITED STATES	5. LEASE 10 5 / 3 / 3 / 3 / 3 / 3
DEPARTMENT OF THE INTERIOR	SF-078926 경멸 목소리
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to despend folus back to a different	7. UNIT AGREEMENT NAME Gallegos Canyon Unit
reservoir. Use Form 9-331-C for such proposals 4 15 15 15 15 15 15 15	8. FARM OR LEASE NAME 3 4 5 5
1. oil gas well other	9. WELL NO. 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2. NAME OF OPERATOR Energy Reserves Group, Inc.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	West Kutz Pictured Cliffs
P.O. Box 3280 - Casper, Wyoming 82602	11. SEC., T., R., M., OR BLK. AND SURVEY O
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Section 35-T29N-R13W 33-5
AT SURFACE: 1,520' FNL & 880' FWL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	San Juan Rew Mexico
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE.	14. API NO ஐ 5 5 2 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD
DECUEST FOR APPROVAL TO SUPPLEMENT DEPORT OF	K.B 5,860'; G.R 5,855'
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
FRACTURE TREAT	NAD THE THE
SHOOT OR ACIDIZE	2327 6 72.48
PULL OR ALTER CASING	(NOTE: Report results of multiple completion or zon change bn Form 9–330.)
MULTIPLE COMPLETE	The service of the first transfer of the service of
ABANDON*	
(other) Proposed Workover Procedure	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state	all pertinent details, and give pertinent dates
including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinen	rectionally drilled, give subsurface locations and t to this work.)* 기술 중도로
Energy Reserves Group, Inc. proposes to workov been temporarily abandoned. The probable proc	
 Squeeze off all existing Pictured Cliffs p 	erforations from 1,613'-1',650';
2. Clean out and reperforate Pictured Cliffs	from 1,657'-1,668' w/1 JSPF;
3. Breakdown perfs w/750 gal 7-1/2% HCl w/add	to de concepto de
4. Frac well w/15,000 gal of 70% quality foam	w/23,000 lbs 10-20 sand; and
5. Test well.	10 mm m m m m m m m m m m m m m m m m m
Subsurface Safety Valve: Manu. and Type	Set @
18. I hereby certify that the foregoing is true and correct	등통하는 사람 공원인하다
SIGNED Paul Bertostio TITLE Prod. Engr -	RMD DATE 2-19-82
(This space for Federal or State office	
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE RACIEPTED FOR RECOI

سر کمن

ASSEPTED FOR RECORD