

Pit

PLUGGING PROCEDURE

Lobo Production Co.
Hatch #1
C-14-29N-15W
30-045-24985

Box 1506 FRT.
R74 ~~1506~~ Hatch
598-5830 B 1083 page 283

Presumed downhole conditions and equipment
See attached schematic

Pull all production equipment and nipple up BOP


1. Go in hole with tbg. and set a plug from PBTD of 4650 ft. to 3918 ft. WOC & tag cement.
2. Load hole with 8.4 lb. 40 visc. Mud and test casing.
3. Pull tbg. To 1243 ft. & spot a plug from 1243 ft. to 1093 ft.
4. Pull tbg. To 322 ft. & circulate cement to the surface.
7. Top off csg. with cement and set a dry hole marker.
8. Restore location .


		INJECTION			PRODUCTION					DISPOSITION OF OIL, GAS, AND WATER									
7 POOL NO. AND NAME Property No. and Name Well No. & U-I-S-T-R API No.,	8 C D E 1	9 Volume	10 Pressure	11 C D E 2	12 Barrels of oil/conden- sate produced	13 Barrels of water produced	14 MCF Gas Produced	15 Days Prod- uced	16 C D E 3	17 Point of Disposition	18 Gas BTU or Oil API Gravity	19 Oil on hand at beginning of month	20 Volume (Bbls/mcf)	21 Transporter OGRID	22 C D E 4	23 Oil on hand at end of month			
<u>42370 LYNCH YATES SEVEN RIVERS</u>																			
<u>003443 Ballard De Federal</u>																			
002 C - 27 - 20S - 34E 30 - 025 - 02465	P				211	196	0	30											
004 A - 27 - 20S - 34E 30 - 025 - 02467	P				117	167	0	30											
005 M - 22 - 20S - 34E 30 - 025 - 02445	P				93	127	0	30											
<u>003459 Fletcher De Federal</u>																			
002 P - 27 - 20S - 34E 30 - 025 - 02468	P				88	56	0	30				92	120			180			
<u>003463 Gulf De Federal</u>																			
001 M - 27 - 20S - 34E 30 - 025 - 20071	P				193	28835	0	30				244	263 28835	012816		174			
<u>47960 OIL CENTER BLINDBRY</u>																			
<u>003504 State L</u>																			
006 E - 11 - 21S - 36E 30 - 025 - 20591	P				49	29	481	30				367	481 29	009171		416			

OPERATOR LOBO PRODUCTION CO.		PROPERTY NAME HATCH		WELL NO. 1
DATE 7-26-95	LOCATION ULSTR) C-14-29N-15W		FOOTAGE 660 FNL & 1980 FWL	
API NO. 30-045-24985		POOL GALLUP		
Tops				
CLIFF HOUSE 1143'				
POINT LOOKOUT 2761'				
MANCOS 3020'				
GALLUP 3968'				
GREENHORN 4810'				
DAKOTA 4930'				
CASING RECORD:				
8 5/8 23# 272' 12 1/4 hole				
290 sxs, Class B calc. Top Surface				
4 1/2 10.5 4699' 7 7/8 hole				
DV TOOL 3278'				
1 st. STAGE 300 SXS. 50/50 Poz 270 gel 10 # salt				
2 nd. STAGE 900 SXS. CIRC. to pit				
Perfs 4263' - 4469'				
P.B.T.D. 4650'				

FRUITLAND QUADRANGLE
NEW MEXICO-SAN JUAN CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

4357 IV BE
(YOUNGS LAKE)





Lobo Production
Hatch #1
C-14-29N-15W

Hynes Ken

800 FS
1885 FE

7-29-14

Shinley E Whipple

Box 145

B. 1089 P849

Knt
87417

598-5191

Fence

325-3813

Dwayne