

P

30-045-25509

11-12-82

F. Loc. 1850/S:1850/W Elev. 5496 GL Spd. 12-6-82 Comp. 2-17-83 TD 5750 PB 5693
 Casing S. 13 3/8 @ 295 W 743 SS. Int. 95/8 @ 3440 W 1442 SS. Pr. 7L. @ 5228 W 580 SS. 12 3/8 @ 5665
 Csg. Perf. 5316-5652. Prod. Stim. 4 1/2 @ 5040 W 224 cf. SFF SWF 5675 W 224 cf.

P
 I.P. 21 BO/D After Hrs. SICP PSI After Days GOR Grav. Ist Del. 5-1-83

TOPS	NITD	Well Log	TEST DATA						
Kirland	C-103	Plot X	Schd.	PC	Q	PW	PD	D	Ref.No.
Fruitland	C-104 12-17-83	Electric Log							
Pictured Cliffs	1783	C-122							
Cliff House	3370	Ditr							
Menefee	3470	Ditr							
Point Lookout	4070	Mc approved 3-3-83 Cement retainer @ 5010 to isolate Saltp - total of 120 cf. 40							
Mancos	4350								
Gallup	5318								
Sanostee									
Greenhorn									
Dakota									
Morrison									
Entrada									

Armenta Gal Co. SJ S 27 T 29N R 10W UK Oper. Amoco Production Co Lee Romero Gas Com A No. 1