

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐OTHER ☐SINGLE
ZONE ☒MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Union Texas Petroleum Corporation

3. ADDRESS OF OPERATOR

P. O. Box 808, Farmington, New Mexico 87499

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements*)

At surface

2102 ft./ South line and 632 ft./West line

At proposed prod. zone

Same as above

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

3 miles Southeast of Bloomfield, New Mexico

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST 632 ft.

PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any) 538 ft.

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

660 ft.

16. NO. OF ACRES IN LEASE

560.00

19. PROPOSED DEPTH

6093'

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40.00

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5726' GR

22. APPROX. DATE WORK WILL START*

May 21, 1983

23.

OPERATIONS AUTHORIZED ARE

SUBJECT TO COMPLIANCE WITH ATTACHED

PROPOSED CASING AND CEMENTING PROGRAM

GENERAL REQUIREMENTS

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
13-3/4"	9-5/8"	36.0# K-55	300'	250 cu. ft. (circulated)
8-3/4"	7"	23.0# K-55	5400'	1400 cu. ft. (circulated)
6-1/4"	4-1/2"	10.5# K-55	5200 - 6093"	150 cu. ft. (top of liner)

We desire to drill 13-3/4" surface hole to approx. 300 ft. using natural mud as a circulating medium. Run new 9-5/8" casing to TD. Cement with approx. 250 cu. ft. of Class "B" cement circulated to the surface. Pressure test the casing to approx. 800 PSIG for 10 minutes. Drill 8-3/4" hole to approx. 5400 ft. using a starch base, permaloid, nondispersed mud as the circulating medium. Log the well. Run new 7" casing to TD with a DV tool at approx. 2000 ft. Cement 1st stage with approx. 750 cu. ft. of 65/35/6 followed by approx. 100 cu. ft. of Class "B" cement. Cement the second stage with approx. 450 cu. ft. of 65/35/12 followed by approx. 100 cu. ft. of Class "B". Circulate cement to surface. Drill out the DV tool. Pressure test the pipe to 1500 PSIG for 10 minutes. Drill out with 6-1/4" bit to approximately 6093 feet using natural gas as the circulating medium. Log the well. Run new 4-1/2" casing to TD and cement with approximately 150 cu. ft. of 50/50 Poz mix. W.O.C. Perforate and fracture the Gallup zone. Clean the well up. Run new 2-3/8" EUE, 4.7#, J-55 tubing to the Gallup zone. Run rod pump and rods. Set a pumping unit and tanks. Test the well and connect to a gathering system. The gas from this well has previously been dedicated to a transporter.

NOTE: Actual cement volumes will be calculated from caliper log.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

W. K. Cooper

TITLE Field Operations Manager

DATE March 21, 1983

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED
AS AMENDEDAPR 5 1983
JAMES F. SIMS
DISTRICT ENGINEER
Acting Area ManagerCIB
BUREAU
NMCC

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

All distances must be from the outer boundaries of the Section.


Operator UNION TEXAS PETROLEUM CORPORATION		Lease REID "B"		Well No. 5
Unit Letter L	Section 31	Township 29 NORTH	Range 10 WEST	County SAN JUAN
Actual Footage Location of Well:				
2102 feet from the SOUTH		line and 632	feet from the WEST	line
Ground Level Elev. 5726	Producing Formation GALLUP	Pool UNDESIGNATED	Dedicated Acreage: NW SW 40.00 Acres	

1. Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☒ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Division



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Rudy D. Motto
Name

Area Operations Manager
Position

Union Texas Petroleum
Company


March 1, 1983
Date


I hereby certify that the well location shown on this plat was plotted from field notes of the survey made by me or under my supervision, and that the same are true and correct to the best of my knowledge and belief.

January 6, 1983
Date Surveyed

Michael Daly
Registered Professional Engineer and/or Land Surveyor

5992
Certificate No.





UNION TEXAS PETROLEUM CORPORATION
REID "B" #5
NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 31, T29N, R10W, N.M.P.M.,
San Juan County, New Mexico

UNION TEXAS PETROLEUM CORPORATION

REID "B" NO. 5

1. The geologic name of the surface formation is "Wasatch".
2. The estimated tops of important geologic markers are:

A. Top of the Ojo Alamo	676	ft.
B. Kirtland	866	ft.
C. Fruitland	1709	ft.
D. Pictured Cliffs	1896	ft.
E. Chacra	2486	ft.
F. Cliff House	3468	ft.
G. Point Lookout	4171	ft.
H. Gallup	5443	ft.
3. The estimated depths at which anticipated water, oil or other mineral bearing formations are expected to be encountered are:

A. Top of the Ojo Alamo	676	ft.	Water
B. Kirtland	866	ft.	Water
C. Fruitland	1709	ft.	Water
D. Pictured Cliffs	1896	ft.	Gas
E. Chacra	2486	ft.	Gas
F. Cliff House	3468	ft.	Water
G. Point Lookout	4171	ft.	Gas
H. Gallup	5443	ft.	Oil & Gas
4. The casing program is shown on form 9-331C and all casing is new.
5. The lessee's pressure control equipment schematics are attached, along with minimum specifications, testing procedures, and frequencies.
6. The type, estimated volumes, and characteristics of the circulating medium are as follows:

A. 0 - 300 +	ft.	Natural Mud
B. 300 + - 5400 +	ft.	Permaloid non-dispersed mud containing approx. 150 sx. gel, 60 sx. of permaloid and 15 sx. of CMC.
C. 5400 + - 6093 +	ft.	Natural Gas
7. The auxiliary equipment to be used will be floats at the bit and a sub on the floor with a full opening valve to be stabbed into the drill pipe when the kelly is not in the string.
8. The well is in an area which is partially developed; therefore, we will not have a testing and coring program. The logging program is as follows:

A. G.R. - DIFL
B. GR - CAL
C. F.D.C.- C.N.L.
D. SNL
E. Temperature
9. We do not expect to find any abnormal pressures, temperatures or hydrogen sulfide problems in this partially developed area.
10. The anticipated starting date for this well is: May 21, 1983