SUBMIT IN TRIPLICATES

Form approved, Budget Bureau No. 42-R1425.

(Other instructions on reverse side)

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME PLUG BACK DRILL X DEEPEN [b. TYPE OF WELL SINGLE X MULTIPLE ZONE 8. FARM OR LEASE NAME WELL X GAS WELL OTHER 1::3T. 3 2. NAME OF OPERATOR Summit 9. WELL NO. Union Texas Petroleum Corporation 3. ADDRESS OF OPERATOR 14 87499 **TE** O. FIELD AND POOL, OR WILDCAT P. O. Box 808, Farmington, New Mexico 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) Undesignated Gallup At surrace 2310 ft./South line and 990 ft./East line APR 6 1. SEC. T. B., M., OR BLK.
AND SURVEY OF AREA
SEC. 33, T-29N, R-11W At proposed prod. zone Same as above N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE. U. S. GEOLOGICAL SURVEY 12. COUNTY OR PARISH | 13. STATE FARMINGTON, N. M. 1-1/2 miles South of Bloomfield, New Mexico -San Juan ∵ New Mexico 15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drig, unit line, if any) 16. NO. OF ACRES IN LEASE 17. NO.-OF-ACRES ASSIGNED 990 ft. TO THIS WELL H 40±00 ₹ \$ 600.69 330 ft. 19. PROPOSED DEPTE 20. ROTARY-OR CABLE TOOLS 18. DISTANCE FROM PROPOSED LOCATION⁶
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. Rotary 5956' 502 ft. 22. APPROSE DATS WORK WILL START 21. ELEVATIONS (Show whether DF, ET GR OPERATIONS AUTHORIZED ARE May 5,5 1983 5609' GR SUBJECT TO COMPLIANCE WITH ATTACHED 23. "GENERAL REQUIREMENTS ING AND CEMENTING PROGRAM This action is subject to administrative appeal pursuant in 30 CER, 290. WEIGHT PER FOOT SETTING DEPTH SIZE OF CASING RIZE OF HOLE 300 250 cu. ft. (circulated) 9-5/8" K-55 13-3/4" 36.0# 53001 1400 cu. ft (circulated) 8-3/4" 26.0# K-55 150 curifft, (top of liner) 6-1/4" 4-1/2" 11.6# K-55 5100 - 5956' We desire to drill 13-3/4" surface hole to approx. 300 ft. using natural mud as a circulating medium. Run new 9-5/8" casing to TD. Cement with approx. 250 cut. ft. of Class "B" cement circulated to the surface. Pressure test the casing to approx. 800 PSIG for 10 minutes. Drill 8-3/4" hole to approx. 5300 ft. using a starch base, permaloid, nondispersed mud as the circulating medium. Log the well. Run new 7" casing to TD with a DV toof at approx. 2000 ft. Cement 1st stage with approx. 750 cu ft of 65/35/6 followed by approx. 100 cu. ft. of Class "B" cement. Cement the second stage with approx. 450 cu ft of 65/35/12 followed by approx. 100 cu. ft. of Class "B". Circ. cement to surface. Drill out the DV tool. Pressure test the pipe to 1500 PSIG for 10 minutes. Drill out with 6-1/4" bit to approx. 5956 ft. using natural gas as the circulating medium. Log the well. Run new 4-1/2" casing to TD and cement with approx. 150 cu. ft. of 50/50 Poz mix. WOC. Perforate and fracture the Gallup zone. Clean the well up. Run new 2-3/8" EUE, 4.7#, J-55 tubing to the Gallup zone. Run rod pump and rods. Set a pumping unit and tanks. Test the well and connect to a gathering system. The gas from this well has previously been dedicated to a transporter. Actual cement volumes will be calculated from caliper log. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. $\overline{24}$ DATE April 4, 1983 TITLE Field Operations Manager (This space for Federal or State office use) APPROVED AS AMENDED PERMIT NO.

APPROVED BY _

CONDITIONS OF APPROVAL, IF ANY:

FOY SAMES F. SIMS ENGINEER

...

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501 ENERGY AND MINERALS DEPARTMENT All distances must be from the outer boundaries of the Section. Well No. Operator 14 UNION TEXAS PETROLEUM CORPORATION SUMMIT County Range Township Unit Letter SAN JUAN 11 WEST 29 NORTH Ι Actual Footage Location of Well; EAST line 990 feet from the SOUTH line and feet from the 2310 Dedicated Acreage: Producing Formation Ground Level Clev. NE SE 40.00 Undesignated Gallup 5609 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation ___ X No Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Division CERTIFICATION RECEIVE I hereby certify that the information comtained berein is true and complete to the GEOLOGICAL SURVEY ARMINGTON, N. M. Position <u> Area Operations Manager</u> Company Union Texas Petroleum Corp March 10, 1983 33 990 January 12, Registered Professional Engineer and/or Land Surveyor Michael Daly Centilicate No. 5992 1000

UNION TEXAS PETROLEUM CORPORATION

SUMMIT NO. 14

- 1. The geologic name of the surface formation is "Wasatch".
- 2. The estimated tops of important geologic markers are:

Α.	Top of the Ojo Alamo	423	ft.
В.	Kirtland	643	ft.
С.	Fruitland	1438	ft.
D.	Pictured Cliffs	1695	ft.
E.	Chacra	2293	ft.
F.	Cliff House	3293	ft.
G.	Point Lookout	4023	ft.
H.	Gallup	5306	ft.

3. The estimated depths at which anticipated water, oil or other mineral bearing formations are expected to be encountered are:

A.	Top of the Ojo Alamo	423	ft.	Water
В.	Kirtland	643	ft.	Water
	Fruitland	1438	ft.	Water
٠.	Pictured Cliffs	1695	ft.	Gas
	Chacra	2293	ft.	Gas
E.	Cliff House	3293	ft.	Water
F.		4023	ft.	Gas
G.	Point Lookout	5306	ft.	Oil & Gas
H.	Gallup	2243	10.	011 - 010

- 4. The casing program is shown on form 9-331C and all casing is new.
- The lessee's pressure control equipment schematics are attached, along with minimum specifications, testing procedures, and frequencies.
- 6. The type, estimated volumes, and characteristics of the circulating medium are as follows:
 - A. $0 300 \pm ft$. Natural Mud
 - B. $300 \pm -5300 \pm 9$ ft. Permaloid non-dispersed mud containing approx. 150 sx. gel, a 60 sx. of permaloid and 15 sx. of CMC.
 - C. 5300 + 5956 + ft. Natural Gas
- 7. The auxiliary equipment to be used will be floats at the bit and a sub on the floor with a full opening valve to be stabbed into the drill pipe when the kelly is not in the string.
- 8. The well is in an area which is partially developed; therefore, we will not have a testing and coring program. The logging program is as follows:
 - A. G.R. DIFL
 - B. GR CAL
 - C. F.D.C.-C.N.L.
- 9. We do not expect to find any abnormal pressures, temperatures or hydrogen sulfide problems in this partially developed area.
- 10. The anticipated starting date for this well is: May 5, 1983

