Form 3160-5 (November 1994)

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Change Plans

Convert to Injection

	FORM APPROVED
	OMB Ng/ 1004-0135
	Expires/July 31, 1996
Ŧ	0 : 137/

י. ן	Lease Serial Iyo.
1	A O 460406

ΑI	AL C	7400	120	
6.	Ιf	ndian.	Allottee	or Tribe N

abandoned well	. Use Form 3160-3 (APD)	for such proposals.		N/A
	11			7. If Unit or CA/Agreement, Name and/or No.
SUBMIT IN TRIPL	ICATE Other In <mark>d ta</mark> u	cr ibble ou teners	e side	N/A
1. Type of Well Oil Well X Gas Well				8. Well Name and No.
Oil Well X Gas Well 2. Name of Operator	Other (0)	<u> L Con. L</u>	 	Callow #7
•		EWEL 3		9. API Well No.
Elm Ridge Resources, Inc.		3b. Phone No. (include	area code)	3004529520
312 W. La Plata St.	Anne de La	505-326-7099		10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T.,		1	·	Basin Fruitland
850' FNL & 1780' FWL Sec. 3.	^			11. County or Parish, State
				San Juan, NM
12. CHECK APPROPRIATE BOX(E	S) TO INDICATE NATURE	OF NOTICE, REPORT,	OR OTHER DAT	TA .
TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production ((Start/Resume) Water Shut-Off Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete	<u> </u>

13. Describe Proposed or Completed Operations (dearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposed is to deepen directionally or recomplete horizontally, give substantiate locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No on file with BLMBLA. Required subsequent reports shall be filed within 30 days Following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

X Plug Back

Plug and Abandon

On 5/1/99 Elm Ridge Resources, Inc. attempted a Pictured Cliffs completion in this well bore. The well was perforated from 1602'-1604' and 1633'-1638'. The perf's were broken down with 500 gals. 15% HCL. The fluid was swabbed back with no show of gas and the well was shut-in for 10 days to observe any pressure build up. The well built 10 psi in 10 days. A cast iron bridge plug was set at 1580' above the Pictured Cliffs perf's. and the Fruitland Coal was perforated and tested. Commercial production was indicated and rhe well was shut-in pending NMOCD hearing approval on spacing. Approval was granted on 9/30/99 per NMOCD Order #R-11253. Elm Ridge now respectfully requests permission to abandon the Pictured Cliffs formation by leaving the cast iron bridge plug in the hole @ 1580'.

Temporarily Abandon

Water Disposal

We	approre	of	templiary	abandonment	of th	ı	PL.	FARMIN)CT	, 2 7
								\leq	$\overline{\omega}$	25
								010	Ъ	X =
								$\overline{}$		

			\sim ω
4. I hereby certify that the foregoing is true and correct Name (Printed Typed)	Title		<u> </u>
) Doug Endsley		Operations Manager	
Signature Springerickly	Date	October 12, 1999	
THIS SPACE FO	R FEDERAL OR STAT	EUSE	
Approved by /S/ Joe Hewitt	Title	Date OCT 2	2 1999
Conditions of approval, if any, are attached. Approval of this notice does not warr ertify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or traudulent statements or representations as to any matter within its jurisdiction.

Instructions on reverse,

