

AMOCO PRODUCTION COMPANY
Directional Drilling Well Locations

<u>WELL NAME</u>	<u>*SURFACE LOCATION</u>	<u>BOTTOMHOLE LOCATION</u>	<u>AC. DEDICATION</u>
USG Sec. 18 No. 47	1505' FSL & 1690' FWL	1650' FSL & 1690' FWL	SW/4, Sec. 7
USG Sec. 19 No. 44	1090' FNL & 1450' FWL	990' FNL & 1650' FWL	NW/4, Sec. 19
USG Sec. 18 No. 43	1500' FNL & 1760' FWL	1650' FNL & 1760' FWL	NW/4, Sec. 18

All in Township 29 North, Range 16 West, NMPM, San Juan County, New Mexico.

*All surface locations are unorthodox (SNSL) and all bottomhole locations are standard.

ATTACHMENT "A"
Administrative Order No. DD-6 (SNSL)



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION

TONY ANAYA
GOVERNOR

June 20, 1985

POST OFFICE BOX 2088
STATE LAND OFFICE BUILDING
SANTA FE, NEW MEXICO 87501
(505) 827-5800

Amoco Production Co.
Petroleum Center Building
501 Airport Drive
Farmington, New Mexico 87401

Attention: W. J. Holcomb

ADMINISTRATIVE ORDER DD-6 (SNSL)

RECEIVED
JUL 05 1985
OIL CON. DIV.
DIST. 3

Gentlemen:

Under the provisions of Rule 111 (C) and (D), Amoco Production Company made application to the New Mexico Oil Conservation Division on March 8, 1985, for permission to directionally drill and complete for production three wells listed on the enclosed Attachment "A"..

The Division Director Finds That:

(1) The application has been duly filed under the provisions of Rule 111 (D) of the Division Rules and Regulations;

(2) Satisfactory information has been provided that all offset operators have been duly notified;

(3) The applicant, Amoco Production Company, is the owner and operator of said wells, the unorthodox surface location and orthodox bottomhole locations of which are listed on said Attachment "A".


(4) These wells were previously staked to be orthodox for gas spacing but the wells were reevaluated as qualifying for oil spacing. The surface locations have already been approved archaeologically by the B.I.A. and topographically by the B.L.M. The deviations are being made to remain orthodox for the oil spacing requirements and to satisfy the requirements of the B.I.A. and the B.L.M.

(5) Said operator proposes to kickoff at such a depth to be within 50' of said bottomhole locations.

(6) That the acreage dedicated to said wells is shown on Attachment "A".

DONE at Santa Fe, New Mexico, on the day and year
hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION


R. L. STAMETS,
Director

S E A L