

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐

NAME OF OPERATOR

Amoco Production Company

ADDRESS OF OPERATOR

501 Airport Drive Farmington, NM 87401

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1500' FNL X 1760' FWL

RECEIVED

SEP 19 1985

1. PERMIT NO.

15. ELEVATIONS (Show whether OF, RT, GR, etc.)

5176' GR
BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

5. LEASE DESIGNATION AND SERIAL NO.

1-89-IND-58

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo Tribe

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

USG Section 18

9. WELL NO.

43

10. FIELD AND POOL, OR WILDCAT

Hogback Penn/Leadville WC

11. SEC., T., R., M., OR B.L. AND
SUBVY OR AREA

SE/NW Sec 18, T29N, R16W

12. COUNTY OR PARISH 13. STATE

San Juan

NM

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Completion

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

X

DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

Moved in and rigged up service unit on 8-26-85. Total depth of the well is 7283'. Plugback depth is 7271'. Pressure tested production casing to 3500 psi for 30 minutes. Perforated the following intervals: 7122'-7128', 7218'-7234', 7252'-7260', 4 jsfp, .44" in diameter, for a total of 120 holes. Squeezed interval 7122'-7260' with 59 cu. ft. Class B cement. Perforated the following intervals: 6880'-6888', 4 jsfp, .44" in diameter, for a total of 32 holes. Squeezed interval 6880'-6888', with 59 cu. ft. Class B Neat cement. Perforated the following intervals: 6760'-6772', 4 jsfp, .50" in diameter, for a total of 48 holes. Acidized interval 6760'-6772' with 5000 gal 15% HCL. Set cast iron bridgeplug at 6745'. Perforated the following intervals: 6700'-6710', 4 jsfp, .50" in diameter, for a total of 40 holes. Acidized interval 6700'-6710' with 5000 gal 15% HCL. Set retrievable bridgeplug at 6690'. Perforated the following intervals: 6573'-6582', 6610'-6616', 6646'-6656', 4 jsfp, .50" in diameter, for a total of 100 holes. The well is flowing through the 7" casing. As soon as the pressure goes down, tubing will be landed in the hole and a subsequent sundry will be submitted.

RECEIVED

SEP 20 1985

hereby certify that the foregoing is true and correct

SIGNED

BDS Shaw

TITLE Admin. Supervisor

This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

1985

OIL CON. DIV. DIST. 3 ACCEPTED FOR RECORD

FARMINGTON RESOURCE AREA

BY

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions on form 1160-S)

Budget Bureau No. 1004-0145
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or plug wells. Use "APPLICATION FOR PERMIT" for such proposals.

RECEIVED
NOV 08 1985

I-89-IND-58

Navajo Tribe

UNIT AGREEMENT NAME

FARM OR LEASE NAME

USG Section 18

WELL NO.
43

FIELD AND POOL, OR WILDCAT

Hogback Penn/Leadville WC

SEC. T., R., M., OR ALK. AND
SURVEY OR AREA

SE/NW Sec 18, T29N, R16W

COUNTY OR PARISH
San Juan

STATE
New Mexico

OIL WELL ☒ GAS WELL ☐ OTHER

NAME OF OPERATOR

Amoco Production Co.

ADDRESS OF OPERATOR

501 Airport Drive, Farmington, N M 87401

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
See also space 17 below.)

At surface 1500' FNL X 1760' FWL

PERMIT NO.

ELEVATIONS (Show whether of, RT, CR, etc.)

5176' GR

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PILL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Additional Completion

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Moved in and rigged up service unit on 10-8-85. Set retrievable bridgeplug at 6520' and dumped 1200# sand on top. Perforated the following intervals: 6400'-6410', 4 jspf, .50" in diameter, for a total of 40 holes. Pumped interval 6400'-6410' with 5000 gal HCL acid and displaced with 38 bbl 2% KCL water. Perforated the following intervals: 6378'-6388', 6434'-6450', 4 jspf, .50" in diameter, for a total of 104 holes. Set packer at 6357'. Unset packer at 6357' and reset packer at 6293'. Squeezed interval 6378'-6450' with 177 cu. ft. Class B. Unset packer to 6229'. Drilled cement to 6450'. Tagged sand at 6490' and cleaned out to top of bridgeplug. Pressure tested cement squeeze to 1000 psi. Released bridgeplug set at 6520' and reset packer to 6531'. Released the rig on 10-24-85.

RECEIVED
NOV 08 1985
OIL CON. DIV.
DIST. 3

ACCEPTED FOR RECORD

NOV 07 1985

FARMINGTON RESOURCE AREA

RY JRM

*See Instructions on Reverse Side

All distances must be from the outer boundaries of the Section.


Operator AMOCO PRODUCTION COMPANY		Lease USG Section 18		Well No. 43	
Unit Letter F	Section 18	Township 29N	Range 16W	County San Juan	
Actual Footage Location of Well: 1650 feet from the North line and 1760' feet from the West line					
Ground Level Elev. 5176'	Producing Formation Pennsylvanian		Pool Hogback Pennsylvanian		Dedicated Acreage: 160 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Division.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

B. D. Shaw

Name
B. D. Shaw

Position
Adm. Supervisor

Company
Amoco Production Co.

Date
2-5-86

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

Registered Professional Engineer
and/or Land Surveyor

Certificate No.