

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

(Other instructions on reverse side)

Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| 1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER | 5. LEASE DESIGNATION AND SERIAL NO. SF 080000-A |
| 2. NAME OF OPERATOR D.J. SIMMONS | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| 3. ADDRESS OF OPERATOR P.O. BOX 1469, FARMINGTON, N.M. 87499 | 7. UNIT AGREEMENT NAME |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 860' FNL, 1490' FEL | 8. FARM OR LEASE NAME A.B. GEREN |
| | 9. WELL NO. # 5 |
| | 10. FIELD AND POOL, OR WILDCAT BASIN FRUITLAND COAL |
| | 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SEC. 26 - T. 12N - R. 10W |
| 14. PERMIT NO. | 12. COUNTY OR PARISH SAN JUAN |
| 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5925' GL | 13. STATE N. MEX. |

18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

| | |
|----------------------------------------------|-----------------------------------------------|
| TEST WATER SHUT-OFF <input type="checkbox"/> | PULL OR ALTER CASING <input type="checkbox"/> |
| FRACTURE TREAT <input type="checkbox"/> | MULTIPLE COMPLETE <input type="checkbox"/> |
| SHOOT OR ACIDIZE <input type="checkbox"/> | ABANDON* <input type="checkbox"/> |
| REPAIR WELL <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> |
| (Other): | |

SUBSEQUENT REPORT OF:

| | |
|------------------------------------------------|------------------------------------------|
| WATER SHUT-OFF <input type="checkbox"/> | REPAIRING WELL <input type="checkbox"/> |
| FRACTURE TREATMENT <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| SHOOTING OR ACIDIZING <input type="checkbox"/> | ABANDONMENT* <input type="checkbox"/> |
| (Other) <u>SPUD WELL</u> | |

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 4-30-90 SPUD WELL @ 8:00 AM 4-30-90. DRILLED TO 217' RAN 5 JTS. 8-5/8" 23.0# H-40 8RD CSG. (201.15') SET AT 210.15' CMT'D W/135 SX (160 CU.FT) DID NOT CIRC. WOC 12 HRS. CSG. WOULD NOT HOLD 600 PSI PRESSURE
- 5-02-90 APPLIED AND RECEIVED PERMISSION FROM BLM TO SKID RIG 12 FEET TO THE SOUTH.
- 5-05-90 SPUD WELL 8:00 AM 5-5-90. DRILLED TO 233'. RAN 5 JTS 8-5/8" 24.0# H-40 8RD CSG. (220.80') SET AT 229.80' CMT'D W/140 SX (A65 CU.FT.) CLASS "B" W/1/4 GELFLAKE/SX AND 2% CACL. CIRC. TO SURFACE. WOC 12 HRS. TESTED 600 PSI-30 MIN-HELD O.K.
- 5-11-90 TD 2450. RAN 57 JTS 4-1/2" 10.5# K-55 8RD CSG. (2440.02') SET AT 2449.02 MULTIPLE STAGE CEMENTER SET AT 1615.14' CEMENTED FIRST STAGE W/100 SX (118 CU.FT.) CLASS "B" W/1% CACL. CEMENTED 2ND STAGE W/200 SX 65/35 POZ 6% GEL 10% SALT FOLLOWED BY 100 SX CLASS "B" W/1% CACL. (478 CU.FT.) WOC 12 HRS TOC 580'TS

RECEIVED

MAY 23 1990

OIL CON. DIV.,
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE PETROLEUM ENGINEER DATE MAY 15, 1990

(This space for Federal or State office use)

APPROVED BY [Signature] TITLE NMOGD DATE MAY 25 1990

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

MAY 25 1990

FARMINGTON RESOURCE AREA

*See Instructions on Reverse Side

BY [Signature]