

COMPANY: BLOOMFIELD REFINING COMPANY

PAGE 2 OF 9

WELL NAME : BLOOMFIELD REFINING WD NO. 1

DATE : 01/11/94

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F113111.DAT

Date MM/DD hh:mm:ss	Test Time hhhh.hhhh	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
01/10 11:25:00	.5000	162.40	75.35		
01/10 11:25:30	.5083	220.43	78.08		
01/10 11:26:00	.5167	284.64	80.81		
01/10 11:26:30	.5250	332.81	83.55		
01/10 11:27:00	.5333	336.71	86.30		INSTRUMENT @ 3346'
01/10 11:27:30	.5417	336.55	89.06		
01/10 11:28:00	.5500	336.95	91.82		
01/10 11:28:30	.5583	337.49	94.58		
01/10 11:29:00	.5667	338.78	96.99		
01/10 11:29:30	.5750	339.12	98.25		
01/10 11:30:00	.5833	340.65	99.51		
01/10 11:30:30	.5917	340.91	100.78		
01/10 11:31:00	.6000	341.64	102.04		
01/10 11:31:30	.6083	342.37	103.31		
01/10 11:32:00	.6167	343.10	104.58		
01/10 11:32:30	.6250	343.67	105.85		
01/10 11:33:00	.6333	344.20	107.12		
01/10 11:33:30	.6417	344.64	108.39		
01/10 11:34:00	.6500	345.02	109.67		
01/10 11:34:30	.6583	345.32	110.94		
01/10 11:35:00	.6667	345.78	111.49		
01/10 11:35:30	.6750	346.28	111.76		
01/10 11:36:00	.6833	346.65	112.04		
01/10 11:36:30	.6917	347.29	112.31		
01/10 11:37:00	.7000	347.45	112.59		
01/10 11:37:30	.7083	347.75	112.86		
01/10 11:38:00	.7167	348.29	113.13		
01/10 11:38:30	.7250	348.39	113.40		
01/10 11:39:00	.7333	348.64	113.68		
01/10 11:39:30	.7417	349.11	113.96		
01/10 11:40:00	.7500	349.21	114.23		
01/10 11:40:30	.7583	349.37	114.51		
01/10 11:41:00	.7667	349.60	114.61		
01/10 11:41:30	.7750	349.85	114.68		
01/10 11:42:00	.7833	350.09	114.73		
01/10 11:42:30	.7917	350.31	114.80		
01/10 11:43:00	.8000	350.54	114.85		
01/10 11:43:30	.8083	350.77	114.92		
01/10 11:44:00	.8167	350.99	114.97		
01/10 11:44:30	.8250	351.20	115.04		
01/10 11:45:00	.8333	351.40	115.09		
01/10 11:45:30	.8417	351.62	115.16		
01/10 11:46:00	.8500	351.85	115.21		
01/10 11:46:30	.8583	352.06	115.28		
01/10 11:47:00	.8667	352.29	115.31		
01/10 11:47:30	.8750	352.52	115.32		
01/10 11:48:00	.8833	352.74	115.33		
01/10 11:48:30	.8917	352.96	115.35		
01/10 11:49:00	.9000	353.18	115.36		
01/10 11:49:30	.9083	353.39	115.38		
01/10 11:50:00	.9167	353.59	115.39		
01/10 11:50:30	.9250	353.82	115.40		
01/10 11:51:00	.9333	354.06	115.42		
01/10 11:51:30	.9417	354.28	115.43		
01/10 11:52:00	.9500	354.49	115.45		
01/10 11:52:30	.9583	354.69	115.46		
01/10 11:53:00	.9667	354.87	115.46		
01/10 11:53:30	.9750	355.06	115.47		
01/10 11:54:00	.9833	355.27	115.48		
01/10 11:54:30	.9917	355.49	115.48		
01/10 11:55:00	1.0000	355.71	115.48		
01/10 11:55:30	1.0083	355.89	115.49		
01/10 11:56:00	1.0167	356.08	115.49		
01/10 11:56:30	1.0250	356.31	115.50		
01/10 11:57:00	1.0333	356.52	115.50		