Form 3160-3 (July 1992)

SUBMIT IN TRIPLICATE.

(Other instructions on preverse side)

FORM APPROVED OMB NO. 1004-0136 Expires: February 28, 1995

UNITED STATES
DEPARTMENT OF THE INTERIOR

		OF LAND MANAGEM			S. LEASE DESIGNATION AND BERIAL NO
APP	LICATION FOR	PERMIT TO DR	ILL OR DEEDEN) 3 P	OSE 7065557A
OI WORK					-
b. TYPE OF WELL	DRILL 🖾	DEEPEN 🗌	070 F/		ON MIN AGREEMENT NAME
OIL WELL	GAS X OTHER				
2. NAME OF OPERATOR	WELL A OTHER		ZONE ZONE	IPLE	8. FARM OR LEASE NAME WELL NO. ALPHA
Merrion Oil	& Gas Corporation	on 1/1/2/			₹1-29-12 Hike No. 1 /S
TOTAL TOTAL	NO.				9. AR WELL NO.
P. O. Box 84	0, Farmington, 1	NM 87499	(505) 207 006		30-045-29167
At surface	(Report location clearly a	nd in accordance with an	(505) 327-980 y State requirements.*))1	10. FIELD AND POOL, OF WILDCAT
	1650' FNL & 160	07' FEL (SWNE)			Crouch Mesa Mesaverde
At proposed prod. z	zone				AND SURVEY OR AREA
DISTANCE IN MILE	S AND DIRECTION FROM NE				Section 1 many
4-1/2 miles 9	South of Element	AREST TOWN OR POST OFF	ICE.		Section 1, T29N, R12W 12. COUNTY OR PARISH 13. STATE
ATSTAUCE REGM DEU	South of Flora V				San Juan NM
LOCATION TO NEARE PROPERTY OR LEASE		990'	NO. OF ACRES IN LEASE	17. NO. (DF ACRES ASSIGNED HIS WELL
DISTANCE FROM PRO	rig. unit line, if any)		155.98		155.98
OR APPLIED FOR, ON T	DRILLING, COMPLETED, THIS LEASE, FT.	The owel .	PROPOSED DEPTH	1	RY OR CABLE TOOLS
ELEVATIONS (Show w	whether DF, RT, GR, etc.)	This 2004 is subject	10 163840/ 600		Rotary
5855' GR	·	and appeal punsuant	to 43 CFA 3166.4.	2.3	22. APPROX. DATE WORK WILL START*
				- 15RH-111	July, 1994
SIZE OF HOLE			D CEMENTING PROGRA	M SUBJECT	G COMPLIANCE WITH ATTACHED
12-1/4"	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	"GENER	AL REPANTEMENTO PER TENTE
14-1/4	19-5/8" T_EE	1 20// 0 00//			ur necoliteliminimina
7-7/8"	9-5/8", J-55 4-1/2" I-55	32# & 36#	240'	150 s	
7-7/8" Topose to drasing with 15 Tessure test th LS non-di 11 run and co	4-1/2", J-55 i'll 12-1/4" hold of sxs (177 cu.fl to 600 psi for spersed mud to	10.5# le to 240' ±, ft.). Top of c 30 minutes prototal depth at	3840' cement 9-5/8", ement-surface. rior to drill c 3840'±. Run	32# an WOCT fout. Wopen ho	d/or 36#, J-55 surface for 8 to 10 hours. Will ill drill 7-7/8" hole ole surveys if desired
7-7/8" Topose to driving with 15 dessure test th LS non-di 11 run and column.	4-1/2", J-55 ill 12-1/4" hold 0 sxs (177 cu.f. to 600 psi for spersed mud to ement 4-1/2", 1 t.), followed	10.5# le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe	32# an WOCT fout. Wopen ho 3840'ft.).	5xs 5xs d/or 36#, J-55 surface
7-7/8" Topose to driving with 15 ressure test th LS non-di 11 run and column.	4-1/2", J-55 ill 12-1/4" hold 0 sxs (177 cu.f. to 600 psi for spersed mud to ement 4-1/2", 1 t.), followed	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe	32# an WOCT fout. Woopen ho o 3840'ft.).	dd/or 36#, J-55 surface for 8 to 10 hours. Will ill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended
7-7/8" Topose to driving with 15 sing with 15 essure test th LS non-di 11 run and coldinary (618 cu.ff face. Will tached.	ill 12-1/4" hold of sxs (177 cu.fl to 600 psi for spersed mud to ement 4-1/2", 1 t.), followed perforate and	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe ECEIVE JUL 0 8 1994 LONO DIV	32# an WOCT fout. Woopen ho 3840'ft.).	d/or 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details
7-7/8" Topose to driving with 15 essure test th LS non-di 11 run and column and column area. Will tached.	ill 12-1/4" hold of sxs (177 cu.fl to 600 psi for spersed mud to ement 4-1/2", 1 t.), followed perforate and	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe ECEIVE JUL 0 8 1994 LONO DIV	32# an WOCT fout. Woopen ho 3840'ft.).	d/or 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details
7-7/8" Topose to driving with 15 essure test th LS non-di 11 run and column and column area. Will tached.	4-1/2", J-55 i'll 12-1/4" hold of sxs (177 cu.fl to 600 psi for spersed mud to ement 4-1/2", 1st.), followed is perforate and	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe ECEIVE JUL 0 8 1994 LONO DIV	32# an WOCT fout. Woopen ho 3840'ft.).	d/or 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details
opose to drising with 15 essure test th LS non-di 11 run and coldinary (618 cu.ff rface. Will tached.	4-1/2", J-55 ill 12-1/4" hold of sxs (177 cu.f. to 600 psi for spersed mud to ement 4-1/2", 1st.), followed by perforate and	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe ECEIVE 101 0 8 1994 CONO DIV 102 0 8 1994 con present productive zone and idepths. Give blowout prevent	32# an WOCT frout. Woopen ho 3840'ft.). r dril	ew productive zone. If proposal is to drill or any.
opose to drising with 15 essure test th LS non-di 11 run and cold (618 cu.ff rface. Will tached.	4-1/2", J-55 ill 12-1/4" hold of sxs (177 cu.f. to 600 psi for spersed mud to ement 4-1/2", 1st.), followed by perforate and	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe ECEIVE JUL 0 8 1994 LONO DIV	32# an WOCT fout. Wopen had o 3840'ft.). The drill of the	d/or 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details
opose to drising with 15 essure test th LS non-dill run and collist results ached. OVE SPACE DESCRIBED This space for Feder	4-1/2", J-55 ill 12-1/4" hold to 60 sxs (177 cu. if to 600 psi for spersed mud to ement 4-1/2", 1 t.), followed if perforate and perforate and subfirface location state of state office use)	le to 240' ±, ft.). Top of c 30 minutes proposal is to deepen, give data as and measured and rue vertica	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.) required. Othe ECEIVE 101 0 8 1994 LCONO DIV 103 3 on present productive zone and depths. Give blowout prevent perations Manage	32# an WOCT fout. Wopen had o 3840'ft.). The drill of the	ew productive zone. If proposal is to drill or any.
opose to drising with 15 essure test th LS non-di 11 run and cold (618 cu.ff face. Will tached.	4-1/2", J-55 ill 12-1/4" hold of sxs (177 cu. if to 600 psi for spersed mud to ement 4-1/2", 1st.), followed is perforate and perforate and subfirface location is being a state office use)	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as proposal is to deepen, give data as and measured and true vertices	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe CELVE 101 0 8 1994 CONO DIVIDUO DIVIDUO BONDO DIVIDUO BONDO DIVIDUO BONDO DIVIDUO BONDO BO	32# an WOCT fout. Woopen ho o 3840'ft.). r dril	defor 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details details
opose to drising with 15 essure test th LS non-di 11 run and coldinary (618 cu.ff face. Will tached.	4-1/2", J-55 ill 12-1/4" hold of sxs (177 cu. if to 600 psi for spersed mud to ement 4-1/2", 1st.), followed is perforate and perforate and subfirface location is being a state office use)	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as proposal is to deepen, give data as and measured and true vertices	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe CELVE 101 0 8 1994 CONO DIVIDUO DIVIDUO BONDO DIVIDUO BONDO DIVIDUO BONDO DIVIDUO BONDO BO	32# an WOCT fout. Woopen ho o 3840'ft.). r dril	defor 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details details
opose to drising with 15 essure test th LS non-di 11 run and coldinary (618 cu.ff rface. Will tached.	4-1/2", J-55 ill 12-1/4" hold of sxs (177 cu. if to 600 psi for spersed mud to ement 4-1/2", 1st.), followed is perforate and perforate and subfirface location is being a state office use)	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as proposal is to deepen, give data as and measured and true vertices	3840' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing t neat (118 cu.frequired. Othe CELVE 101 0 8 1994 CONO DIVIDUO DIVIDUO BONDO DIVIDUO BONDO DIVIDUO BONDO DIVIDUO BONDO BO	32# an WOCT fout. Woopen ho o 3840'ft.). r dril	dd/or 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details ewproductive zone. If proposal is to drill or any.
opose to drising with 15 essure test th LS non-di 11 run and coldinary (618 cu.ff face. Will tached.	4-1/2", J-55 ill 12-1/4" hold of sxs (177 cu. if to 600 psi for spersed mud to ement 4-1/2", 1st.), followed is perforate and perforate and subfirface location is being a state office use)	le to 240' ±, ft.). Top of c 30 minutes pr total depth at 0.5#, J-55 prod by 100 sx 'B' stimulate as proposal is to deepen, give data as and measured and true vertices	as 40' cement 9-5/8", ement-surface. rior to drill of 3840'±. Run uction casing to neat (118 cu. for required. Other ECEIVE CONO DIVINITY 3 on present productive zone and depths. Give blowout prevent prevent productive zone and depths. Give blowout prevent pr	32# an WOCT fout. Woopen ho o 3840'ft.). r dril	dd/or 36#, J-55 surface for 8 to 10 hours. Will fill drill 7-7/8" hole ole surveys if desired. ± with 300 sxs extended Est. top of cement at ling technical details

District I PO Box 1980, Hobbs, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised February 21, 1994

OIL CONSERVATION DIVISION

Instructions on back Submit to Appropriate District Office

WELL LOCATION AND ACREAGE DEDICATION PANT ATI Number Pool Ame Property Cade Property Cade Property Cade Post Ame Property Cade Property Cade Property Cade Property Cade Post Ame Property Cade Property Ca	District III 1000 Rio Brazos District IV PO Box 2088, Sa			1	S	CONSER PO anta Fe,	RVA Box NM	TION DIVISI x 2088 I 87504-2088		VED 1		co bease - 5 Cop	
Trough Mess Messured Wall Number			W	ELL L	OCATIO	N AND	AC:	REAGE DED	TOTA OPTVANIO B	L SANAGG		IENDED REPOR	
Property Code Property Name Property Code Property Name Property Code Property Name Property Code Property Name Property Nam	I .				¹ Pool Co	de		THE DED	WINCTON RESC	TIRCE A	·		
Property State Property Nature Property Na	30-	-045-	2916	2	756	80		Crouch Mesa	Mesaverde	ToT		4	
MERRION OIL & GAS CORPORATION 10 SUrface Location 11 County 12 Lot Ido 1650 North/South line 1607 EAST SAN JUAN 11 BOttom Hole Location If Different From Surface UL or lot no. Section 11 Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Ido Feet from the North/South line Feet from the East/West line County 12 Dedicated Acres 13 Joint or Infill "Consolidation Code "Order No. 155. 98 N NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNTI HAS BEEN APPROVED BY THE DIVISION 16 O7 TOWNSHAP OF THE DIVISION INTEREST SHAPPING CERTIFICATION INTEREST SHAPPING TO THIS COMPLETION UNTIL ALL INTEREST SHAPPING CERTIFICATION INTEREST SHAPPING TO THIS COMPLETION UNTIL ALL INTE	гторенц	Code	}			5 Pm	~~~	N #		m	Τ	<i>2</i>	
MERRION OIL & GAS CORPORATION 10 SUrface Location 11 County 12 Lot Ido 1650 North/South line 1607 EAST SAN JUAN 11 BOttom Hole Location If Different From Surface UL or lot no. Section 11 Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Ido Feet from the North/South line Feet from the East/West line County 12 Dedicated Acres 13 Joint or Infill "Consolidation Code "Order No. 155. 98 N NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNTI HAS BEEN APPROVED BY THE DIVISION 16 O7 TOWNSHAP OF THE DIVISION INTEREST SHAPPING CERTIFICATION INTEREST SHAPPING TO THIS COMPLETION UNTIL ALL INTEREST SHAPPING CERTIFICATION INTEREST SHAPPING TO THIS COMPLETION UNTIL ALL INTE			ALPHA	7 -1 -	29 ~	12 - H	IKE	1				weu Number	
UL or lot no. Section 1 29N 12W 1650 NORTH 1607 EAST SAN JUAN I BOTTOM Hole Location If Different From Surface UL or lot no. Section 1 Township Range Lot Ids Peet from the 1650 NORTH 1607 EAST SAN JUAN II BOTTOM Hole Location If Different From Surface UL or lot no. Section Township Range Lot Ids Peet from the North/South line Feet from the East/West line County 1 Dedicated Acres "Joint or Infill "Connolidation Code "Order No. North/South line Feet from the East/West line County NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNTIL HAS BEEN APPROVED BY THE DIVISION 16 1650' SP-065557A 7 OPERATOR CERTIFICATION I hereby certify that the signomation consisted herein is time and complies to the bast of my knowledge and beliefy 1650' SP-065557A 1607' Winted Name Operations Manager Title 6/02/94 Division of the standard properties of the bast of my knowledge and beliefy 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted made to specify that the well location shown on this plat was plotted made for my find the support of the standard correct to the best of the bast of my find the support of the standard correct to the best o		110.		METER	DION	, Ob	crator	Name			 	# 1	
Township Tange 1 29N 12W 12W 1650 NORTH 1650 East SAN JUAN 1 Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County 1 Dedicated Acres Joint or Infull "Consolidation Code Order No. 155. 98 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 1650' SF-065557A 1607' OPERATOR CERTIFICATION Interest of the best of my bowriedge and besitef time and compleas to the best of my bowriedge and besitef Tille 6/02/94 Date 18SURVEYOR CERTIFICATION Interest Name Operations Manager Tille 6/02/94 Date 18SURVEYOR CERTIFICATION Interest Name Operations of the well location shown on this plut was pleased from field none of stand intree and correct to the best of my provincing and the till of the stand that the same is true and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand intree and correct to the best of my field none of stand in the stand interest to the best of my field none of stand in the standard field in the standard field in the standard field in the standard field in the s	017034	014034 ME							N				
The second section of the section of the second section of the second section of the second section of the section of t	III on let an	<u> </u>				10 Surf	ace	Location					
11 Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Let Ida Feet from the North/South line Feet from the East/West line Country 1 Dedicated Acres 10 Joint or Intill "Consolidation Code "Order No. NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 16 50 Sp-065557A 16 7 OPERATOR CERTIFICATION Interdepends when the information contained horien is true and complete to the best of my browledge and belief for footnoon and the plan was plotted from flad none of audit surroys made by me or under my partition, and that be tauned in true and corrects to the best of my browledge and belief for flad none of audit surroys made by me or under my partition, and that be tauned in true and corrects to the best of my browledge and belief for flad none of audit surroys made by me or under my partition and that be tauned in true and corrects to the best of my browledge and belief for surroy made by me or under my partition, and that be tauned in true and corrects to the best of footnoon Surry footnoon and the line time and corrects to the best of footnoon Surry footnoon and the line time and corrects to the best of footnoon Surry footnoon and the line time and corrects to the best of footnoon Surry footnoon and the line time and corrects to the best of footnoon Surry footnoon and the line time and corrects to the best of footnoon Surry footnoon from the footnoon of the footnoon footnoon and the line time and correct to the best of footnoon Surry footnoon from the footnoon footnoon from the footnoon footnoon footnoon from the footnoon from the footnoon footnoon from the footnoon footnoon from the footnoon from t		_	1	1 ~	Lot Idn	Feet from	the	North/South line	Feet from the	East/Wes	Lline	County	
UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Country Dedicated Acres "Joint or Infill" "Consolidation Code "Order No. 155. 98 N NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 1650' SF-065557A 7 1607' 17 OPERATOR CERTIFICATION Interdept to the best of my knowledge and belief true and complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of my knowledge and belief of the complete to the best of secula surveys make by me or under my supervision, and but he team is true and correct to the best of my supervision, and but he team is true and correct to the best of my supervision, and but he team is true and correct to the best of my supervision, and but he team is true and correct to the best of my supervision, and but he team is true and correct to the best of my supervision, and but he team is true and correct to the best of my supervision, and but he team is true and correct to the best of my supervision, and but he team is true and correct to the best of my supervision, and subtract the make and correct to the best of forties and correct to the best of my supervision.	G		29N			1			1607			1 -	
Decicated Acres "Joint or Infill" "Consolidation Code" "Order No. NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 17 OPERATOR CERTIFICATION I hereby certify that the information contained herein it rune and complete to the best of my inoviteige and belief the following of the complete to the best of my inoviteige and belief that the information contained herein it rune and complete to the best of my inoviteige and belief that the information contained herein it rune and complete to the best of my inoviteige and belief that the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete to the best of my inoviteige and belief that the complete	111		T	¹¹ Bot	tom Hol	e Location	on Ii	Different Fro	om Surface			Jan COAN	
Dedicated Acree **Joint or Infill** **Connolidation Code** **Order No.** 155. 98 N NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 17 OPERATOR CERTIFICATION hereby certify that the information contained herein is true and complete to the best of my knowledge and belief 1650' SF-065557A Steven S. Dunn Privated Name Operations Manager Title 6/02/94 Date 18SURVEYOR CERTIFICATION hereby certify that the well location from on this plat was plotted from field notes of accust surveys made by me or under my supervision, and that the same is true and correct to the best of TOCESTON Surveys and correct to the best of TOCESTON Surveys Signature (Signature Signature (Signature Signature Signature (Signature Signature Signature (Signature (Signature Signature (Signature (Signature Signature (Signature	UL OF IOL DO.	Section	Township	Range	Lot Idn	Feet from t	be			East/W-	line	Course	
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief Steven S. Dunn Printed Name Operations Manager Title 6/02/94 Date of Supples Supples from field notes of actual surveys made by me or water my supplession, and that the same is true and correct to the best of my field notes of actual surveys made by me or water my supplession, and that the same is true and correct to the best of Supplession. Signature Science Supplession of Follows Surveys made by me or water my supplession, and that the same is true and correct to the best of Supplession. Signature Science Supplession of Follows Surveys Signature Science Supplession Surveys Signature Science Scienc	12 70 11										· unc	County	
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 17 OPERATOR CERTIFICATION 1 hereby certify that the information contained herein is true and complete to the best of my knowledge and belief SE-065557A Signature Steven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18 SURVEYOR CERTIFICATION 1 hereby certify that the well location shown on this plat was plouted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the same is true and correct to the best of my fill of the my fill		Joint	or Infill 14	Consolidatio	n Code 15 O	rder No.				<u> </u>			
1650' SF-065557A 1650' SF-065557A 7 1607' Printed Name Operations Manager Title 6/02/94 Date 18 SURVEYOR CERTIFICATION 11 Introduced from the well location shown on this plat was spound from supervision, and had the same is true and correct to the best of my surveys made by me or under my supervision, and had the same is true and correct to the best of my surveys made by me or under my supervision, and had the same is true and correct to the best of my supervision. Signature for Si					1								
1650' SF-065557A 1650' SF-065557A 7 1607' Printed Name Operations Manager Title 6/02/94 Date 18 SURVEYOR CERTIFICATION 11 Introduced from the well location shown on this plat was spound from supervision, and had the same is true and correct to the best of my surveys made by me or under my supervision, and had the same is true and correct to the best of my surveys made by me or under my supervision, and had the same is true and correct to the best of my supervision. Signature for Si	NO ALLOW	ABLE V	VILL BE	ASSIGNE	р то тні	S COMPL	ETIO	N UNTIL ALL	NTEPESTS U	AVE DEE			
1650' SP-065557A Sprature Steven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from fleid notes of actual surveys made by me or under my supervision, and that her same is true and correct to the best of surface. Signature Date of Surface. Signature Operations Manager Title 6/02/94 Date Surveyor Certification I hereby certify that the well location shown on this plat was plotted from fleid notes of actual surveys made by me or under my supervision, and that her same is true and correct to the best glowly belly Date of Surface. Signature of Surface. Signature of Followship and Surveys: Signature of Surface. Signatu			OR A	NON-ST	ANDARD	UNIT HAS	S BE	EN APPROVED	BY THE DIV	IAVE BEE ISION	N CO	NSOLIDATED	
SE-065557A SE-065557A SEEven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plouted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of the	16				11111	7777	77 V ,						
SE-065557A SE-065557A SEEven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plouted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of the		- 1			E				OPER	CATOR (CERT	TFICATION	
SEP-065557A SEQUENTS. Dunn Printed Name Operations Manager Title 6/02/94 Date 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best glome field. Date of Supervision, and that the same is true and correct to the best glome field. Signature of Supervision, and that the same is true and correct to the best glome field. Signature of Supervision. Signature of Supervision.		1			1	į	- 1		nerewy certi	ly that the info	rmation i	contained bearings	
SF-065557A Signature Steven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best good by the correct to the best good for the best good for the same is true and correct to the same		ļ			F					10 112 12	n oj my k	nomeage and belief	
Signature Steven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my believed from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my believed. Signature and Salvey. Signature and Salvey. Signature and Salvey.		1			E 165	0,							
Signature Steven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my believed from the my supervision. Signature and Fall of frocessional Surveyor from the best of my believed from the my supervision. Signature and Fall of frocessional Surveyor from the my supervision and that the same is true and correct to the best of my believed from the my supervision. Signature and Fall of frocessional Surveyor from the my supervision and that the same is true and correct to the best of my believed from the my supervision. Signature and Fall of frocessional Surveyor from the my supervision and the my supervision and the my supervision.							_				1 /		
Steven S. Dunn Printed Name Operations Manager Title 6/02/94 Date 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that he same is true and correct to the best admy believed. Signature and point of frocessional Surveys.			 -			Si	r-Ut	555/A	JA A		X ()	
Printed Name Operations Manager Title 6/02/94 Date 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief Date of Surface Signature of Surface Sign						7			Signature	<u> </u>	77		
Printed Name Operations Manager The state of the state						´ Ó—	-		Steven	S. Dunn			
18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief Date of Support Signature and Scale of Professional Surveys 6844					<u> </u>		1	1607'	Printed Name				
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my believe Date of Surveys Signature and Sold of Professional Surveys (8844)					1				Operati	ons Man	ager		
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my believed. Date of Suspen. Signature and Scal of rolessional Surveys. Signature and Scal of rolessional Surveys. Signature and Scal of rolessional Surveys.		1			-		-		- //			#	
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my believed Date of Surveys Signature of South Surveys (8844) Signature of South Surveys (8844)					111111	////////	1//	11111111111					
Thereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Surveys Signature and post of Frofessional Surveyor. 6844							1//	/	18CT TO T				
I hereby certify that the well location shown on this plat was plotted from field noies of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Suspen. Signature say post of Frofessional Surveyor. 6844 Signature say post of Frofessional Surveyor.						and the second second	-	•	SURVE	EYOR C	ERTI	FICATION	
or under my supervision, and that the same is true and correct to the best of my belief. Date of Surface. Signature and Scal of Professional Surveyor: 6844 844 844					101 0001				I hereby certify	that the well l	ocation s	hawn on this play	
Signature and Soul of Professional Survivor. 6844 Signature and Soul of Professional Survivor. 6844						al		• •	or under my sur	n Neid noies of Pervision and	actual s that the t	urveys made by me	
Signature and Soal of Professional Survivor. 6844 Signature and Soal of Professional Survivor. 6844					3516				correct to the be	si of my belie		Same to the total	
Signature and Soal of Professional Survivor. 6844 Signature and Soal of Professional Survivor. 6844	•				ツ目信	der n	1	10	5/	Stall A	20/	994	
68 44	·					20 81	:	L	Date of Surrey	TO W	100	3/	
68 44		1			. J. J.	در کار		45 ³	Signature and Se	of rolessie	SUN		
68 44					.411	GON.	1.7.	10 July 3	၂၀		/		
									Sel	FRED LAN	n silv	5,00	
Certificate Number					*				l	$\mathbf{G} \cup \mathbf{T}$	4	1	
				<u> </u>				1	Certificate Number	:r	<u> </u>	 	

