Form 3160-5

UNITED STATES DEPARTMENT OF THE INTERIOR RUBEAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill, or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals SUBMIT IN TRIPLICATE 7. If Unit or CA, Agreement Designation	lune, 1990)	_	DEPARTMENT OF	AAAAA OCMENT	Expires: March 31, 1993	
SUBMIT IN TRIPLICATE 2. If Unit or CA, Agreement Designation 2. If		E	BUREAU OF LAND	MANAGEMENT	E. Lessa Decimation and Serial No.	
SUBMIT IN TRIPLICATE 2. If Unit or CA, Agreement Designation 2. If		01 II I I I I I I I I I I I I I I I I I		DEPORTS ON WILLS	NMSF-079968	
SUBMIT IN TRIPLICATE 2. If Unit or CA, Agreement Designation 2. If		SUNDRY	NOTICES AND	KEPOK 15 ON WELLS	C. M. Indian Allerta or Triba Norma	
Type of Well Oli Well X Gas Well Opher FEB 2004 S. Well there and No. Well Control of Operating Company Name of Operating Company No. Addess and Telephone No. 1700, Denver, Colorado 80203 (303) 830-8000 10. Location of Well Flootage, T.R. M. or Survey Description 1555 F.N., 600 F.W.L. Sec. 5-T29N-R14W 2 CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intant Notice of Intant Notice of Intant No. Construction No. Recompetion No				V (National Control C	6. If Incest, Associa or Union results	
Type of Wall Oil Wall X Gas Wall Open FEB 2004 8. Wall feets and Reported Inchardson Operating Company 1. Address and Telephone No. 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Wall Footage, 1. R. M. or Survey Description 1. Location of Management Policy or Final Advancement Recompletion 1. Location of Intent 1. Location of Intent 1. Location of Management Recompletion 1. Location of Management Recompletion or Management Recompletion or Management Recompletion				IT-" for such proposals		
Name of Operating Richardson Operating Company Recompany R		SUBMIT	IN TRIPLICATE		7. If Unit or CA, Agreement Designation	
Name of Operating Richardson Operating Company Recompany R	. Type of Well		_	FED S		
. Married (Cheretory Inchardson Operating Company) . Address and Telephone No. 1700 Lincoln, Suite 1700, Deriver, Colorado 80203 (303) 830-8000 10. Field and Pool, or Englowatory Area Type Check Appropriate BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 17YPE OF SUBMISSION 17YPE OF SUBMISSION 18		Oil Well	Gas Well	Other 2001		
Addesses and Telephone No. 1700 Lincoln, Suite 1700, Denver, Colorado 80203 (303) 830-8000 10. Redesses and Telephone No. 10. Location of Well (Footage, T. R. M. or Survey Description) 11. Location of Well (Footage, T. R. M. or Survey Description) 11. Location of Parish, State San Juan County, NM 2. CHECK APPROPRIATE BOXIs) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 179E OF ACTION 179E OF A	. Name of Opera	ator				
10. Fleid and Pool, or Exploratory Area TWIN Mounds Fruitland Sand PC 11. Coaction of Well (Footage, T. R. M. or Survey Description) 1555° FNL, 660° FVVL 2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Change of Plans New Construction Non-Routine Plans New Construction Non-Routine Non-Routine Non-Routine Non-Routine Type OF Market Non-Routine Non-R	Richardson C	perating Company	<u> </u>			
Twin Mounds Fruitland Sand PC						
	1700 Lincoln	, Suite 1700, Den	ver, Colorado 80	203 (303) 830-8000		
San Juan County, NM 2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION Abandoment Recompletion Reco	Location of We	II (Footage, T, R, M, or S	urvey Description)			
Sec. 5-T29N-R14W Z CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION Abandonment Abandonm						
TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION Abandonment Change of Plans	Sec. 5-T29N	-R14W				
TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent		CHECK APPROPRIATE	BOX(s) TO INDICA	TE NATURE OF NOTICE, REPORT, OR OTHER DA	TA	
Notice of Intent Notice						
Non-Routine Fracturing X Subsequent Report Cesing Repair Altering Casing Dispose Water Shut-Off Conversion to Injection Dispose Water Shut-Off Conversion to Injection Dispose Water Shut-Off Conversion to Injection Dispose Water Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1	Abandonment	Change of Plans	
Plugging Back Casing Repair Altering Casing Surface Casing/Cementing Surface Casing/Cementing Dispose Water Altering Casing Casing Surface Casing/Cementing Surface Casing/Cementing Dispose Water (Note: Report results of multiple completion on Well Completion on Well Completion on Well Completion on Recompletion Report and Log forms.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent datale, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.]* 9/11/00 Spud 8 3/4" surface hole. Drill to 135". Ran 3 jts 7" 20# casing to 132.57" GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710". 9/13/00 To well at 905". Ran 20 jts 4 1/2" 10.5# casing to 878.78". Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the topic topic place with 13.25 bbls water. Title: Land Manager Title: Land Manager Title: Land Manager Title: Casing Repair Acceptable Page P	Γ	Notice of Intent			New Construction	
Altering Casing Surface Casing/Comenting Dispose Water Power Report results of multiple completion on Water Conversion to Injection Dispose Water Power Report results of multiple completion on Water Completion or Pecompletion on Water Completion or Recompletion Report and Log form. 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting arry proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)* 9/11/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# casing to 132.57' GL. Cemented with 35 sxs Class B coment with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby centry that the space for Faderal or Bista office used This space for Faderal or Bista office used	L	Notice of Intent			Non-Routine Fracturing	
Altering Casing Surface Casing/Cementing Surface Casing/Cementing Surface Casing/Cementing Dispose Water Notice Report results of multiple completion on Wall Correlations or Recompleted Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starring any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)* 9/11/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# casing to 132.57' GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby centry the pa topopolog is true and correct Signed: This space for Federal or Bista effice usel This: FEB 0 7 2001 This: FEB 0 7 2001	٢٦٦	Subsequent Peport			Water Shut-Off	
Surface Casing/Cementing Objects: Report results of multiple completion on Well Completed Operations (Clearly state all pertinent datals, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.]* 9/11/00 Spud 8 3/4* surface hole. Drill to 135'. Ran 3 jts 7* 20# casing to 132.57' GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2* 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the forgoging is true and connect Class. Title: Land Manager FEB 0 7 2001 Dispose Water Dispose Water Dispose Water Compliant of Report Report results of multiple completion on Well Compliant of Report Report Report and Log form). The space for Federal or Betts office usel Title: Land Manager	L	Subsequent Report		F-1	Conversion to Injection	
X Other: see below (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form). 3. Describe *Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. 13. Describe *Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. 14. Well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.]* 15. Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# casing to 132.57' GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 16. Spud 8 3/4" surface casing to 600 psi. Drill to 710'. 17. To well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. Thereby certify that the foregoing is true and correct Signed:	ГП	Final Abandonment Notice			Dispose Water	
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.]* 9/11/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# casing to 132.57' GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the togeophy is true and cornect. Signed: All the space for Federal or State office use) Title: Land Manager Title: Land Manager Title: Land Manager Title: Land Manager Title: FEB 0 7 2001 Date: FEB 0 7 2001	Ll	Final Abandonment Notice		· - 	(Note: Report results of multiple completion on Well	
11/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# casing to 132.57' GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the foreopting is true and correct signed:				L	Completion or Recompletion Report and Log form).	
11/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# casing to 132.57' GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the foreopting is true and correct signed:			- (Classic eteta ul partina)	t dataile, and give pertinent dates, including estimated date of sta	arting any proposed work.	
9/11/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# casing to 132.57' GL. Cemented with 35 sxs Class B cement with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby centify that the topspoing is true and correct Signed: This space for Federal or State office use) Approved by: Conditions of approved, if any:	13. Describe -ropo	osed or Completed Operation	s (Clearly state an pertinol	and true vertical denths for all markets and zones pertinent to this	work.)*	
with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the foregoing in true and correct Circulate 13 bbls cement to surface. Title: Land Manager Title: Land Manager Title: FEB 0 7 2001 Approved by: Conditions of sporovel, if any:	if well is directle	onally drilled, give subsurface	(OCALIONS AND MICESCHOOL			
with 2% CaCl2. Displaced with 4 bbls water. 3 bbls cement returned to pit. 9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the foregoing is true and correct Signed: Title: Land Manager Title: Land Manager Title: FEB 0 7 2001 Approved by: Conditions of sporoval, if any:	0/44/00	Court 9 2/4" curfor	a hola Drill to 13	5' Ran 3 its 7" 20# casing to 132.57' GL.	Cemented with 35 sxs Class B cement	
9/12/00 Test BOP & surface casing to 600 psi. Drill to 710'. 9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. I hereby certify that the foregoing is true and correct Signed: This space for Federal or State office use) This space for Federal or State office use) Approved by: Conditions of sporoval, if any:	9/11/00	1/00 Spud 8 3/4" surface noise. Drill to 155. Half 5 its 7 25% casing to 155.				
9/13/00 TD well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 878.78'. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. Thereby certify that the foregoing is true and correct Signed: Title: Land Manager Title: Land Manager Title: FEB 0 7 2001 Approved by: Conditions of approved, if any:		With 2% Caciz. Di	spiaceu with 4 bb	5 Water. 5 bbis comone rotation to pin		
9/13/00 TD well at 905°. Ran 20 jts 4 1/2° 10.5# casing to 878.78°. Precede cement with 30 bbls water. Cemented with 45 sxs of Class B with 2% Metsilicate. Tail with 60 sxs Class B with 2% CaCl2. Displace with 13.25 bbls water. Circulate 13 bbls cement to surface. 14. Thereby certify that the foregoing is true and correct Signed: Title: Land Manager Title: Land Manager Title: FEB 0 7 2001 Approved by: Conditions of sporovel, if any:				Dall to 710!		
45 sxs of Class B with 2% Metsilicate. Circulate 13 bbls cement to surface. 14. I hereby certify that the fgregoing is true and correct Signed: Title: Land Manager Title: Land Manager Title:	9/12/00	Test BOP & surface	casing to buu ps	. Dail to 710 .		
45 sxs of Class B with 2% Metsilicate. Circulate 13 bbls cement to surface. 14. I hereby certify that the foregoing is true and correct Signed: Title: Land Manager Title: Land Manager Title: Land Manager ACCEPTED FOR RECORD This space for Federal or State office use) Approved by: Conditions of approvel, if any:		_		a sii	h 30 hhls water Cemented with	
Circulate 13 bbls cement to surface. 14. I hereby certify that the foregoing is true and correct Signed:	9/13/00	TD well at 905'. R	D well at 905'. Ran 20 jts 4 1/2" 10.5# casing to 8/8./8'. Precede cement with 30 bbis water. Carrented with			
14. I hereby certify that the foregoing is true and correct Signed: ARCEPTED FOR RECORD Title: Land Manager This space for Federal or State office use) Approved by: Title:				e. Tail with 60 sxs class B with 2% Caciz.	Displace With 10.20 bols Water.	
Approved by: Conditions of approval, if any:		Circulate 13 bbls ce	ment to surface.			
Approved by: Conditions of approval, if any:						
Approved by: Conditions of approval, if any:			<u></u>			
Approved by: Conditions of approval, if any:						
Approved by: Conditions of approval, if any:					The second secon	
Approved by: Conditions of approval, if any:	14. I hereby certify t	hat the foregoing is true and come	ct <i>O</i>		FORTED FOR RECORD	
Approved by: Conditions of approval, if any:		Cathleen	Colle	Title: Land Manager	Auth Scholer 5, 2000	
Conditions of approval, if any:		mana fau Sarland au Stata at Mana i	7			
Conditions of approval, if any:		apace for recent or state office (:		Title:	para: FEB U (LUU'	
Conditions of approval, if any: Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any page, fictitious or facilities.				1110		
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any person knowingly and willfully to make to any department or agency of the United States any person knowingly and willfully to make to any department or agency of the United States and	Conditions of app	roval, if any:		ag at a Hajisa	States by table, fictitious or Audulent	
	Title 18 U.S.C. Se	ection 1001, makes it a crime	e for any person knowing	and willfully to make to any department or agency of the United		

* See Instructions on Reverse Side