

TABULATION OF DEVIATION TEST
AMOCO PRODUCTION COMPANY

<u>DEPTH</u>	<u>DEVIATION</u>	<u>DEPTH</u>	<u>DEVIATION</u>
<u>141'</u>	<u>0.75</u>	<u> </u>	<u> </u>
<u>647'</u>	<u>1.25</u>	<u> </u>	<u> </u>
<u>1142'</u>	<u>1.00</u>	<u> </u>	<u> </u>
<u>1615'</u>	<u>1.50</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

AFFIDAVIT


THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on **AMOCO PRODUCTION COMPANY'S**:

Gallegos Canyon Unit No. 562 F
2030' FNL & 2440' FWL Sec. 22 T29N R12W
SAN JUAN COUNTY, NEW MEXICO

Signed:

Title:

Mary Corley
SR. Regulatory Analyst



THE STATE OF TEXAS)
), ss.
 COUNTY OF HARRIS)

BEFORE ME, the undersigned authority, on this day personally MARY CORLEY known to me to be a SR. Regulatory Analyst for Amoco Production company and to be the person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 8 day of January, 2001.

[Signature]
 Notary Public

My Commission Expires:

2/14/04

