

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. ☒ ON WELL ☒ GAS WELL ☐ other Depleted

2. NAME OF OPERATOR  
Texas Eastern Developments, Inc.

3. ADDRESS OF OPERATOR  
P.O. Box 2521 Houston, Texas 77001

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1894 FSL 442 FWL  
AT TOP PROD. INTERVAL  
AT TOTAL DEPTH:

5. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

6. LEASE  
Indian Allotted #14-20-603-5036

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.  
22 Shiprock 16 L

10. FIELD OR WILDCAT NAME  
Shiprock-Gallup

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 16, T29 N, R 18 W.

12. COUNTY OR PARISH  
San Juan

13. STATE  
New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDS. AND WD)  
5182.93

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON ☒ P&A  
(other)

SUBSEQUENT REPORT OF:

☐ BUREAU OF LAND MANAGEMENT  
FARMINGTON RESOURCE AREA

RECEIVED

JAN 16 1987

RECEIVED

JAN 26 1987

NOTE: Report results of well completion or zone change on Form 9-330.)

BUREAU OF LAND MANAGEMENT  
FARMINGTON RESOURCE AREA

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Well numerations in accordance with survey by San Juan Engineering Company, Inc. of December 1980 (was Shiprock 16 L 7 ).

WELL DATE

Spud 5/4/61 TD 145' Hole Size 6 3/4" Csg 5 1/2" @ 115' cmt'd w/ 6 sx.

METHOD OF PLUGGING

REMOVE TUBING, RODS, & PUMP.

Squeeze Gallup Sand (119' - 135') w/ 12 sx neat cmt, fill 5 1/2" csg w/cmt to surface, set marker.

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

SIGNED M. N. Hinds TITLE Deleg. Supt. DATE JAN 28 1987

(This space for Federal or State office use)

APPROVED BY J. R. Keller CONDITIONS OF APPROVAL IF ANY.

FEB 04 1987  
OIL CON. DIV.  
DIST. 3  
NMOCC

APPROVED

JAN 28 1987

J. R. Keller

AREA MANAGER  
FARMINGTON RESOURCE AREA