- IMBER OF COPIE	S RECEIVED	<u> </u>
வி	TRIBUTIO	
BANTA FT		
FILE		111
D.B.G.S.		2
LAND OFFICE		
TRANSPORTER	OIL	
IMANDEURIER	GAS	
PRORATION OFFI	: 4	

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

Form C-101 Revised (12/1/55)

NOTICE OF INTENTION TO DRILL API 30-037 - 212/3

S. EK-1011		h .				_			• . •
Notice must	he given to the	District Office	e of the Oil	Conservation	Commission :	and approval	l obtained be	cfore drilling	or recompletion
Lister If abouter	in the propose	d plan are cou	nsidered advi	sable, a copy	of this notice	· showing suc	h changes w	ill be returned	i to the sender.
Submit this notice	ATTINITIE	LICATE On	conv will h	w returned for	llowing appro	ovol See add	litional instru	uctions in Rul	es and Regula-
	in Convior	LICATE. OII	e copy will c	ALL I	mowing appro	d do A-d -114		et 2 confee	of form c 101
tions of the Comm	ission. If	State Land	submit 6 Co	pies Attach	rorm U- 20	s in eximic	pared to III	معسرات و عد	of form C-101

••••••	D	urango	, Colorado)		April 21,	1976	
CONS	ERVATIO	ON COM	• • • • • • • • • • • • • • • • • • • •					
lcmen:		Litico						
		notified t	hat it 18 our ir	ntention to commence the	Drilling of a well to be	known as		
Blac	kwood &	Nicho	ls Company	(Operator)	oner of orth			••••••••
				(Company C				
			(Leale)				(
:d	910	fee	t from the	South	26 - 21N	line and	.# <i>Z.I.</i> V	leet from the
				line of Section	verde Pool,	, K	y, IVM	County
E LO	CATION	FROM S	SECTION LIN	E) Blanco Mesa	nd Gas Lease is NoE-		A	County
				If State Land the Oil an	ner is			
D	c	В	A	-	ner is			
ן		B	Α	Address	with drilling equipment of	follows. Rota	ary Riga	
				we propose to arm well	with drilling equipment a		10	
E	F	G	н	The status of plugging	bond is		/ Na.	1
				The status of plugging				
L	к	յ	1	Drilling Contractor Unknown				
•	*	,	-	Zimmig Continuous			· Nou C:	
	1 1	1	i				10,5	
	1						10,50	
м	N	ő	P	We intend to complete	this well in the Mesavi	erde.Format	10n	
М	N		P	We intend to complete	this well in the Mesave	erde.Format	10n	
		O		We intend to complete formation at an approx CASING 1	this well in the Mesavi imate depth of 5800' PROGRAM	erde.Format	10n	
		O		We intend to complete formation at an approx	this well in the Mesavi imate depth of 5800' PROGRAM hem as indicated:	erdeFormat	10n	fcet.
We p		O		We intend to complete formation at an approx CASING 1	this well in the Mesavi imate depth of 5800' PROGRAM	erde.Format	10n	
We pi	ropose to u	O	llowing strings	We intend to complete formation at an approx CASING 1 of Casing and to cement t	this well in the Mesavi imate depth of 5800' PROGRAM hem as indicated:	Depth	s Cir	scks Cemest
We pr Size 2½"	ropose to u	O	llowing strings	We intend to complete formation at an approx CASING I of Casing and to cement t Weight per Foot	this well in the Mesavimate depth of 5800 here as indicated: New or Second Hand	Depth 300' 3650'	Son Cir	fcct. acks Cement cculate cculate
Ve pr 8ixe 21."	ropose to u	O	llowing strings of Casing	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00#	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand	Depth	Son Cir	fcct. acks Cement culate culate
We pr	ropose to u	O	Size of Casing 9-5/8" 7" 4-1/2"	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50#	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New	Depth 300' 3650'	Son Cir	fcct. Acks Cemeat Coulate Coulate
We pr 8ize 2½" 1½" 1½"	of Hole	O see the following the above	Blue of Casing 9-5/8" 7" 4-1/2" plans become a	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify you	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New New	Depth 300' 3650' 5800'	Son Cir	fcct. scks Cemest culate culate
We pr Size 21/4" 14" If ch:	of Hole	O see the following the above	Blue of Casing 9-5/8" 7" 4-1/2" plans become a	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50#	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New New	Depth 300' 3650' 5800'	Cir Cir Cen	fcct. Acks Cemeat Coulate Coulate
We properly the state of the st	of Hole	o lase the following above in INFOR	Bize of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify your recompletion give full december to the complete to	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New New	Depth 300' 3650' 5800' work.) APPROVAL	Cir Cir Cen	fcct. scks Cemest culate culate
We properly the state of the st	of Hole	o lase the following above in INFOR	Bize of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify your recompletion give full december to the complete to	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New New	Depth 300' 3650' 5800'	Cir Cir Cen	fcct. acks Cement culate culate
We properly the state of the st	of Hole	o lase the following above in INFOR	Bize of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify your recompletion give full december to the complete to	this well in the Mesavimate depth of 5800's program hem as indicated: New or Second Hand New New New New Ne	Depth 300' 3650' 5800' Work.) APPROVAL FOR 90 DAY DRILLING CO	Cir Cir Cen	fcct. scks Cemest culate culate
We properly the state of the st	anges in th	o lase the following above in INFOR	Blue of Casing 9-5/8" 7" 4-1/2" plans become a	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify your recompletion give full december to the complete to	this well in the Mesavimate depth of 5800's program hem as indicated: New or Second Hand New New New New Ne	Depth 300' 3650' 5800' work.) APPROVAL	Cir Cir Cen	fcct. acks Cemeat culate culate
We proved	of Hole	o lase the following above in INFOR	Bize of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify your recompletion give full december to the complete to	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New Simmediately. etails of proposed plan of	Depth 300' 3650' 5800' WORK.) APPROVAL FOR 90 DAY DRILLING CO	Cir Cir Cen Cen L VALID IS UNESS DAMENCED,	scks Cemest regulate regulate ment to 3400
We proved	anges in th	o lase the following above in INFOR	Bize of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify your recompletion give full december to the complete to	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New Simmediately. etails of proposed plan of	Depth 300' 3650' 5800' WORK.) APPROVAL FOR 90 DAY DRILLING CO	Cir Cir Cen L VALID IS UNESS MMENCED, 21, 19	fcct. Acks Cement Coulate Coulate Coulate Dent to 3400
We proved	anges in th	o lase the following above in INFOR	Bize of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement to Weight per Foot 36.00# 23.00# 10.50# advisable we will notify your recompletion give full december to the complete to	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New Simmediately. etails of proposed plan of	Depth 300' 3650' 5800' WORK.) APPROVAL FOR 90 DAY DRILLING CO	Cir Cir Cen Cen L VALID IS UNESS DAMENCED,	fcct. Acks Cement Coulate Coulate Coulate Dent to 3400
We proved	anges in the	nse the following above INFOR	Blue of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement the second se	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New New New Sincerely yours, EX	Depth 300' 3650' 5800' WORK.) APPROVAL FOR 90 DAY DRILLING CO PIRES July Wood & Mich (Company or of	Cir Cir Cen VALID S UNLESS MMENCED, 21, 19	fret. Acks Cement Coulate Coulate Ment to 3400
We proved a sept as	anges in the ITIONAL	nse the following above in the above in the APR 2	Bize of Casing 9-5/8" 7" 4-1/2" plans become a MATION (If	We intend to complete formation at an approx CASING 1 of Casing and to cement the second se	this well in the Mesavimate depth of 5800' PROGRAM hem as indicated: New or Second Hand New New	Depth 300' 3650' 5800' WORK.) APPROVAL FOR 90 DAY DRILLING CO	Cir Cir Cir Cir Cir Comporator Co	scks Cemest regulate regulate regulate nent to 3400

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

		All distances must be f	rom the outer boun	iaries of the Secti	on.	<u> </u>
Operator			Lease		<u>.</u> .	Well No.
Blankwood 8	Nochols Con		L	Blanco Uni	τ	22 A
Jnit Letter	Section	Township	Range	County	Arriba	
0	36	31 N	7 W		Arriba	
octual Footage Loca 910	c.	outh line and	1970	feet from the	East	line
round Level Elev:	feet from the Producing Fo		Pool			Dedicated Acreage:
6458 Mesaverde			Blanco			E/320 Acres
	an one lease is	dedicated to the wel				he plat below. hereof (both as to working
If answer this form i	No If a series of necessary.)	owners and tract described to the well until al	of consolidation	Unitize have actually	been consolic	f all owners been consolu- lated. (Use reverse side of mmunitization, unitization, n approved by the Commis-
sion.	Ining, of Otherwise	, or unit a non-stand			1 hereby	CERTIFICATION certify that the information con-
R	1976				Name Position Distri Company Blacky Date	erein is true and complete to the my knowledge and belief. Ct Manager Wood & Nichols Co.
0				. _	shown of notes of under m	y certify that the well location this plat was plotted from field of actual surveys made by me only supervision, and that the same and correct to the best of mydge and belief.
	 		# 1 12A			ed Professional Engineer and Surveyor
0 330 660	90 1520 1650	1980 2310 2640 20	000 1500	500	Certifica	te No.


COMPANY___ BLACKWOOD & NICHOLS

LEASE N.E. BLANCO UNIT . WELL 22 A

SECTION 36 T. 31N., R. 7W., N.M.P.M.

LOCATION 910' FROM THE SOUTH LINE
1970' FROM THE EAST LINE

ELEVATION UNGRADED GROUND ELEVATION -- 6458
USGS DATUM



The undersigned, KROEGER ENGINEERING COMPANY, hereby certifies that the above plat was prepared from field notes of actual surveys made by them, and that the same are true and correct to the best of their knowledge and belief.

DATE: APRIL 5, 1976

:ale: 1"= 1000'

KROEGER ENGINEERING COMPANY

John A. Kroeger, President

