

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

NOV21 1988

OIL CON. DIV
DIST. #

Form O-170
Revised 10/84

1. Well Name	Rosa Unit
2. Field Name	Rosa Unit
3. Well No.	#204
4. Locality	Undes. Fruitland Coal
5. County	
6. State	
7. Operator	Rio Arriba

10. TYPE OF WELL	OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐
11. TYPE OF COMPLETION	NEW WELL ☒ WORK OVER ☐ OTHER ☐
12. Casing Size	1590
13. Casing Weight	1465

Northwest Pipeline Corporation
3539 East 30th Street - Farmington, NM 87.01

14. Date of Completion	9-20-88
15. Date of Production	10-14-88
16. Date of Completion (Ready to Prod.)	10-15-88
17. Elevation (D.F., R.R., H.T., G.C., etc.)	6352' KB
18. Elevation (G.C., etc.)	6340' GR

19. Total Depth	3204'
20. Depth to Top of Hole	3204'
21. Is Multiple Completion?	yes
22. Is Directional Drilling?	yes

3099'-3203'

23. Type Electric and other logs run	no
--------------------------------------	----

24. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT FILLED
SEE CASING & CEMENTING REPORT					

25. LINER RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	PACKER SET
5-1/2"	2989'	3204'			

26. Perforation Record (Interval, size and number)	
3099'-3203'	
Total of 319 holes at 4 spf.	

27. PRODUCTION					
Date First Production	10-15-88	Production Method (Flowing, gas lift, pumping - Size and type pump)	Flowing	Well Status (Producing or Shut-in)	Shut in
Date of Test	N/A	Flow Test Results		Water - Prod.	Gas - Prod.
Flow Test Results		Oil - Prod.		Water - Prod.	Gas - Prod.

28. Disposition of Gas (Sold, used for fuel, vented, etc.)	

29. List of Attachments
Casing & Cementing Report, Temperature Survey.

30. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED: Carrie Hannon
TITLE: Prod. & Drlg. Clerk
DATE: 11-16-88

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 30 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple zone testing, Items 10 through 34 shall be reported for each zone. This form is to be filed in quadruplicate except on state land, where six copies are required. (See Rule 11.5.)

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Azoka _____	T. Painted Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silaria _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
C. Bluebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todillo _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chino _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____	No. 4, from _____ to _____
No. 2, from _____ to _____	No. 5, from _____ to _____
No. 3, from _____ to _____	No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____	feet. _____
No. 2, from _____ to _____	feet. _____
No. 3, from _____ to _____	feet. _____
No. 4, from _____ to _____	feet. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
2489' est	2625'		Ojo Alamo				
2625' est	3074'		Kirtland				
3074' est	3204'		Fruitland				
3204' el			T.D.				

CEMENTING AND CASING REPORT
(Rosa #204)

Hole Size - 13-1/2"

9-5/8", 36#, K-55, ST&C seamless csg. Set at 243' KB. Cemented w/ 185 sx Class "B" with 3% CaCl_2 and 1/4# gel flake/sk.

Hole Size - 8-3/4"

7", 20#, K-55, ST&C, CFI, seamless casing. Set at 3055' KB. Cemented w/ 90 sx (167 cu.ft.) Class "B" w/ 6% gel and 6-1/4# gilsonite/sk.

Carrie Harmon
Carrie Harmon

11-16-88
Date