GAS

1. OIL

UNITED STATES UNITED STATES SUBMIT IN TRIPLICATES Of ther instructions on reverse side) GEOLOGICAL SURVEY

Form approved. / Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTER OR TRIBE NAME

					
LIDDY	MOTICEC	ANID	DEDODTO	ON	WELLO

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

WELL WELL OTHER	·		
2. NAME OF OPERATOR	8. FARM OR LEASE NAME		
Sunray DX Oil Company	N. M. Federal "L"		
3. ADDRESS OF OPERATOR	9. WELL NO.		
P. O. Box 1416	2		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)	10. FIELD AND POOL, OR WILDCAT		
At surface	Undesignated		

11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA

2070' FNL & 1980' 15. ELEVATIONS (Show whether DF. RT. GR. etc.) 14. PERMIT NO. 5259 DF

Sec 34, T-30-N, R-15-W 12. COUNTY OR PARISH | 18. STATE

<u>San Juan</u>

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO: REPAIRING WELL TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF FRACTURE TREATMENT ALTERING CABING MULTIPLE COMPLETE FRACTURE TREAT SHOOTING OR ACIDIZING ABANDONMENT* SHOOT OR ACIDIZE ABANDON* Plug and Abandon REPAIR WELL CHANGE PLANS (Nors: Report results of multiple completion on Completion or Recompletion Report and Log form.) (Other)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones pertinent to this work.) *

Loaded hole w/mud.

Cut off 4 1/2" csg @ 3405'. Pulled production csg. Kept hole loaded

Set 20 sx cmt plug (4196'-4436') to cover perfs. 3.

Set 10 sx cmt plug in and out of $4 \frac{1}{2}$ " stub (3375'-3435').

Set 17 sx cmt plug in and out of 8 5/8" surface csg (127'-187').

Set 10 sx cmt plug @ surface. 6.

Installed dry hole marker. 7.

8. Removed surface equipment and cleaned up location.

MAY 195

U. S. GEOLOGICAL SURVEY

. . x

o vi A di	3		
8. I herely certify that the tregoing is true an SIGNED than the true to him Hast		DATE May 16	, 1967
(This space for Federal or state office use)	•	DATE:	
APPROVED BY	TITLE	DATE OF STREET	

