



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. NM 090555
Unit Mexico-Pad "C"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of perforations</u>	<u>X</u>
	<u>Report of sand fracing</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 10, 1959, 19

Mexico-Pad "C"
Well No. 1 is located 1450 ft. from N line and 1450 ft. from E line of sec. 15
NE 1/4 - Section 15 30N 19W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat (Dakota) San Juan County New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5763 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated 5-1/2" OD casing with 4 Lane Wells bullets per foot as follows:

6330'	-	6360'	(30')	120 holes
6388'	-	6405'	(17')	68 holes
6410'	-	6440'	(30')	120 holes
6448'	-	6457'	(9')	36 holes
6466'	-	6469'	(3')	12 holes
6481'	-	6485'	(4')	16 holes
Total				(93') 372 holes

Ran and set 2" EUE tubing at 6474', open ended, and displaced water with oil.
Sand fraced down 5-1/2" casing and 2" tubing, thru above listed perforations with 70,000# of 40/60 sand and 70,560 gallons of crude oil, by Dowell. Flushed with 369 barrels of oil.
BDP 150#, maximum treating pressure 3400#, minimum treating pressure 2650#. Inj. rate 21.7 BPM.
20 minute SIP 1400#. Left well shut in 14 hrs., pressure dropped to 600#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SKELLY OIL COMPANYAddress Box 426Farmington, New MexicoBy (Signed) P. E. GosperTitle District Superintendent