

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. MM-09867-A
Unit Lunt

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... September 6, 1961, 19.....

Well No. 62 is located 790 ft. from N line and 790 ft. from E line of sec. 18

NE 1/4 Sec. 18
(1/4 Sec. and Sec. No.)

30 N
(Twp.)

13 W
(Range)

NMPM
(Meridian)

Dakota
(Field)

San Juan
(County or Subdivision)


New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5635 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled ~~12 3/4"~~ 12 3/4" hole- set 235' X 8 5/8" surface casing with 200 sacks cement.
Drilled 7 7/8" hole with mud to 6262' and 6270' X 4 1/2" X 11.60# casing with 300 sacks cement- DV tool at 4200- 100 sacks and WV tool at 5510 - 100 sacks.
Perforated Dakota and sand-water fraced with 3000 bbls water- 1/2 # sand per gal.
2 3/8" tubing at 6153'



I understand that this plan of work must receive approval in writing by the Geological Survey before operations COM commenced.

Company R & G Drilling Company, Inc.
Box 327
Address Farmington, N. M.

By William C. Russell
Title President