


STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

New Mexico
Land Office
Lease No. 00002
By Sec. 10
Designated



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 30

1931

Well No. 1-Kelly is located 990 ft. from S line and 990 ft. from W line of sec. 10
section 10 30 N. 10 E. N. H. F. M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco San Juan New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

To drill with Rotary Tools to Top of Point Lockout approximately 5100'.
Then complete with Cable Tools to Base Point Lockout and shoot, 1 ft. lockout
and possibly lower Mancos sandstone.

10-3/4" casing to approximately 500 feet.

Cement will be circulated.

7" casing will be set at approximately 5,000 feet, with approximately
500 sacks.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

SUNRAY OIL CORPORATION

Company _____

P. O. Box "J"


Address _____

Hobbs, New Mexico

By A. J. DeStacion

District Mgt.

Title _____



(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
License No. _____
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)

Well No. _____ is located _____ ft. from _____ line and _____ ft. from _____ line of sec. _____
_____ (Range) _____ (Twp.) _____ (Meridian)
_____ (Field) _____ (County or Subdivision) _____ (State or Territory)


The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objectives and; show sizes, weights, and lengths of proposed casing; indicate mudding jobs, cement-
ing points, and all other important proposed work)
In order to keep logs to top of hole, logs to be made in accordance with instructions of the Bureau of Land Management.
The logs to be made in accordance with instructions of the Bureau of Land Management.
The logs to be made in accordance with instructions of the Bureau of Land Management.
The logs to be made in accordance with instructions of the Bureau of Land Management.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company _____
Address _____
By _____ Title _____




Company SUNRAY OIL COMPANY

Lease No. 03202 - Kury Well No. 1

Sec. 10 T. 30 N., R. 10 W., N.M.P.M.

Location 990' from the S. line & 990' from the W. line

SAN JUAN County New Mexico



N

Scale—4 inches equals 1 mile.

REMARKS:

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

John J. Moya

Seal:

Registered Professional
Engineer and Land Surveyor.

Farmington New Mexico

Surveyed on the 31st day of May of 1951