Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**


FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-2021 6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals Navajo 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well 8. Well Name and No. Joella 2. Name of Operator King 9. API Well No. % N'MOCA 3004509993 3. Address and Telephone No. 10. Field and Pool, or Exploratory Area 505-334-6178 A Zrec 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State 1730/N 2 280/E H 5-30N-17W San Juan NM CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Change of Plans Abandonment **New Construction** Recompletion Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Final Abandonment Notice Conversion to Injection Altering Casing Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* King Oil Company, Joella #1, H-05-30N-17W, 30-045-09993 Cut off bad casing and welded collar, cleaned location, set anchors, dug pit and 12-16-96 worked on road. PU one collar, bit sub and 3 7/8 bit, drilled cement and junk. 12-19-96 Continued drilling out 12' surface plug, tagged up @ 90' and drilled out a 5' cement 12-20-96 plug. Drilled out bridges and cleaned out fill to 473'. POH with workstring and WIH with 2 3/8 tbg. to TD and circ. hole clean. Had good circ. and hole was staying full. Rigged up Cementers Inc., loaded hole with 1/2 bbl. of water and circ. cement to the 12-21-96 surface with 60 sxs of class B cement. Installed dry hole marker, removed anchors, covered pit and leveled location. 14. I hereby certify that the foregoing is true and correct we 11 (This space for Federal or State office use) Title



Form 3160-5 (June 1990)


UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
Budget Bureau No. 1004-013:
Expires: March 31, 1993

BUREAU OF I	5. Lease Designation and Serial No.			
SUNDRY NOTICES Do not use this form for proposals to dr Use "APPLICATION FOI	Navajo			
SUBMIT	7. If Unit or CA, Agreement Designation			
7	8.7410 505-334-6178	8. Well Name and No. 1		
TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note Report results of multiple completion on Weil Completion or Recompletion Report and Log form)		
Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vert	all pertinent details, and give pertinent dates, including estimated date of su ical depths for all markers and zones pertinent to this work.)*	arting any proposed work. If well is directionally druled		

Set a common play from TD (2475') to surface. Tag and retill

4. I hereby certify that the foregoing is true and corre			11	
Signed NMOCD is	f/ Ugs Tileje	the	hell	ADD 12/16/96
(This space for Federal or State office use)				MICHOVED
Approved byConditions of approval, if any:	Title			100 CV 00 /
Fitte 18 U.S.C. Section 1001, makes it a crime for any or representations as to any matter within its jurisdiction	person knowingly and willful	lly to make to any	department or a	as AGO the United States any Cased fill ANA OF Frame



OIL CONSERVATION DIVISION AZTEC DISTRICT OFFICE 1000 RIG BRAZOS ROAD AZTEC, NEW MEXICO 87410 (508) 334-6178 Fax (505)334-6170

GARY E. JOHNSON GOVERNOR

JENNIFER A. SALISBURY CABINET SECRETARY

January 2, 1997

Rand Carroll
General Counsel
EMNRD
2040 S Pacheco
Santa Fe NM 87505

RE: Environmentally Hazardous Water flows

Dear Rand:

The following King Oil Company wells have water flows that are running down the draws and the draws connect to the San Juan River and they are hazards to the environment:

Joella #1	H-05-30N-17W	30-045-09993
Navajo G #3	H-05-30N-17W	30-045-60234
Joella #2	A-05-30N-17W	30-045-10027
Joella #1X	H-05-30N-17W	30-045-09997

These wells are on Navajo land and are orphan wells with no operator. According to our phone conversation, I asked for bids from P&A contractors to P&A the wells on an emergency basis. Due to the unknown downhole conditions, I asked for day work bids with a power swivel and a reverse pit.

Triple P was the only contractor who had a rig available and turned in a bid. We plugged the Navajo G #3, Joella #1 and Joella #2 which were plugged and had to be drilled out.

The Joella #1X had tubing cemented inside the 5 ½ " casing. Rather than try to drill out the cement, I had a backhoe dig down as far as he could (approx. 13') and cut off the casing below the cement. After replacing the casing, we installed a bull plug and a casing valve and shut off the water flow. The well will be taken off emergency status and added to the list of wells to be prioritized.

Sincerely,

Johnny Robinson

Deputy O&G Inspector

JR/sh

cc: Well files