

(SUBMIT IN TRIPLICATE)


Land Office Santa Fe

Lease No. NE 03358

Unit Northeast Blanco

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Unit Agreement No. 1, Sec. 929



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 11, 1959

Well No. 30-13 is located 925 ft. from N line and 990 ft. from E line of s

NE/NE/4 Sec. 13  
(1/4 Sec. and Sec. No.)

31N  
(Twp.)

7W  
(Range)

MEPM  
(Meridian)

Blanco Mesaverde-Dakota  
(Field)

San Juan  
(County or Subdivision)

New Mexico  
(State or Territory)

The elevation of the derrick floor above sea level is 6524 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set approximately 200' of 10-3/4" 32.75# N-40 Surface casing & circulate cement.

Set approximately 3500' of 7-5/8" 26.40# J-55 Intermediate casing & circulate cement with a two stage tool.

Set approximately 8000' of 5-1/2" 15.50# & 17# J-55 Production casing and cement the Dakota & Mesaverde Formations.

Perforate the Dakota Formation and sand-water free with approximately 50,000 gal. water & 50,000 lbs sand.

Perforate the Mesaverde Formation and sand-water free with approximately 100,000 gal. water & 100,000 lbs sand.

Set a Baker Model "E" Production Packer at approximately 7800' & run 2-5/8" tubing with an "Otis" Cross-over tool at approximately 5800'. We plan to produce the Dakota through tubing & the Mesaverde through annulus.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company BLACKWOOD & NICHOLS COMPANY

P. O. BOX 1237

Address DURANGO, COLORADO

Original Signed DeLasso Loos  
by DeLasso Loos  
By

Title Field Superintendent

NEW MEXICO OIL CONSERVATION COMMISSION  
Well Location and Acreage Dedication Plat

Form C-128  
Revised 5/1/57

Section A.

Date August 7, 1959

Operator BLACKWOOD & NICHOLS CO. Lease NORTHEAST BLANCO UNIT  
Well No. 58-13 Unit Letter A/Section 13 Township 31 N. Range 7 W. NMPM  
Located 925 Feet From north line, 990 Feet From east Line  
County San Juan G. L. Elevation 6516 UG Dedicated Acreage 320 Acres  
Name of Producing Formation Mesa Verde-Dakota Pool Blanco Mesa Verde-Dakota (dual)


1. Is the Operator the only owner\* in the dedicated acreage outlined on the plat below?  
Yes \_\_\_\_\_ No X
2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes X No \_\_\_\_\_. If answer is "yes", Type of Consolidation Unitization
3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Land Description



Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

**BLACKWOOD & NICHOLS COMPANY**  
(Operator)

Delasso Lohn  
(Representative)

P.O. Box 1237, Durango, Colorado  
Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed Aug. 7, 1959

John A. Kroeger  
John A. Kroeger  
Registered Land Surveyor  
Durango, Colorado  
Certificate No. 1941

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0