

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42 R1424.
5. LEASE DESIGNATION AND SERIAL NO.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME Northeast Blanco Unit Argeement No. 1, Sec. 929	
2. NAME OF OPERATOR Blackwood & Nichols Co., Ltd.		8. FARM OR LEASE NAME Northeast Blanco Unit	
3. ADDRESS OF OPERATOR		9. WELL NO. 66	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1990' F/NL - 490' F/WL		10. FIELD AND POOL, OR WILDCAT Blanco Mesaverde	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA F-30-31N-7W	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6280' GL		12. COUNTY OR PARISH 13. STATE	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input checked="" type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Casing and Cement <input checked="" type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5-20-78 Spudded 12 1/4" hole at 2:00 PM, 5-20-78. Ran 6 jts of 9 5/8" casing, 36.00# H-40 (243') set at 255'; cemented with 150 sacks of Class B cement with 2% CaCl₂ and 1/4# Flocele/sack. Cement circulated, WOC twelve hours; tested casing with 800 PSI for thirty minutes, held OK.

5-25-78 Ran 84 jts 7" 23.00# K55; 3498' set at 3510'; cemented with 200 sacks Howco Lite with 1/4# Flocele/sack, followed with 100 sacks of Class "B" cement with 2% CaCl₂ and 1/4# Flocele/sack. Ran temperature survey; top of cement 1400'; tested casing with 1000 PSI for thirty minute, held OK.

5-28-78 Ran 61 jts, 10.5# Grade K, 4 1/2" casing; 2562+15' set at 5925' KB; cemented with 300 sacks of 50-50 Poz with 2% Gel, 0.6% FLA, 6 1/4# Gilsonite/sack and 1/4# of Flocele/sack. Float collar at 5886', top of liner at 3348', reversed out 16 bbl cement.

18. I hereby certify that the foregoing is true and correct


SIGNED DeLasso Loos TITLE District Manager

DATE 6-9-78

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____



RECEIVED

DATE JUN 12 1978

*See Instructions on Reverse Side

U. S. GEOLOGICAL SURVEY
DURANGO, COLO.