

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

5. LEASE NM0607	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
7. UNIT AGREEMENT NAME	
8. FARM OR LEASE NAME Atlantic C.	
9. WELL NO. 5 A (PM)	
10. FIELD OR WILDCAT NAME Blanco PC Ext. & Blanco MV	
11. SEC., T., R. M., OR BLK. AND SURVEY OR AREA Sec. 6, T-30-N, R-10-W N.M.P.M.	
12. COUNTY OR PARISH San Juan	13. STATE New Mexico
14. API NO.	
15. ELEVATIONS (SHOW DF, KDB, AND WD) 6176' G.L.	

1. oil well gas well other

2. NAME OF OPERATOR
El Paso Natural Gas Company

3. ADDRESS OF OPERATOR
Box 289, Farmington, New Mexico 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 870'S, 1840'E
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

7-16-79: PBTD 5496'. Tested casing to 3500#, OK. Perfed MV 4821, 4865, 4954, 4966, 4973, 4979, 5053, 5079, 5085, 5091, 5097, 5103, 5109, 5115, 5121, 5127, 5133, 5141, 5161, 5167, 5211, 5229, 5237, 5275, 5289, 5313, 5341, 5361, 5470, W/1 SPZ. Fraced w/92,500# 20/40 sand, 185,000 gal. water. Flushed w/6748 gal. water. Perfed P.C. 2802-2814, 2814-2826, 2848-2861, 2861-2874, 2886-2902' W/12 SPZ. Fraced w/66,000# 10/20 sand, 71,000 gal. water. Dropped 4 sets of 12 balls each. Flushed w/4950 gal. water.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft. 179

18. I hereby certify that the foregoing is true and correct

SIGNED N. J. Busco TITLE Drilling Clerk DATE July 18, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

DATE JUL 23 1979

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

APPROVED
JUL 23 1979
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

774700C