

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
El Paso Natural Gas Company

3. ADDRESS OF OPERATOR
P.O. Box 289, Farmington, New Mexico 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1125'N, 1500'W
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
SF 07754-A-077754-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Kelly B

9. WELL NO.
#1A (PM)

10. FIELD OR WILDCAT NAME
Blanco PC Ext, Blanco MV

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 8, T-30-N, R-10-W
N.M.P.M.

12. COUNTY OR PARISH | 13. STATE
San Juan | New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
6313' G.L.

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

7-11-79: PBSD 5582'. Tested csg to 3500#, OK. Perfed M.V. 4998, 5004, 5010, 5055, 5138, 5145, 5152, 5200, 5204, 5235, 5242, 5255, 5260, 5265, 5276, 5282, 5287, 5299, 5351, 5366, 5389, 5430, 5447, 5502, 5514, 5564' w/1 SPZ. Fraced w/84,500# 20/40 sand, 169,000 gal. water. Flushed w/6972 gal. wtr. Perfed P.C. 2940-55, 2955-70, 2992-3009, 3009-26, 3032-54' w/12 SPZ. Dropped 4 sets of 12 balls each. Fraced w/86,000# 10/20 sand 94,610 gal. water. Flushed w/5208 gal. water.

JUL 16 1979
U.S. GEOLOGICAL SURVEY

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED N. D. Guses TITLE Drilling Clerk DATE July 13, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

James V. Lewis

NMOCC