

District I

P.O. Box 1900, Hobbs, NM

District II

P.O. Drawer DD, Artesia, NM 88211

District III

1000 Rio Brazos Rd, Aztec, NM 87410

JUN 23 1998

State of New Mexico

Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO

APPROPRIATE

DISTRICT OFFICE

AND 1 COPY TO

SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator : Devon Energy Corporation Telephone: (505) 324-0033

Address: 3300 North Butler Avenue, Suite 211, Farmington, NM 87401

Facility Or: N. E. Blanco Unit # 202

Well Name

Location: Unit or Qtr/Qtr Sec B Sec 11 T 31N R 7W County San Juan

Pit Type: Separator X Dehydrator _____ Other Production Tank

Land Type: BLM _____ State X Fee _____ Other _____

Pit Location: Pit dimensions: Length 8 ft, width 8 ft, depth 0 ft

(Attach diagram)

Reference: wellhead X other _____

Footage from reference: 45 ft

Direction from reference: 55 Degrees _____ East North _____
of
_____ X West South X

Depth to Ground Water: 66 ft
(vertical distance from
contaminants to seasonal
highwater elevation of
ground water)

_____	Less than 50 feet	(20 points)	
<u>X</u>	50 ft to 99 feet	(10 points)	
_____	Greater than 100 feet	(0 points)	<u>10</u>

Wellhead Protection Area:
(less than 200 feet from a private
domestic water source, or: less than
1000 feet from all other water sources.)

_____	Yes	(20 points)	
<u>X</u>	No	(0 points)	<u>0</u>

Distance to Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches.)

_____	Less than 200 feet	(20 points)	
_____	200 feet to 1000 feet	(10 points)	
<u>X</u>	Greater than 1000 feet	(0 points)	<u>0</u>

P:\pits\PrnC@.WK3

RANKING SCORE (TOTAL POINTS): 10

Date Remediation Started: N/A Date Completed: _____

Excavation _____ Approx. cubic yards _____

Landfarmed _____ Insitu Bioremediation _____

Other _____

Remediation Method: Onsite _____ Offsite _____

(Check all appropriate
sections)

General Description of Remedial Action : Initial assessment showed soils to be clean 3' below pit
bottom.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit:

Closure Sampling:

(if multiple samples,
attach sample results

and diagram of sample
locations and depths)

Sample location Beside fiberglass pit in direction of surface gradient (See
attached diagram).

Sample depth 3' below pit bottom

Sample date 5/29/97 Sample time _____

Sample Results

Benzene(ppm) _____

Total BTEX (PPM) _____

Field Headspace (ppm) 1.2

TPH ND

Ground Water Sample: Yes _____ No X (if yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETED TO THE BEST
OF MY KNOWLEDGE AND BELIEF.

DATE 2-27-98 PRINTED NAME Jim Abbey

SIGNATURE James K. Abbey and TITLE Operations Engineer


FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: _____ Location: <u>N. E. Blanco Unit # 202</u> Operator #: _____ Operator Name: _____ P/L District: _____ Coordinates: Letter: <u>B</u> Section <u>11</u> Township: <u>31N</u> Range: <u>7W</u> Or Latitude _____ Longitude _____ Pit Type: Dehydrator _____ Location Drip: _____ Line Drip: _____ Other: <u>Sep./Prod</u> Site Assessment Date: <u>5-29-97</u> Area: <u>Middle</u> Run: _____		
SITE ASSESSMENT	NMOCD Zone: _____ Land Type: BLM. ☐ (1) (From NMOCD State ☒ (2) Maps) Inside ☒ (1) Fee ☐ (3) Outside ☐ (2) Indian _____		
	Depth to Groundwater Less Than 50 Feet (20 points) ☐ (1) 50 Ft to 99 Ft (10 points) ☒ (2) Greater Than 100 Ft (0 points) ☐ (3) Wellhead Protection Area : Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? ☐ (1) YES (20 points) ☒ (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) ☐ (1) 200 Ft to 1000 Ft (10 points) ☐ (2) Greater Than 1000 Ft (0 points) ☒ (3) Name of Surface Water Body _____ (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream ☐ (1) < 100' (Navajo Pits Only) ☐ (2) > 100' TOTAL HAZARD RANKING SCORE: <u>10</u> POINTS		
REMARKS	Remarks : _____ _____ _____		

ORIGINAL PIT LOCATION

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 235 Footage from Wellhead 45'
b) Length : Width : Depth : 0'
8' Diameter Fiberglass Pit



REMARKS

Remarks :

Soil is brown, sandy clay, moist, no odor.

Sample was taken beside the fiberglass pit in the direction of the surface gradient at a depth of 3'. The OVM reading was 1.2 ppm. The sample was sent to Anaitas, Inc. for DRO/GRO 8015 analysis.

Completed By:

Monica D. Rodahl

Signature

5-29-97

Date

Location : NEBU # 202		Overview of Location and Sampling :																																					
Quad : B Section : 11		Pit Profile : East to West :																																					
Range : 7W Township: 31N		Pit Profile : North to South :																																					
Pit : Sep. / Prod. Tank Reference : 45' N. 235° Initial Size : 8' Diam. Fiberglass pit Final Size : 8' Diam. Fiberglass pit Yds. Excavated : 0 cy		Sample # Location OVM <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>1</td><td>Btm. @ 3'</td><td>1.2</td></tr> <tr><td>2</td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td></tr> <tr><td>12</td><td></td><td></td></tr> </table>		1	Btm. @ 3'	1.2	2			3			4			5			6			7			8			9			10			11			12		
1	Btm. @ 3'	1.2																																					
2																																							
3																																							
4																																							
5																																							
6																																							
7																																							
8																																							
9																																							
10																																							
11																																							
12																																							
Depth to Groundwater: 66' Nearest Water Source: >1000' Nearest Surface Water: >1000' NMOCD Ranking Score: 10 TPH Closure Standard: 1000 ppm		Comments : Brown sandy clay, moist, no odor Sent Sample #1 to Anaitas for DRO/GRO 8015.																																					



TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Diesel Range Organics

Devon Energy Corporation

Project ID: NEBU #202 - Sep/Prod Pit
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 06/13/97
Date Sampled: 05/29/97
Date Received: 05/29/97
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Btm @ 3'	7010	ND	27.4


ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	o - Terphenyl	87%	50 - 150%

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste. Physical/ Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review



TOTAL VOLATILE PETROLEUM HYDROCARBONS

Gasoline Range Organics

Devon Energy Corporation

Project ID: NEBU #202 - Sep/Prod Pit
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 06/16/97
Date Sampled: 05/29/97
Date Received: 05/29/97
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Btm @ 3'	7010	ND	31.6

ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	96%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation, Division
of Underground Storage Tanks.

Comments:


Analyst


Review

QUALITY CONTROL REPORT
TOTAL VOLATILE PETROLEUM HYDROCARBONS
Gasoline Range Organics

Method Blank Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA

Report Date: 06/12/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/12/97

Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Method Blank	MB35586	ND	22.5

ND- Analyte not detected at the stated detection limit.


Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	103%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation, Division
of Underground Storage Tanks.

Comments:



Analyst



Review

QUALITY CONTROL REPORT
TOTAL VOLATILE PETROLEUM HYDROCARBONS
Gasoline Range Organics

Matrix Spike Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA

Report Date: 06/12/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Lab ID	Spike Added (mg/kg)	Original Conc (mg/kg)	Spike Conc (mg/kg)	Percent Recovery
MBSPK35593	2,100	ND	1,760	84%

ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	111%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation,
Division of Underground Storage Tanks.

Comments:


Analyst


Review

QUALITY CONTROL REPORT
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS
Diesel Range Organics

Method Blank Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA

Report Date: 06/13/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/12/97

Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Method Blank	MB35586	ND	20.0

ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	o - Terphenyl	98%	50 - 150%

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review

QUALITY CONTROL REPORT
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS
Diesel Range Organics

Matrix Spike Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA


Report Date: 06/13/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/10/97


Lab ID	Spike Added (mg/kg)	Original Conc (mg/kg)	Spike Conc (mg/kg)	Percent Recovery
MBSPK35591	2,260	ND	2,050	91%

ND- Analyte not detected at the stated detection limit.

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review

807 S. CARLTON • FARMINGTON, NM 87401 • (505) 326-2395

PROJECT MANAGER:

Analtas Lab I.D.:

Company:

Address:

Phone:

Fax:

Bill To:

Company:

Address:

Sample ID	Date	Time	Matrix	Lab ID
Btm @ 3'	5-29-97	1450	50.1	
Project Information		Sample Receipt		
Proj. #:		No. Containers:		
Proj. Name: NEBU #202		Custody Seals: Y / N / NA		
P. O. No: Sep + prod. pit		Received intact:		
Shipped Via:		Received Gold:		
Required Turnaround Time (Prior Authorization Required for Rush)				

CHAIN OF CUSTODY

[illegible]