

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form Approved.  
Budget Bureau No. 42-R1424

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐

2. NAME OF OPERATOR  
Northwest Pipeline Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 90, Farmington, New Mexico

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FSL & 1070' FEL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE  
SF 078996

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
San Juan 32-7 Unit

8. FARM OR LEASE NAME  
San Juan 32-7 Unit

9. WELL NO.  
#53

10. FIELD OR WILDCAT NAME South Los Pinios  
Fruitland Pictured Cliffs

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 4 T31N R7W

12. COUNTY OR PARISH San Juan 13. STATE New Mexico

14. API NO.  
30-045-23164

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
6660' GR

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) Dlrg Operation

RECEIVED

APR 11 1980

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

4-4-80 Spudded 12-1/4" surface hole @ 1800 hrs. Ran 3 jts (109') 8-5/8" 24#, K-55 ST&C set @ 121'. Woodco cmt w/ 100 sks C1 "B" w/ 1/4# flocele/sk & 3% CaCl<sub>2</sub>.

4-5-80 Plug down @ 0200 hrs. WOC. Pressure test surface to 600#, OK

4-6-80 Drilling 7-7/8" hole from 121' to 1200' with gelex & water.

4-7-80 Drilled from 1200' to 2783' with gelex & water. size from 7-7/8" to 6-3/4" @ 2783'.

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

SIGNED Donna Grace TITLE Production Clerk DATE 4-9-80

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

TITLE DATE

NMOCC

\*See Instructions on Reverse Side

BY

M. L. Kuchera

