

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir,  
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	8. Well Name and No. FLOYD #3
2. Name of Operator Robert L. Bayless	9. API Well No. 30-045-29923
3. Address and Telephone No. PO Box 168 Farmington, NM 87499 (505)326-2659	10. Field and Pool, or Exploratory Area FULCHER KUTZ PC EXT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Section 17, T30N, R12W 790' FSL & 1660' FWL	11. County or Parish, State San Juan, New Mexico
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Run & Cement Casing
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

See attached morning report.

RECEIVED  
JUL 22 1999  
OIL CON. DIV.  
DIST. 3

RECEIVED  
BLM  
99 JUN 30 PM12:47  
070 FARMINGTON, NM

14. I hereby certify that the foregoing is true and correct

Signed Price M. Bayless Title Petroleum Engineer Date June 28, 1999

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any: \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any manner within its jurisdiction.

ACCEPTED FOR RECORD

\*See Instruction on Reverse Side

NMOCD

JUL 20 1999

FARMINGTON FIELD OFFICE  
BY 643



**Robert L. Bayless, Producer LLC**

Floyd #3  
790 FSL & 1660 FWL  
SECTION 17, T30N, R12W  
San Juan County, New Mexico

**MORNING REPORT-DRILLING**

6/24/99

Build location and line drilling pit. Move L&B rig onto location. Shut down overnight.

6/25/99

Rig up drilling rig and spud well at 7:00 am, 6/8/99. Drill 8 3/4" hole to 129 feet. Circulate hole clean and drop deviation tool. Trip out of hole. Deviation 1/4° at 129 feet. Run 3 joints (126.44feet) 7 " 23.0 #/ft J-55 casing, landed at 128 feet. Rig up Cementers Inc and cement casing with 50 sx (59 cf) Class B with 4% CaCl and 1/4 #/sack cello-flake. Good returns throughout job with 4 bbls of good cement circulated to pit. Plug down at 11:00 am, 6/8/99. WOC for 4 hours and break off cementing head. Nipple up BOP and choke manifold. Pressure test BOP to 500 psi for 30 minutes, held OK. Pressure test choke manifold to 500 psi for 30 minutes, held OK. Shut down overnight.

