

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
811 South Frist, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

Form C-10

Revised March 25, 1999

Instructions on back

Submit to Appropriate District Office

State Lease - 6 Copie

Fee Lease - 5 Copie

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address Four Star Oil and Gas Co. 3300 N. Butler Ave, Ste100 Farmington NM 87401		² OGRID Number 131994
⁴ Property Code 28071	⁵ Property Name NEW MEXICO STATE 36	³ API Number 3004530664
		⁶ Well No. 2

⁷ Surface Location									
Ul or lot no	Section	Township	Range	Lot.Idn	Feet From The	North/South Line	Feet From The	East/West Line	County
A	36	30N	10W		970	NORTH	1275	EAST	SAN JUAN

⁸ Proposed Bottom Hole Location If Different From Surface									
Ul or lot no	Section	Township	Range	Lot.Idn	Feet From The	North/South Line	Feet From The	East/West Line	County
									SAN JUAN
⁹ Proposed Pool 1 BASIN FRUITLAND					¹⁰ Proposed Pool 2				

¹¹ Work Type Code N	¹² WellType Code G	¹³ Rotary or C.T. R	¹⁴ Lease Type Code S	¹⁵ Ground Level Elevation 5858
¹⁶ Multiple N	¹⁷ Proposed Depth 2550'	¹⁸ Formation FRUITLAND	¹⁹ Contractor Key	²⁰ Spud Date 6/1/01

²¹ Proposed Casing and Cement Program					
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
12-3/4"	9-5/8" K-55	36#	350'	210SX	SURFACE
8-3/4"	5-1/2" N-80	15.5#	2550'	250SX	SURFACE

22 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Four Star Oil and Gas Co. proposes to drill this developmental well to the depth of 2550'. This well will test the productivity of the Fruitland formation. If the well is unproductive, it will be plugged and abandoned as per State requirements. Bond coverage for this well is provided by Bond No. K02907914-C4073-Nation wide BLM bond & Bond No.K02907914-F4072-Nation Wide Bia bond. A threatened and endangered species survey and archaeological survey were performed as required.

23 I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature *Arthur D. Archibeque*

Printed Name Arthur D. Archibeque

Title Eng. Assistant

Date 5/29/01

Telephone 325-4397

OIL CONSERVATION DIVISION

Approved By: *[Signature]*

Title: DEPUTY OIL & GAS INSPECTOR, DIST. 4

Approval Date: MAY 31 2001

Expiration Date: MAY 31 2002

Conditions of Approval:

Attached 11

District I
PO Box 1980, Hobbs, NM 88241-1980

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102

Revised February 21, 1994

District II
PO Drawer 00, Artesia, NM 88211-0719

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Submit to Appropriate District Office
Instructions on back

State Lease - 4 Copies
Fee Lease - 3 Copies

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
PO Box 2088, Santa Fe, NM 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-045-3664		*Pool Code 71629	*Pool Name BASIN FRUITLAND COAL
*Property Code 28071	*Property Name NEW MEXICO STATE		*Well Number 36-2
*OSRID No. 131994	*Operator Name FOUR STAR OIL & GAS COMPANY		*Elevation 5858'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	36	30N	10W		970	NORTH	1275	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320 E2	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁵	5239.08'		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. <u>Arthur D. Archibegue</u> Signature <u>Arthur D. Archibegue</u> Printed Name <u>Engineer Assistant</u> Title <u>11/1/2000</u> Date
	5283.96'		

970' FNL & 1275' FEL, SECTION 36, T30N, R10W, N.M.P.M.
SAN JUAN COUNTY, NEW MEXICO



DRILLING CONTROL
CONDITION II-B 3000 WP
FOR AIR DRILLING OR
WHERE NITROGEN OR AIR BLOWS ARE EXPECTED

H₂S TRIM REQUIRED
YES _____ NO _____



DRILLING CONTROL

MATERIAL LIST - CONDITION II - B

- | | |
|-------------------|---|
| A | Texaco Wellhead |
| B | 3000# W.P. drilling spool with a 2" minimum flanged outlet for kill line and 3" minimum flanged outlet for choke line. |
| C | 3000# W.P. Dual ram type preventer, hydraulic operated with 1" steel, 3000# W.P. control lines (where sub-structure height is adequate, 2 - 3000# W.P. single ram type preventers may be utilized). |
| D | Rotating Head with fill up outlet and extended Blooe Line. |
| 1, 3, 4,
7, 8, | 2" minimum 3000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug Valve. |
| 2 | 2" minimum 3000# W.P. back pressure valve. |
| 5, 6, 9 | 3" minimum 3000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug Valve. |
| 12 | 3" minimum schedule 80, Grade "B", seamless line pipe. |
| 13 | 2" minimum x 3" minimum 3000# W.P. flanged cross. |
| 10, 11 | 2" minimum 3000# W.P. adjustable choke bodies. |
| 14 | Cameron Mud Gauge or equivalent (location optional in choke line). |
| 15 | 2" minimum 3000# W.P. flanged or threaded full opening steel gate valve, or Halliburton Lo Torc Plug Valve. |

DTJ

TEXACO, INC.
WIRELINE DIVISION

DTJ