GOVERNOR DAVID F. CARGO CHAIRMAN

State of New Mexico

Bil Conservation Commission

LAND COMMISSIONER GUYTON B. HAYS MEMBER



STATE GEOLOGIST
A. L. PORTER, JR.
SECRETARY - DIRECTOR

1000 RIO BRAZOS ROAD AZTEC

August 27, 1968

Cenard Oil & Gas Co. P. O. Box 446 Dallas, Texas 75221

Attn: Mr. N. R. Brown

Dear Mr. Brown:

We are approving you plugging schedule for your Gibbons #1 well, located in the southwest quarter of section 20, township 32 north, range 5 west, as of this date.

As the well is located on federal land it will be necessary that you secure approval of the United States Geological Survery office in Farmington.

Yours very truly;

Emery C. Arnold Supervisor, District #3

cc: U.S.G.S., Farmington, New Mexico

File

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

			- C	
Notice of Intention to Change Plans	Notice of Intention to Temporarily Abandon Well		Notice of Intention to Drill Deeper	
Notice of Intention to Pluc Well	Notice of Intention to Plug Back		Notice of Intention to Set Liner	
NOTICE OF INTENTION TO SQUEEZE	Notice of Intention to Acidize		Notice of Intention to Shoot (Nitro)	
Notice of Intention to Gun Perforate	Notice of Intention (Other) P & A	x	Notice of Intention (Other)	
DIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO	Aztec, New Me	xico	8/23/6	58
Gentlemen:				
Following is a Notice of Intention to	do certain work as described below	at the	Gibbons No. 1	•••••••••••••••••••••••••••••••••••••••
Cenard Oil & Ga	E CO.	·	Well No. 1	in L
NW 1/4 SW 1/4 of Sec. 20	T 32N _R 5W	NMDI	, Basin Dakota	(Unit)
			1	ECEIVED UG 2 7 1968 CON. COM.
pproved	, 19		Oil & Gas Co.	DIST. 3
approved DIL CONSERVATION COMMISSION			tion Superintendent Communications regarding w	ell to:
, Cincerf & Climb	Name	N. R.	Brown	······································
ide Led Dat III		ъ О	Por Wis Doller Mor	ne 75001

CENARD OIL & GAS CO.

Gibbons No. 1 Lease No. 079222 Unit Letter L Sec 20 Twp 32 N Rge 5 W Basin Dakota Field Rio Arriba County, New Mexico

> 8-5/8" surface casing at 1021 ft. w/h 500 sks cement 5-1/2" O.D. N 80 17# casing at 7956 ft. 250 sacks cement 7956 to 5880 ft. 150 sacks cement 5765 to 4515 ft. 7805 - 7896 - Dakota performations 5428 - 5718 - Mesa Verde perforations 7687 - Baker Model "D" packer 7687 - 2-1/16" tubing 5403 1-1/2" tubing

- 1. Move in Pulling Unit. Pull 1-1/2 tubing
- 2. Cement below Baker Model "D" packer with 75 sks cement.
- 3. Fill hole with mud.
- 4. Cement Mesa Verde perforation with 60 sks cement, from 5330 to 5820 ft.
- 5. Finish pulling 2-1/16" tubing.6. Move out Pulling Unit. Move in casing pulling machine.
- 7. Shoot casing off at free point estimated to 4500 ft..
- 8. Spot 25 sack cement plug through 5-1/2 csg at casing stub.
- 9. Pull 5-1/2 csg to 1100 ft. Spot 25 sack plug in and out of surface csg.
- 10. Sks plug & marker in top of surface csg.

