UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

NM 30015

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.

Use "APPLICATION FO	R PERMIT" for such proposals	
SUBMIT IN TRIPLICATE (F) WY LANGE STORE CONTROL		7. If Unit or CA, Agreement Designation
Type of Well Oil Gas	2621282	CARRACAS UNIT
Well Other	- West	8. Well Name and No.
2. Name of Operator		CARRACAS 30 B #8
VASTAR RESOURCES, INC. 3. Address and Telephone No.	To de Co	30-039-24442
1816 E. MOJAVE ST., FARMINGTON, NM 8740	01 (505) 599-4300	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		BASIN FRUITLAND COAL
		N/ County or Parish, State
SENE 2240' FNL & 620' FEL SEC. 30, T-32N,	R-4W, NMPM	RIO ARRIBA, NM
12. CHECK APPROPRIATE BOX(s) TO INDI	CATE NATURE OF NOTICE, REPORT, OR O	THER DATA
TYPE OF SUBMISSION		
Notice of Intent	Abandonment	Change of Plans
_	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
. ,	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other RE-PERF & RE-FRAC	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally		

drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Vastar elected to reperforate and refrac the Fruitland Coal in the subject well in an attempt to increase gas flow rates. Reperforated Fruitland Coal fm 3930' to 3950', 20' w/ 4 spf adding 80 holes w/ 0.42" diameter and treated all perfs w/ 750 gal 10 % formic acid followed w/ 64324 gal 25# Delta frac 140 gel w/ sandwedge containing 1250 sx 20/40 Brady sand. After cleaning out the 5 1/2" csg to 4095' (PBTD@ 4118'), a 2 3/8", 4.7#, J-55, 8RD EUE tbg assembly was run w/ an 'X' nipple and WL Re-entry guide. No pkr, EOT at 3921'. Flow and clean well to a flowback tank. Operator will set production equipment and return the well to production. Operations started on 05/30/2000 and were completed on 06/26/2000.

cc: BLM, Farmington (Or + 3) 06/28/2000 **WORKOVER SUPERVISOR** Approved by Conditions of approval, if any: Tille 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. *See Instruction on Reverse Side

NMOCD