Dustrict I PO Box 1980, Hobbs, NM 88241-1960 Dustrict II PO Drawer DD, Artesia, NM 88211-0719 District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy, Maerals & Natural Resources Department

Form C-101
Revised February 10, 1994
Instructions on back

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

District IV
PO Box 2088, Santa Pe, NM 87504-2088

AMENDED REPORT

Proposed Bottom Hole Location If Different From Surface **Proposed Bottom Hole Location If Different From Surface **Proposed Fool 1 **Proposed Fool 1** **Blanco Mesa Verde** **Work Type Code** **N G R S 6375 **Multiple** **Proposed Depth** **Proposed Depth** **Proposed Depth** **Proposed Casing and Cement Program **Hole Size** **Casing Size** **Casing Size** **Casing weight/foot** **Bod Depth** **Bod Depth** **Bod Depth** **Bod Depth** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing weight/foot** **Sects of Cement Program** **Hole Size** **Casing Size** **Casing Size** **Casing Size** **Casing Size** **Casing Proposed Program** **Hole Size** **Casing Size** **Casing Size** **Casing Size** **Casing Proposed Program** **Hole Size** **Casing Size** **Casing Size** **Casing Proposed Program** **Hole Size** **Casing Proposed Program** **Hole Size** **Casing Size** **Ca	WILLIAMS PRODUCTION COMPANY C/O Walsh Engr. & Prod. Corp 7415 E. Main St., Farmington, New Mexico 87402 Property Cade OD8480 1033 Rosa Unit 7 Surface Location T. et lat se. Section Township Range Lot Ids Fost from the 1550 South 1145 East West East Rio Ar 1 Proposed Bottom Hole Location If Different From Surface Township Range Lot Ids Fost from the North/South East Fost from the East/West East Rio Ar 1 Proposed Bottom Hole Location If Different From Surface Township Range Lot Ids Fost from the North/South East Fost from the East/West East Coststy Proposed Pool I Blanco Messa Verde "West Type Code "West Type Code "CabburRotary "Least Type Code South South In 1995 Code N G R S G375 "Multiple "Proposed Depth "Formation "Costracter "Speed Duts April 1995 21 Proposed Casing and Cement Program Bole Sum Casing Sim Casing weight/foot Section Depth Socks of Coment 21-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 5 130 8-3/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Contag Sim Casing Proposed Program, if ary, Use soldings shouth if section Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the Popular Company Proposed Popular Company						LL, RE-EN			GUN	可E r) '00	RID Number
7 Surface Location **Froperty Code** ODS480 1033 Range Lot Ida Feet from the Ida Feet from the Ida	C/O Walsh Engr. & Prod. Corp. 7415 E. Main St., Farmington, New Mexico 87402 Property Cast	WILL	TAMS P	RODUCTI	ON COM	PANY		7	, 62 23	The South and t		1:	
Property Code OB480 1033 Rosa Unit Property Name (No. 34A) Surface Location Feet from the Rosa Unit Proposed Bottom Hole Location If Different From Surface Feet from the East/West East County Proposed Pool I Blanco Mesa Verde "Proposed Pool I Blanco Mesa Verde "CabierRotary "Lease Type Code "Greated Level Evertice" N G R S 6375 "Multiple "Proposed Depth "Formation "Contractor "Speed Depth N/A April 1999 21 Proposed Casing and Cement Program Blot Size Casing Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing West Size Casing wight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing West Size Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing West Size Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing West Size Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing West Size Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 Blot Size Casing West Size Setting Depth Size Setting	Property Cade OBASO Rosa Unit Post from the Rosa Unit Rosa Unit Rosa Unit Post from the Rosa Unit Rosa Unit Proposed Bottom Hole Location If Different From Surface Proposed Pool 1 Blanco Mesa Verde Proposed Pool 1 Blanco Mesa Verde "Wall Type Code "CabburRotary "Formation Rosa Unit Rosa Unit "Formation N/A April 1995 "Proposed Casing and Cement Program Bule Size Casing Size						•	lJ 8	d F	E6 16	1999 -		_ • · · · ·
Rosa Unit Surface Location Surface Surface Surface Lot Ida Feet from the North/South East Rio Arril	Rosa Unit Surface Location								CINC THE	- 1 to 1 t		30 - 0	
7 Surface Location 8 Post from the 1550 South 1145 East Rio Arril 8 Proposed Bottom Hole Location If Different From Surface 9 Proposed Pool I 1	Total total total total total Section Terrumbilip Range Lot Ida Fine from the 1550 South 1450 East Rio Ar 1550 South 1145 East Rio Ar 1550 South 1145 East Rio Ar 1145	¹ Prope	rty Code				, IJ	roperty Name 🕕	XIII.	GARNO.			
7 Surface Location 8 Post from the 1550 South 1145 East Rio Arril 8 Proposed Bottom Hole Location If Different From Surface 9 Proposed Pool I 1	Total total total total total Section Terrumbilip Range Lot Ida Fine from the 1550 South 1450 East Rio Ar 1550 South 1145 East Rio Ar 1550 South 1145 East Rio Ar 1145	0084	80/10	33			Rosa Un	it		Maria £	`\ 		34A
To section and the section of the se	I 36 32N 6W 1550 South 1145 East Rio Ar Proposed Bottom Hole Location If Different From Surface Ler lot so. Section Township Range Lot Ids Feet from the North/South Ease Foot from the East/West Ease Construction Mesa Verde "Work Type Code "Wall Type Code N S 6375" "Multiple "Proposed Depth "Formation N/A April 1995 "I Proposed Casing and Cement Program Hole Size Casing Size Cusing reight/foot Setting Depth Section of Common Eastmand 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 3 4 5 6 6 6 6 10 80 + 230 Construction Setting Depth Section of Common Eastmand 14-1/2" 10.5 3580 - 6160 80 + 230 Construction Setting Depth Section of Common Eastmand 15-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Construction Setting Depth Section of Common Eastmand 15-1/4" 10.5 3580 - 6160 80 + 230 Construction Setting Depth Section of Common Eastmand 15-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Construction Setting Depth Section of Common Eastmand 15-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Construction Setting Depth Section of Common Eastmand 15-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Construction Setting Depth Section Setting Depth Settin						⁷ Surface	Location					
Proposed Bottom Hole Location If Different From Surface **Proposed Pool 1 Blanco Mesa Verde **Proposed Pool 1** Blanco Mesa Verde **Proposed Pool 1** Blanco Mesa Verde **Cable/Rotary **Lesse Type Code **Gross Levi Elevi Elev	**Proposed Bottom Hole Location If Different From Surface Let let so. Section Township Range Let Ids Feet from the North/Seeth East Feet from the East/West East County **Proposed Pool I** **Proposed Pool I** **Proposed Pool I** ***Work Type Code	L or lot no.	Section	Township	Range	Lot Ida	Foot from the	North/South E	ase Fo	et from the	East/We	at East	
Proposed Pool 1 Blanco Mesa Verde** **Work Type Code No. "Well Type Code No. "Cabic/Rotary No.	Troposed Pool 1 Blanco Mesa Verde "Walt Type Code Number of Section of Section Secti	I	36		1		1					st	Rio Arrik
Proposed Pool 1 Blanco Mesa Verde "Work Type Code "Well Type Code "Cable/Rotary "Lease Type Code "Grossad Level Elevation N G R S 6375 "Multiple "Proposed Depth "Formation "Contractor Sput Date N 6160 Mancos N/A April 1999 21 Proposed Casing and Cement Program Bole Size Casing Size Casing weight/foot Setting Depth Sacts of Cases Estimated TOC 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Surface ToC 1-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Cases Set	Proposed Fool 1 Blanco Mesa Verde "Well Type Code "Well Type Code "Well Type Code "Well Type Code "Nested Proposed Problem Proposed Problem Proposed Problem Proposed Problem Proposed Problem Proposed Problem Proposed Casing and Cement Program 1º Proposed Program 1º Proposed Casing and Cement Program 1º Sped Dute 2º Proposed Casing and Cement Program 1º Sped Dute 1º Proposed Program 1º Proposed Casing and Cement Program 1º Sped Dute 1º Proposed Casing and Cement Program 1			8 P	roposed	Bottom	Hole Locat	ion If Diffe	erent I	From Sur	face		
Blanco Mesa Verde "Work Type Code "Well Type Code "Cable/Rotary "Lesse Type Code "Ground Level Elevation N G R S 6375 "Multiple "Proposed Depth "Formation "Contractor N/A April 1999 21 Proposed Casing and Cement Program Blok Size Casing Size Casing weight/foot Setting Depth Sacks of Casing Of Casing Type Code No. 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Supplies No. 10-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Contractor No. 10-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Contractor No. 10-1/4" No.	Blanco Mesa Verde "Work Type Code "Well Type Code "Cable/Rotary "Lesse Type Code "Greend Level Ele N G R S 6375 "Multiple "Proposed Depth "Formation "Contractor "Sped Date N 6160 "Mancos N/A April 1995 21 Proposed Casing and Cement Program Bole Size Coming Size Coming weight/foot Secting Depth Sacts of Coment 1995 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 3 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	L or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South E	ac Fo	set from the	East/We	nt Loc	County
Blanco Mesa Verde "Work Type Code "Well Type Code "Cable/Rotary "Lesse Type Code "Ground Level Elevation N G R S 6375 "Multiple "Proposed Depth "Formation "Contractor N/A April 1999 21 Proposed Casing and Cement Program Blok Size Casing Size Casing weight/foot Setting Depth Sacks of Casing Of Casing Type Code No. 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Supplies No. 10-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Contractor No. 10-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Contractor No. 10-1/4" No.	Blanco Mesa Verde "Work Type Code "Well Type Code "Cable/Rotary "Lesse Type Code "Greend Level Ele N G R S 6375 "Multiple "Proposed Depth "Formation "Contractor "Sped Date N 6160 "Mancos N/A April 1995 21 Proposed Casing and Cement Program Bole Size Coming Size Coming weight/foot Secting Depth Sacts of Coment 1995 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 3 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				ļ						<u> </u>		<u> </u>
"Work Type Code "Well Type Code Cabler Rotary "Lesse Type Code Good Level Elevation N G R S 6375 "Multiple Proposed Depth Formacion N/A Spand Date April 1999 21 Proposed Casing and Cement Program Bole Size Casing Size Casing weight/foot Setting Depth Sacks of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 3680 425 + 140 Supply 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Casing Size Casing weight/foot Setting Depth Sacks of Cement Estimated TOC 12-1/4" 10.5 3580 - 6160 80 + 230 Casing Size Casing weight/foot Setting Depth Sacks of Cement Estimated TOC 12-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Casing Size Casing weight/foot Setting Depth Sacks of Cement Estimated TOC 12-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Casing Size Casing weight/foot Setting Depth Sacks of Cement Program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional sheets if necessary. Williams Production Company proposes to drill a vertical well at the above	"Work Type Code "Well Type Code "Cabier Rotary "Lesse Type Code "Grossed Level Ed R S 6375 "Multiple "Proposed Depth 6160 Mancos "Coatractor April 1995 21 Proposed Casing and Cement Program Bloe Size Casing Size Casing weight/foot Setting Depth Sacts of Comean Estimated 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Sundar 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Contag Size Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data as the present productive zone and proposed set process. Describe the blowwest provendos program, if any. Use additional sheets if secondary. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the conducted			•						" Prope	ecd Pool 2		
N G R S 6375 "Multiple "Proposed Depth 6160 Mancos N/A April 1999 21 Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Surface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Cut 3580 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional sheets if sectionary. Williams Production Company proposes to drill a vertical well at the above the contract of the proposed section of the proposed section. After the surface	N G R S 6375 "Multiple "Proposed Depth "Formation "Contractor "Speed Date N 6160 Mancos N/A April 1999 21 Proposed Casing and Cement Program Blok Size Coming Size Coming weight/foot Setting Depth Sacks of Coment Extinated 1 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Sunday 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Company Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new process. Describe the blowest prevention program, if any. Use additional sheets if secondary. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the proposed set of the blowest processor. Describe the blowest prevention program is any. Use additional sheets if secondary. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the proposed set of the best of		Bla	nco Me	sa Verd	le					, <u>.</u>		•
N G R S 6375 "Multiple "Proposed Depth 6160 Mancos N/A April 1999 21 Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Surface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Cut 3580 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional sheets if sectionary. Williams Production Company proposes to drill a vertical well at the above the contract of the proposed section of the proposed section. After the surface	"Proposed Depth "Formation "Contractor "Speed Date N 6160 Mancos N/A April 1999 21 Proposed Casing and Cement Program Blok Size Cosing Size Cosing weight/foot Setting Depth Sacks of Coment Estimated 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Sunday 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Cosing 36 Cosing by 10-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Cosing 36 Cosing 36 Cosing 46 Cosing 46 Cosing 46 Cosing 46 Cosing 46 Cosing 46 Cosing 47 Co						·	- · · · · · · · · · · · · · · · · · · ·				11.0	4 1 27 . 4
"Multiple "Proposed Depth Mancos "Costractor N/A April 1999 21 Proposed Casing and Cement Program Bole Size Casing Size Casing weight/foot Setting Depth Sacts of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Surface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Cure 3/80 Describe the proposed program. If this application is to DEEFEN or PLUG BACK give the data on the present productive zone and proposed new productive. Describe the blowest prevention program, if any. Use sedditional shocts if necessary. Williams Production Company proposes to drill a vertical well at the above williams Production Company proposes to drill a vertical well at the above	"Multiple "Proposed Depth "Formation "Contractor N/A April 1999 1 Proposed Casing and Cement Program 2 Proposed Casing and Cement Program 3 Proposed Casing and Cement Program 4 Proposed Casing and Cement Program 4 Proposed Casing and Cement Program 5 Proposed Casing Depth Sector Program 5 Proposed Casing Depth Sector Program 6 Proposed Program 6 Proposed Program 7 Proposed Program 7 Proposed Progra	" Work 1	Type Code		" Well Typ	e Code		· · · · · · · · · · · · · · · · · · ·	,•	• •	ode	-,	
N 6160 Mancos N/A April 1999 Proposed Casing and Cement Program Bole Size Casing Size Casing weight/foot Setting Depth Sacks of Cement Process 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Sunface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Control State Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional shorts if necessary. Williams Production Company proposes to drill a vertical well at the above	Proposed Casing and Cement Program											1	
Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Setting Depth Socks of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 3680 425 + 140 Surface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Curt 3580 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional sheets if necessary. Williams Production Company proposes to drill a vertical well at the above williams Production Company proposes to drill a vertical well at the above and proposed sets of the plance Massa Verde formation. After the surface	Bole Size Casing Size Casing veight/foot Setting Depth Sacks of Comment Program 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 3 45 140 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive mose and proposed new process. Describe the blowest prevention program, if any. Use additional shorts if sectionary. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the process of the proces		•		•	-	1					,	
Hole Size Casing Size Casing weight/foot Setting Depth Socks of Cement Estimated TOC 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Surface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Curt 3580 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional shorts if necessary. Williams Production Company proposes to drill a vertical well at the above williams and the content of the plance Massa Verde formation. After the surface	Bole Size Casing Size Casing weight/foot Setting Depth Section of Comment 12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Supplement 10.5 3580 - 6160 80 + 230 Comment 10.5 3580 - 6160 80 + 230 Comment 10.5 3580 - 6160 80 + 230 Comment 10.5 Section of Company proposed set processory. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating 10 pipe is set, all operations will be conducted below a 3000# BOP with rotating 10 pipe is set. Thompson Title: Agent Approved by Approved Day EB 1 8 1999 Experison Day EB 1	N						1					
12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 Surface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Curt 3580 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional shorts if necessary. Williams Production Company proposes to drill a vertical well at the above williams and the cut the Plance Massa Verde formation. After the surface	12-1/4" 9-5/8" 36 250 130 8-3/4" 7" 20 3680 425 + 140 5-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Describe the proposed program. If this application is to DELFEN or PLUG BACK give the data on the present productive some and proposed new processes. Describe the blowest prevention program, if any. Use additional sheets if necessary. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the process of the proc				2	Propos	ed Casing a						
8-3/4" 7" 20 3680 425 + 140 Surface 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Curt 3580 Describe the proposed program. If this application is to DEEFEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional sheets if necessary. Williams Production Company proposes to drill a vertical well at the above williams are the Plance Mass Verde formation. After the surface	8-3/4" 7" 20 3680 425 + 140 Sunday 6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Constitution and the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive more and proposed new products. Describe the blowest prevention program, if any. Use additional shorts if secessary. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the provided and belief. Squature Found name Paul C. Thompson Title: Agent Approved by Approved by					Casi			epth	 	of Cement		Estimated TOC
6-1/4" 4-1/2" 10.5 3580 - 6160 80 + 230 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional sheets if necessary. Williams Production Company proposes to drill a vertical well at the above williams and the set the Plance Mass Verde formation. After the surface	Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive more and proposed new program. If this application is to DEEPEN or PLUG BACK give the data on the present productive more and proposed new program. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the proposed new proposed new proposed new proposed new proposed program. bereby ceruly that the information given above us true and complete to the best of the proposed new prop				/8"						140	- 2	1
Describe the proposed program. If this application is to DEEFEN or PLUG BACK give the data on the present productive some and proposed new productive. Describe the blowest prevention program, if any. Use additional sheets if necessary. Williams Production Company proposes to drill a vertical well at the above which are the Plance Mass Verde formation. After the surface	Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the process productive some and proposed new process. Describe the blowest prevention program, if any. Use additional sheets if necessary. Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the proposed new process to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the proposed new process to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the proposed new process to drill a vertical well at the above described in the process to drill a vertical well at the above described in the	<u></u>			/ o !!				6160		-	7	un act
Williams Production Company proposes to drill a vertical well at the above	Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating pipe is set, all operations will be conducted below a 3000# BOP with rotating pipe is set. I bereby ceruly that the information given above is true and complete to the best of the providing and belief. Approved by Title: Deput of the CAS HISTORIANS DEFENDENT OF THE Proposal Date B 18 1999 Expiration Date B 18	6-1/	/4"	4-1	/2"		10.5	3580 - 6	9160	80 +	230	10	UL 2786
Williams Production Company proposes to drill a vertical well at the above	Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating pipe is set, all operations will be conducted below a 3000# BOP with rotating pipe is set. I bertby ceruly that the information given above is true and complete to the best of my knowledge and belief. Squasure: Approved by: Title: Deput Of Conservation Division Approved by: Approved by: Approved by: Approved by: Approved Date 18 1999 Expiration Date 18 18 18 1999 Expiration Date 18 18 18 18 18 18 18 18 18 18 18 18 18									 			
Williams Production Company proposes to drill a vertical well at the above	Williams Production Company proposes to drill a vertical well at the above described location and test the Blanco Mesa Verde formation. After the surface pipe is set, all operations will be conducted below a 3000# BOP with rotating pipe is set, all operations will be conducted below a 3000# BOP with rotating pipe is set. I bereby ceruly that the information given above is true and complete to the best of the providing and belief. Approved by Title: Deput of the CAS HISTORIANS DEFENDENT OF THE Proposal Date B 18 1999 Expiration Date B 18												
THIDE IS SELL ULL ODGEWOLVEY HETE WY "	Interestry certify that the information given above is true and complete to the best of the post of the information of the information of the post of	e. Describe	villian	ns Prod	uction	Compan	y propose	s to dril	la v form	ertical	well After	at th the	e above surface
	Approved by Truled name Paul C. Thompson Title: Agent Approved Date EB 181999 Expiration Date EB 18												
	Approved by: Title: DEPUT OIL TAS INSPECTOR, SISTER Title: Agent Approval Date EB 1 8 1999 Expiration Date EB 1 8												
	Tritle: Paul C. Thompson Title: Agent Approval Daff EB 181999 Expiration Daff EB 1				rven above u	true and com	splete to the best	OI	L <u>C</u> O	NSERVA	MOITA	DIVI	SION
my knowledge and belief.	Agent	my knowled			rvan above u	true and com	<u>\</u> _		L CO	NSERVA	TION	DIVI	
any knowledge and belief. Approved by: App		my knowled	ge and belief	77	omps	true and com		Approved by	L CO	NSERVA	TION	DIVI	
Approved by Traced name: Paul C. Thompson Title: Deputy Oil & CAS INSPECTOR, 0181	Date: Phone. Conditions of Approval	my knowled squature: runted name:	Paul	C. The	omps	true and com		Approved by	L CO	GAS INSTE	CTOR, M	3143	2-18-

District I PO Box 1980, Hobbs. NM 88241-1980

District II PO Drawer DD, Artesia, NM 88211-0719

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV PO Box 2088, Santa Fe, NM 87504-2088 State of New Mexico
Energy, Minerals & Natural Resources Depart

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

__ AMENDED REPORT

20 Box 2088, S	anta re.	NM 8/504-4								:	
			WELL	LOCATI	ON AND	AC	CREAGE DEDI				
A ¹	PI Number			Pool Cod	е .			³Pool Name	2		
30.07	39.	6119		72319			Blanco M	esa Verde			
Property		· K · ((/			Prop	erty	Name			• We	11 Number
	- /-	5 7			ROS	Αί	JNIT				34A
008486		<u>55 </u>			0000		Name	<u>-</u> -		•E	levation
'OGRID N	- · · · · · · · · · · · · · · · · · · ·			WILLIA	•		CTION COMPA	NY		F	5375 ·
120782	2			MILLI							
				:	¹⁰ Surfac	:е	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from t	he	North/South line	Feet from the		st line	RIO
I	36	32N	6W		1550		South	1145	Fa	sst ARRIB	
	l	11 B	ottom	Hole L	ocat ion	I	f Different	From Şurf			
UL or lot no.	Sect ion	Township	Range	Lot Idn	Feet from t	he	North/South line	Feet from the	East/We	est line	County
12 Dedicated Acres	l	13 Joint or In	fill ¹⁴ Cons	solidation Code	15 Order No	j.					
320		Y		U							
NO ALLOW	NABLE W	IILL BE A	ASSIGNE NON-S	D TO TH	IS COMPLI UNIT HAS	ETI BE	ON UNTIL ALL EEN APPROVED	DI THE DIVI	.51014		
16		T	5/	415.96							FICATION
				* 13.30	34		t I	I hereby cen true and com	tify that the plete to the	e information best of my	n contained herein is knowledge and belief

265 Signature Paul C. Thompson Printed Name Agent Title 2/11/99 92 *SURVEYOR CERTIFICATION 5353 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 1997 1145' Date of 64 2642 6857 55(Certificate Number 2634.061 2647.26

